

# Saf-Gard

SAFETY SHOE COMPANY.

**VULCAN**  
SAFETY SHOES


DIVISION OF SAF-GARD SAFETY SHOE CO.

**MICHIGAN**  
INDUSTRIAL SHOE

DIVISION OF SAF-GARD SAFETY SHOE CO.

**INDUSTRIAL**  
PROTECTION PRODUCTS, INC.

DIVISION OF SAF-GARD SAFETY SHOE CO.



2024

CATALOG

FEATURING  
BRANDS LIKE:



# DEAR SAF-GARD® CUSTOMERS,

First, we'd like to thank you for trusting Saf-Gard® to manage your corporate shoe program. Because of your commitment to workplace safety and employee wellbeing we've helped teams across the country stay in compliance, improve employee comfort and most importantly, reduce workplace injuries. We did this all while managing and tracking your subsidy programs to keep you out of the shoe business. That's the kind of service you can always expect from us.

2023 was an outstanding year of growth and reinvestment for our company, giving us opportunities to serve you with new solutions.

Some of our favorite highlights of 2023:

- Our Aetrex foot scanners are among the latest upgrades now available at many of our retail stores. They give you precision point foot data in a matter of seconds and help you get perfect fitting safety shoes.
- We acquired Industrial Protection Products, which broadens our reach in the Northeast and paves the way for a new division: prescription safety eyewear. You'll see our eyewear rollout in several regions this year.
- We firmly believe in giving back and partnering with organizations that have the bigger picture in mind. Our work with Soles4Souls continues to flourish, paving a way for our customers to help those in need by donating gently used shoes.
- Great things are also happening with our partners She Built This City. Through the support of our customers, we donated 10% of our gross website sales to them during Giving Tuesday last November. These funds went toward helping youth, women and marginalized communities develop lucrative careers in the skilled trades.
- We expanded our product selection to keep your employees excited about the shoes available through their corporate program. Two of the most notable additions were through our partnerships with Wolverine® and Volcom, where we onboarded new exclusive products with our patented MaxTRAX® slip-resistant outsole.

This past year was one of tremendous growth for our company, and 2024 is poised to be the same. We look forward to a great, and safe, year ahead!

**Saf-Gard**  
SAFETY SHOE COMPANY.

**VULCAN**  
SAFETY SHOES  
DIVISION OF SAF-GARD SAFETY SHOE CO.

**MICHIGAN**  
INDUSTRIAL SHOE  
DIVISION OF SAF-GARD SAFETY SHOE CO.

**INDUSTRIAL**  
PROTECTION PRODUCTS, INC.  
DIVISION OF SAF-GARD SAFETY SHOE CO.



# STRAIGHTFORWARD SAFETY SOLUTIONS

For over four decades, we've built our reputation on giving you the protection and comfort you need. No fine print. No misdirection. Just honest, custom safety shoe solutions that simplify everything.



# When we say our shoe programs are made simple, we mean it.

TWO STEPS AND DONE.

## 1. Give us some background on your specific needs.

### WHAT PROGRAM TYPE IS RIGHT FOR YOU?

- Payroll Deduction:** the shoe program is purchased from your team members' checks over a period of time.
- Subsidized:** the company covers a portion of your team members' costs.
- Company Paid:** your company pays for the shoes outright.

### WHAT TYPE OF PROTECTION DO YOUR EMPLOYEES NEED?

- Safety Toe
- Metatarsal Guard
- Slip Resistant
- Conductive
- Electrical Hazard
- Waterproof
- Static Dissipative
- Specific colors to meet uniform standards

### PROVIDE YOUR DETAILS

- Location addresses
- Employee data feed (if needed)
- Invoice contact(s)

## 2. We deliver.

We'll design a program that meets your specific needs. This includes a custom ordering website, access to our fleet of mobile shoe stores\* and expert help at our retail stores\*.

Our marketing team will create custom materials to help with your program roll-out and long-term engagement.

- Welcome kits
- Posters
- Quarterly promotions
- Contests and more

**Ready to begin?** Call us at (800) 221-8843.

**Have questions about your current Saf-Gard® program?** Your Territory Manager is here to help.

\*For qualifying locations.



# Multiple ways to shop makes employee compliance a lot easier.



**30+ RETAIL STORES**



**70+ MOBILE SHOE STORES**



**ONLINE**



**PHONE**



## **HASSLE-FREE SHIPPING**

We ship orders via FedEx to your facility or directly to your employees' homes. Your choice.

## **AVOID THE WAIT**

If your team members make a purchase from a retail or mobile shoe store, they can wear their new shoes right out of the store.



## **DYNAMIC ONLINE TRACKING**

Access your employees' entire purchasing history anytime, no matter how orders were placed.

## **CUSTOM WEBSITE**

Your custom ordering website makes it so much easier for your team members to get exactly what they need when they need it.

## **CORPORATE PROGRAM PRICING**

Log in using your Saf-Gard account number and see your corporate program pricing on your pre-selected styles.

# TABLE OF CONTENTS

**SAFETY ICONS .....7**

**MEN'S SAFETY TOE ..... 8 - 85**

Dress, Oxfords & Casual ..... 8 - 15  
Athletics ..... 16 - 32  
Hikers ..... 32 - 39  
6" Boots ..... 40 - 62  
8" - 12" Boots ..... 62 - 75  
Loggers ..... 75 - 78  
Wellingtons ..... 78 - 85

**MEN'S METATARSAL GUARD .....86 - 100**

Oxfords ..... 86  
Athletics & Hikers ..... 86 - 88  
6" - 8" Boots ..... 88 - 97  
10" Boots & Wellingtons ..... 97 - 100

**MEN'S SOFT TOE ..... 100 - 102**

**CONDUCTIVE ..... 103 - 104**

**WOMEN'S SAFETY TOE ..... 105 - 126**

Dress, Oxfords & Casual ..... 105 - 110  
Athletics ..... 110 - 118  
Hikers ..... 119 - 121  
6" - 8" Boots ..... 121 - 125  
Wellingtons ..... 125 - 126

**WOMEN'S METATARSAL GUARD ... 127 - 129**

**WOMEN'S SOFT TOE ..... 131 - 132**

**RUBBER BOOTS & OVERSHOES .... 133 - 137**

**INSOLES & MISC. .... 138 - 143**

**SIZE CONVERSION CHARTS ..... 143**

**INDEX ..... 144 - 147**

# SAFETY PROPERTIES



## STEEL SAFETY TOE

As part of this standard, employers require ASTM F2413-18 rated footwear in areas where employees are exposed to injury as a result of falling or rolling objects. All steel toe shoes in this catalog meet or exceed ASTM F2413-18 I/ C.



## COMPOSITE SAFETY TOE

Compared to their steel toe counterparts, the composite toes are manufactured using lightweight materials to make the shoe weigh less while meeting ASTM standards. These shoes meet or exceed ASTM F2413-18 I/ C standards.



## ALLOY SAFETY TOE

A lighter weight safety toe meeting ASTM F2413-18 I/ C standards.



## NANO TOE

Nonmetallic safety toe that is 50% lighter than conventional steel toes, and 40% thinner than conventional composite toes. The Nano toes provide protection meeting ASTM F2413-18 I/ C standards.



## METATARSAL GUARD

Metatarsal guard shoes protect both the toes and the metatarsal bone behind the toes. Metatarsal guard shoes are required in any environment where injuries can occur to the metatarsal bone. They are most commonly used in foundries, welding, air product distribution and other heavy manufacturing. All styles marked with the "MG" icon in this catalog meet the ASTM F2413-18 Mt standards.



## STATIC DISSIPATIVE

SD shoes regulate the build up of an electrical charge in an employee's body. SD shoes are commonly used in manufacturing of computer components, solvent based paints and plastics. SD products reduce the risk of static shock to people and the manufactured product. All safety toe styles marked with the "SD" icon in this catalog meet the ASTM F2413-18 SD standards.



## CONDUCTIVE

Conductive safety shoes protect against the hazards of static electricity build-up. They are intended to protect the wearer in an environment where the accumulation of static electricity on the body is a hazard. These shoes should not be worn by persons working near open electrical circuits. ALL styles marked with the "CD" icon in this catalog meet the ASTM F2413-18 Cd standards.



## ELECTRICAL HAZARD

The soles of EH shoes provide a barrier to protect employees from open electrical currents up to 600 volts. EH shoes are often needed in maintenance, welding and engineering positions. All styles marked with the "EH" icon in this catalog meet the ASTM F2413-18 EH standards.



## INSULATION

Several of our styles provide insulation against the cold and are built for the tough outdoor environments. Our range of insulation available is 200gms- 800gms. The styles offering insulation will be marked with the specific weight of insulation to help guide you in your selection.



## HIGH HEAT

These shoes feature outsoles that resist a minimum high heat temperature of 572, 752 or 932 degrees Fahrenheit depending on the icon used with the shoe listing.



## WATERPROOF

Waterproof boots and shoes are constructed to keep the feet dry and comfortable in wet conditions. Waterproof construction requires continuous maintenance and is not guaranteed to remain for the life of the shoe.



## PUNCTURE RESISTANT

These shoes are designed to reduce the impact of sharp objects which are damaging to the foot. Puncture wounds can be hazardous to the midsole of the foot and the appropriate footwear is necessary on job sites where sharp objects can pierce the sole. These shoes meet the ASTM F2413-18 PR standards.



## FLEXIBLE

These shoes provide more movement, flexibility and superior overall comfort.



## SLIP RESISTANT

Slip-resistant safety footwear is the fastest growing segment of the safety footwear industry. For many employers with wet, oily, and/or greasy floors, it is common sense to require slip-resistant safety footwear. Slip related injuries can be extremely costly. No shoe is slip proof, however employers who require slip-resistant shoes can reduce worker's compensation claims.



## SECURITY FRIENDLY

Security friendly styles are made from all nonmetallic components including styles with safety toe caps. Security friendly styles have non-metallic eyelets, hardware and shanks for the most sensitive security systems.



## COMFORT

Saf-Gard carries several brands with unconditional 30-day comfort guarantees. These products give you 30 days to test for comfort. If you are not completely satisfied we will exchange it or process a refund.



## LIGHTWEIGHT

These styles are much lighter weight than traditional safety shoes.



## BLOODBORNE PATHOGEN RESISTANT

Breathable membrane helps protect from diseases caused by blood-borne pathogens. Meets ASTM F1671-07 safety standard.



## SIDE ZIPPER

Boots showing this logo feature a side zipper for easy on/off.



## USA MADE/ASSEMBLED

Saf-Gard is proud to offer several styles of safety shoes that are either made or assembled in the USA.



## GORE-TEX®

This waterproof breathable material allows air circulation, but does not let water in. It is guaranteed 100% waterproof.



## VIBRAM

High performance outsoles for rugged, outdoor and service footwear.



## PORON XRD® EXTREME IMPACT PROTECTION

Metatarsal guard technology for men and women that combines comfort, flexibility and outstanding performance. Absorbs and instantly dissipates 90% of energy when impacted.



## UNION

These styles are produced by the United Food & Commercial Workers International Union in USA Plants.



## XTR® EXTRA-WIDE TOE CAP

Boots showing this logo feature the XTR® extra toe room, extra comfort, extra-wide composite toe or alloy toe safety toe cap.



## MaxTRAX® OUTSOLE TECHNOLOGY

Industry leading slip resistance with SR Max MaxTRAX® outsole technology featured on select styles from SR Max®, Reebok Work®, SKECHERS Work®, Timberland PRO®, Wolverine®, Rockport Works®, Volcom® and Florsheim Work®.



## INDOOR COLD STORAGE OUTSOLE

Patented MaxTRAX® outsole technology featuring a rubber compound developed for use in indoor cold storage environments and walk-in freezers.

SCAN TO VIEW ALL CURRENT STYLES:



# SAFETY TOE

**Hush Puppies**  
PROFESSIONALS



**HUSH-PUPIES PROFESSIONALS®**  
**Wing Tip Dress Shoe**

**05040** (Black) D 6-12,13,14,15; E 6-12,13,14,15; EEE 6-12,13,14,15

Full grain leather upper. Pigskin linings. Removable cushion footbed. DuraShocks PU outsole. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



NEW STYLE

*Florsheim*  
WORK



**FLORSHEIM WORK®**  
**Premier Work Oxford**

**SFE2307** (Cognac/Tan) D 7-12,13,14; EEE 8-12,13,14

**SFE2308** (Black/Tan) D 7-12,13,14; EEE 8-12,13,14

Leather upper. Twin elastic side gores. Lycra breathable lining. Breathable comfort footbed with Comfortech Heel Strike Zone for shock absorption and rebound. EVA midsole. SR MAX MaxTRAX® patented oil and slip resistant rubber outsole. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



EXCLUSIVE STYLE

*Florsheim*  
WORK



**FLORSHEIM WORK®**  
**Crossover Work Dress Oxford**

**SFE2643** (Black/White) D 7-12,13,14,15; EEE 7-12,13,14,15

**SFE2642** (Cognac/White) D 7-12,13,14,15; EEE 7-12,13,14,15

Leather upper. Moisture wicking nylon mesh lining. Removable Comfortech footbed with Rebound Foam. Oil resistant rubber wedge outsole with Flexsole forefoot and patented SR Max MaxTRAX® slip-resistant tread pattern. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



EXCLUSIVE STYLE

*Florsheim*  
WORK



**FLORSHEIM WORK®**  
**Crossover Work Dress Oxford**

**SFE2644** (Black/White) D 7-12,13,14,15; EEE 7-12,13,14,15

**SFE2645** (Cognac/White) D 7-12,13,14,15; EEE 7-12,13,14,15

Leather upper. Moisture wicking nylon mesh lining. Removable Comfortech footbed with Rebound Foam. Oil resistant rubber wedge outsole with Flexsole forefoot and patented SR Max MaxTRAX® slip-resistant tread pattern. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



EXCLUSIVE STYLE



*Florsheim*  
WORK



**FLORSHEIM WORK®**  
**Coronis Dress Lace Oxford**  
**WGFS2000** (Black) D 7-12,13,14; EEE 7-12,13

Leather upper. Micro fiber suede lining. Removable EVA cushion insert with sponge comfort heel gel. EVA cushion midsole. Slip-resistant rubber outsole. No exposed metal on upper. Steel toe. SD.

**ASTM F2413-18 M/ I/ C SD 35 compliant**



*Florsheim*  
WORK



**FLORSHEIM WORK®**  
**Coronis Dress Slip-On**  
**WGFS2005** (Black) D 7.5-12,13,14; EEE 7.5-12,13

Leather upper. Twin elastic side gores. Micro fiber suede lining. Removable EVA cushion insert with comfort heel gel. EVA cushioned midsole with slip-resistant rubber outsole. Steel toe. SD.

**ASTM F2413-18 M/ I/ C SD 35 compliant**



*Florsheim*  
WORK



**FLORSHEIM WORK®**  
**Loedin Wing Tip Dress Oxford**  
**WGFS2023** (Brown) D 8-12,13,14; EEE 8-12,13

Leather upper. Micro fiber suede lining. Comfort gel footbed with full length EVA core. KORE midsole/outsole with EVA cushion midsole and slip-resistant rubber heel and forepart pads. Steel toe. SD. No exposed metal on upper.

**ASTM F2413-18 M/ I/ C SD 35 compliant**



NEW STYLE

*Florsheim*  
WORK



**FLORSHEIM WORK®**  
**Flair Work Dress Wingtip Oxford**  
**WGFS2623** (Brown/White) D 7-12,13; EEE 9-12,13

Pigskin leather upper. Pigskin lining. Removable Comfortech footbed with high rebound foam. EVA SupaCush midsole with rubber traction pads on heel and toe. Steel toe. SD 35.

**ASTM F2413-18 M/ I/ C SD 35 compliant**



*Florsheim*  
WORK



**FLORSHEIM WORK®**  
**Loedin Twin Gore Work Boot**  
**WGFS2031** (Brown) D 8-12,13,14; EEE 8-12,13,14

Leather upper. Micro fiber suede lining. Twin side gore panels. Comfort gel footbed with full length EVA core. KORE midsole/outsole with EVA cushion midsole and slip-resistant rubber heel and forepart pads. Steel toe. SD. No exposed metal on upper.

**ASTM F2413-18 M/ I/ C SD 35 compliant**





**HYTEST®**  
**Blake Slip-On Oxford**  
**10043** (Grey) M 8-12,13; W 8-12,13

Suede leather and canvas upper. Twin elastic side gores. Moisture wicking mesh lining. Memory foam cushion footbed. Slip resistant rubber outsole pads. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**HYTEST®**  
**Blake Slip-On Oxford**  
**10113** (Brown) M 7-12,13,14; W 7-12,13,14  
**10119** (Black) W 8-12,13,14

Leather and canvas upper. Twin side gores. Abrasion resistant mesh lining. Removable memory foam footbed. EVA cushioned midsole with oil and slip-resistant rubber outsole pads. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**HYTEST®**  
**Knox Direct Attach Slip-On**  
**10781** (Brown) W 7-12,13,14

Leather upper. Twin elastic side gores. Moisture wicking mesh lining. EVA cushion footbed. PU midsole with oil, slip and abrasion resistant TPU outsole. Direct attached construction. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**HYTEST®**  
**Brennan Waterproof Oxford**  
**10800** (Black) D 4-12,13,14,15; E 7-12,13,14,15; EEE 4-12,13,14,15

Full grain, waterproof leather upper. Mesh lining. Removable EVA Pesu III full cushion footbed. PU/rubber, slip-resistant outsole. Goodyear welt construction. Waterproof. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**MERRELL WORK®**  
**Jungle Moc Slip On Work Shoe**  
**MLJ099319** (Espresso) M 8-12,13,14; W 8-12,13

Full grain leather upper. Twin elastic side gores. Breathable mesh lining. COMFORTBASE contoured footbed. Merrell air cushion in heel absorbs shock and adds stability. COMFORTBASE rubberized EVA midsole. Oil and slip-resistant rubber outsole. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**X SR MAX®**



**SR MAX®**  
**Burke Casual Oxford**  
**SRM2060** (Brown) M 7-12,13,14; EW 8-12,13  
**SRM2050** (Black) M 8-12,13,14,15,16; EW 8-12,13,14,15,16

Oiled, tumbled leather upper. Merry mesh linings. PU cup insole. Molded phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp Toe. EH. Security friendly.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**

**X SR MAX®**



**SR MAX®**  
**Rockledge Work Oxford**  
**SRM2090** (Black) M 5-12,13,14,15,16; EW 8-12,13,14,15

Waterproof, oiled, full grain, leather upper. Mesh linings. PU cup cushion footbed. Phylon molded midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**

**Timberland PRO**



**TIMBERLAND PRO®**  
**TiTAN Casual Work Oxford**  
**TM47028** (Brown) M 7-12,13,14,15; W 7-12,13,14,15  
**TM40044** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Soft upper leather to minimize break-in time. Anti-microbial, spacer mesh linings. Ortholite footbed with Dryz Intellitemp X-Static moisture, temperature, and anti-microbial management. PU cushioned midsole. Timberland PRO oil, slip and abrasion resistant rubber outsole. TiTAN alloy safety toe. EH. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



**Timberland PRO**



**TIMBERLAND PRO®**  
**TiTAN Oiled Slip-On Oxford**  
**TM53534** (Camel Brown) M 7.5-12,13,14,15; W 9-12,13,14,15

Full grain leather upper. Twin side gores. Spacer mesh comfort lining with antimicrobial treatment. Open cell PU footbed. PU midsole. Oil and slip-resistant Timberland PRO rubber outsole. Alloy toe. EH. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



**Timberland PRO**



**TIMBERLAND PRO®**  
**Branston Slip On Casual Oxford**  
**TM91694** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Full grain leather upper. Dual side gores for comfortable custom fit. Agion antimicrobial treatment for odor control. PU midsole. Nonmarking, oil and slip-resistant PU outsole. Alloy toe. SD. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C SD compliant**





**KEEN UTILITY®**  
**Vista Energy + Shift Slip On Casual Oxford**  
**KN1026704** (Coffee Bean/Black) D 8-12,13,14; EE 8-12,13,14

Full grain leather upper. Abrasion resistant toe overlay. Front and back nylon pull loops. Mesh and moisture wicking textile lining. Cleansport NXT for natural odor control. Removable metatomical PU footbed. KEEN.ReGEN compression resistant midsole. Oil and slip-resistant, nonmarking, rubber outsole. 100% nonmetallic. Carbon fiber comp toe. SD 35.

**ASTM F2413-18 M/ I/ C SD 35 compliant**



NEW STYLE



**KEEN UTILITY®**  
**San Jose Casual Oxford**  
**KN1026707** (Gingerbread/Off White) D 7.5-12,13; EE 8-12,13  
**KN1026708** Black/Off White D 8-12,13; EE 8-12,13,14

Water resistant leather upper. Removable metatomical PU footbed. KEEN Luftcell air infused PU midsole. Nonmarking, oil and slip resistant rubber outsole. Aluminum toe. EH. 30 day wear trial.

**ASTM F2413-18 M/ I/ C EH compliant**



**ARIAT®**  
**Edge LTE Slip-On Work Oxford**  
**AR10029530** (Dark Brown) D 8-12,13,14; EE 8-12,13,14

Premium leather upper. Twin elastic side gores. Nylon pull loop at back. Mesh lining. Removable All Day Cushioning footbed. 4LR stabilizing shank. Oil and slip resistant Bantamweight outsole. Comp toe. SD 35. 100% nonmetallic.

**ASTM F2413-18 M/ I/ C SD 35 compliant**



NEW STYLE



**CAROLINA®**  
**Braze Amber Casual Oxford**  
**CA1520** (Brown) D 8-12,13,14; EE 8-12,13,14

Pitstop upper leather. Pillow Cushion insole with removable AG7 PU footbed. EVA midsole. Oil and slip-resistant rubber outsole. Nonmetallic hardware. Comp toe. SD.

**ASTM F2413-18 M/ I/ C SD compliant**



NEW STYLE



**ROCKPORT WORKS®**  
**truFLEX Fly Mudguard Work Slip On Casual**  
**SRK4574** (Navy) M 7-12,13,14; EW 8-12,13,14

Canvas upper with abrasion and weather resistant mudguard. Twin elastic side gores. Nylon pull loop back of heel. Moisture wicking micromesh lining. Shock absorbing, removable footbed. EVA midsole. truFLEX underfoot technology for ultimate motion flexibility. truFLEX spine cradles the foot and provides flexible, lightweight cushioning. Oil resistant rubber outsole with SR Max MaxTRAX® patented slip resistant tread. Comp Toe. SD 35. 100% nonmetallic.

**ASTM F2413-18 M/ I/ C SD 35 compliant**



**EXCLUSIVE STYLE**

NEW STYLE

ROCKPORT  
WORKS



**ROCKPORT WORKS®**  
**truFLEX Fly Mudguard Work Slip On Casual**  
**SRK4575** (Beige) M 7-12,13,14; EW 8-12,13,14

Canvas upper with abrasion and weather resistant mudguard. Twin elastic side gores. Nylon pull loop back of heel. Moisture wicking micromesh lining. Shock absorbing, removable footbed. EVA midsole. truFLEX underfoot technology for ultimate motion flexibility. truFLEX spine cradles the foot and provides flexible, lightweight cushioning. Oil resistant rubber outsole with SR Max MaxTRAX® patented slip resistant tread. Comp Toe. EH. 100% nonmetallic.

ASTM F2413-18 M/ I/ C EH compliant



EXCLUSIVE STYLE

ROCKPORT  
WORKS



**ROCKPORT WORKS®**  
**Langdon Work Breen Slip-On Casual Work Shoe**  
**WGRK2151** (Tan) M 7-12,13,14; W 7-12,13

Fabric upper with twin elastic side gores. EVA footbed with truTECH heelpad. EVA midsole. Slip-resistant rubber outsole. Strobel construction for added flexibility. Comp toe. SD. Security friendly.

ASTM F2413-18 M/ I/ C SD 10 compliant



NEW STYLE

ROCKPORT  
WORKS



**ROCKPORT WORKS®**  
**truFLEX Work Casual Oxford**  
**WGRK4691** (Blue/Tan) M 8-12,13; W 8-12,13,14

Breathable knit textile and leather upper. Moisture wicking micromesh lining. Removable shock absorbing footbed. EVA midsole with slip resistant rubber outsole and truFLEX spine. Comp toe. SD 35.

ASTM F2413-18 M/ I/ C SD 35 compliant



NEW STYLE

ROCKPORT  
WORKS



**ROCKPORT WORKS®**  
**Primetime Slip-On Twin Gore Casual Oxford**  
**WGRK5710** (Brown) M 8-12,13; W 8-12,13  
**WGRK5715** (Black) M 8-12,13; W 8-12,13

Full grain leather upper. Twin elastic side gores. Moisture wicking nylon mesh lining. Removable EVA and memory foam footbed with truTECH shock absorbing heel. EVA midsole with slip resistant rubber heel and forepart pads. Steel toe. SD 35.

ASTM F2413-18 M/ I/ C SD 35 compliant



ROCKPORT  
WORKS



**ROCKPORT WORKS®**  
**Sailing Club 3 Eye Tie Boat Shoe**  
**WGRK6736** (Brown) M 7-12,13,14; W 7-12,13

Crazy horse leather upper. Moisture wicking nylon mesh lining. Removable EVA cushion insert insole with heel stabilizer cup. Rubber boat shoe outsole with cushioned EVA midsole. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



**ROCKPORT WORKS**



**ROCKPORT WORKS®**  
**World Tour Classic Oxford**  
**WGRK6761** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Leather upper. Moisture wicking nylon mesh lining. Removable EVA cushion insert with adiPRENE shock absorbing heel and forepart pads. EVA cushion midsole with rubber outsole. Static dissipative with dual resistor technology. No metal on upper. Steel toe. SD 10.

**ASTM F2413-18 M/ I/ C SD 10 compliant**



NEW STYLE

*Florsheim*  
WORK



**FLORSHEIM WORK®**  
**Bayside Boat Style Work Oxford**  
**WGFS2326** (Brown) D 7-12,13,14; EEE 8-12,13,14

Full grain leather upper. Micro fiber suede lining. Full length memory foam footbed. EVA cushion midsole. Slip resistant rubber outsole. Steel toe. SD 35.

**ASTM F2413-18 M/ I/ C SD 35 compliant**



*Florsheim*  
WORK



**FLORSHEIM WORK®**  
**Compadre Eurocasual Oxford**  
**WGFS2400** (Brown) D 7-11,12,13,14; EEE 7-12,13,14

Leather upper. Moisture wicking nylon mesh and Cambrelle lining. Removable F2A dual density polyurethane cushion insert insole. Soft PU midsole. Oil, slip, chemical and abrasion resistant direct attached TPU outsole. No exposed metal. Non-Metallic Composite toe. SD.

**ASTM F2413-18 M/ I/ C SD 35 compliant**



*Thorogood*  
Since 1892



**THOROGOOD®**  
**Uniform Classics Work Oxford**  
**TG804-6449** (Black) M 7-12,13,14,15; W 7-12,13,14,15; XW 7-12,13,14,15

Smooth leather upper. Brushed nylon lining. Wrapped cushion footbed. Rubber midsole. Oil resistant EVA lug outsole. Goodyear storm welt construction. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**TWISTED X**



**TWISTED X®**  
**Casual Oxford**  
**TWMCAN003** (Light Gray) M 8-12,13,14

ecoTWX recycled material upper. Elastic gore tongue panels. ecoTweed recycled material lining. Molded, removable footbed is moisture wicking, anti-bacterial, and machine washable. Oil and slip resistant rubber outsole. Nano toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**AVENGER®**  
**Foreman Casual Waterproof Oxford**  
**N7118** (Brown) M 8-12,13,14; W 8,9-12,13,14

Full grain leather upper. Waterproof membrane construction. Dual density Rebound footbed. Direct attached dual density PU oil and slip resistant outsole. Comp toe. EH. WP. Metal free. Security friendly.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**VOLCOM®**  
**Chill Slip-On Casual Oxford**  
**SVM30804** (Gray) W 7-12,13,14  
**SVM30805** (Black) W 7-12,13,14

Canvas upper. Mesh lining. Soft Landing comfort footbed. Oil resistant rubber outsole with patented SR Max MaxTRAX® slip resistant tread. Comp Toe. EH. 100% nonmetallic.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**

NEW STYLE



**CAROLINA®**  
**S-117 Romeo**  
**CA5574** (Brown) D 8-12,13,14; EE 9-12,13,14

Neutral Mahogany leather upper. Twin side gore panels. Leather pull loop at back of heel. Removable EVA cushion footbed. Oil and slip resistant rubber outsole. Aluminum toe. SD.

**ASTM F2413-18 M/ I/ C SD compliant**



**ARIAT®**  
**Edge LTE Work Chukka**  
**AR10038398** (Dark Brown) D 8-12,13,14; EE 8-12,13,14

Premium leather upper. Mesh lining. Removable All Day Cushioning footbed. 4LR stabilizing shank. Oil and slip-resistant Bantamweight outsole. Comp toe. SD 35. 100% nonmetallic.

**ASTM F2413-18 M/ I/ C SD 35 compliant**



**TWISTED X®**  
**Driving Moc Chukka**  
**TWMDMST01** (Peanut) M 7.5-12,13,14; W 8-12,13,14

Full grain leather upper. Composite XD insole for support and stability. Removable, moisture wicking, antibacterial, machine washable footbed. Oil and slip-resistant rubber outsole. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**HYTEST®**  
**Powerhaul Low Knit Athletic**  
**21723** (Red) M 8-12,13,14; W 8-12,13

Engineered mesh upper. Moisture managing mesh lining. Removable FootRests tri-layer, anti-fatigue footbed. Energybound EVA midsole. Cement construction. Slip resistant rubber outsole. Nano toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



Arriving March 2024

NEW STYLE



**HYTEST®**  
**Powerhaul Low Knit Athletic**  
**21724** (Gray) M 8-12,13,14; W 8-12,13

Engineered mesh upper. Moisture managing mesh lining. Removable FootRests tri-layer, anti-fatigue footbed. Energybound EVA midsole. Cement construction. Slip resistant rubber outsole. Nano toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



Arriving March 2024



**HYTEST®**  
**Avery Athletic**  
**11280** (Black) M 8-12,13,14; W 8-12,13,14,15

Leather upper. Moisture wicking mesh lining. Removable C2 cushion footbed. EVA cushion midsole. Oil and slip-resistant rubber outsole. Comp Toe. SD.

**ASTM F2413-18 M/ I/ C SD 10 compliant**



**HYTEST®**  
**Surge Athletic**  
**11430** (Black) M 8-12,13,14; W 8-12,13

Mesh upper. Moisture wicking mesh lining. Removable EVA cushioned footbed. EVA cushioned midsole. Oil and slip-resistant rubber outsole. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**HYTEST®**  
**Alastor XERGY® Athletic**  
**11500** (Black/White) M 8-12,13,14; W 8-12,13,14  
**11509** (Midnight Black) M 8-12,13,14; W 8-12,13,14

Mesh upper. Moisture wicking mesh lining. Comforsche massage foam footbed. XERGY anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano toe. SD. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C SD 10 compliant**







WOLVERINE  
DURASHOCKS  
FLEX

POWERED BY  
MAXTRAX®



WOLVERINE AND MAXTRAX®

**JOINING FORCES**



**WOLVERINE DURASHOCKS®**  
**Rev Vent UltraSpring™ Athletic**  
**WW211176** (Navy) M 7-12,13,14; EW 7-12,13

Breathable stretch mesh upper with reinforced TPU cage. Breathable mesh lining. Removable DuraShocks PU footbed. UltraSpring High Rebound ETPU midsole. Oil and slip-resistant rubber lug outsole with Wolverine DuraShocks Flex. CarbonMAX comp toe. EH. Wolverine comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**WOLVERINE®**  
**Rev Vent UltraSpring™ Athletic**  
**SWW081005** (Navy) M 7-12,13,14; EW 7-12,13  
**SWW080126** (Black) M 7-12,13,14; EW 7-12,13

Breathable mesh upper with molded TPU reinforcements. Moisture wicking mesh lining. Removable, full cushion, low density PU footbed. UltraSpring high rebound ETPU cushioned midsole. Oil and slip resistant SR Max MaxTRAX® patented rubber outsole. CarbonMAX comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



EXCLUSIVE STYLE

NEW STYLE



**CATERPILLAR®**  
**Streamline 2.0 Athletic**  
**CT91345** (Black/White) M 7-12,13; W 8-12,13

Nubuck leather and nylon mesh upper. Breathable lining. CLEANSPORT NXT treated footbed. Oil and slip resistant SRX rubber outsole. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**CATERPILLAR®**  
**Streamline 2.0 Athletic**  
**CT91351** (Black) M 7-12,13,14; W 8-12,13,14  
**CT91350** (Clay) M 7-12,13,14; W 8-12,13,14

Full grain leather upper. Breathable lining. Cushioned footbed with CLEANSPORT NXT pro-biotic treatment for odor control. SRX oil, slip and abrasion resistant rubber outsole. Strobel construction. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**SR MAX®**  
**Fairfax II Athletic**  
**SRM1880** (Black) M 7-12,13,14; EW 7-12,13,14

Action leather with PU upper. Nylon mesh linings. Molded removable PU cup cushion footbed. Dual density, rubber outsole with patented SR Max MaxTRAX® oil and slip-resistant tread. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



EXCLUSIVE STYLE

**X SR MAX®**



**SR MAX®**  
**Walden Athletic**  
**SRM4400** (Black) M 3-12,13,14,15,16; EW 8-12,13,14,15,16

Action leather with PU and PU suede upper. Merry mesh lining. PU cup removable footbed. Phylon molded midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**

**Timberland PRO**



**TIMBERLAND PRO®**  
**Powerdrive Athletic**  
**STMA21AV** (Black/Orange) M 7-12,13,14,15; W 8-12,13,14  
**STMA1XPD** (Black) M 7-12,13,14,15; W 8-12,13,14

Ripstop nylon upper. Breathable moisture wicking lining with antimicrobial treatment. Removable, anti-fatigue, PU footbed. EVA midsole. Oil and slip-resistant Thermoplastic Urethane (TPU) outsole with MaxTRAX® patented tread for superior slip resistance. Comp toe with CarbonShield nanotechnology. EH. Metal free.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**

**Timberland PRO**



**TIMBERLAND PRO®**  
**Radius Ripstop Nylon Athletic**  
**STMA44A9** (Black Ripstop/Blue Pop) M 7-12,13,14,15; W 8-12,13,14  
**STMA4259** (Black Ripstop) M 7-12,13,14,15; W 8-12,13,14

Breathable mesh upper with abrasion resistant reinforcement. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Anti-fatigue PU footbed for shock absorption and energy return. ReBOTL materials used. HoverSpring foam midsole. TPU outsole with anatomically positioned flex grooves and oil and slip-resistant SR Max MaxTRAX® patented tread design. Comp toe. EH. Metal free.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**

NEW STYLE

**Timberland PRO**



**TIMBERLAND PRO®**  
**Radius Ripstop Nylon Athletic**  
**STMA5NKJ** (Crème Brulee) M 7-12,13,14; W 7-12,13,14

Mutilation free, breathable mesh upper with abrasion resistant reinforcement. Breathable and moisture wicking lining with antimicrobial treatment for odor control. Hover Spring foam midsole. Oil and slip resistant Timberland PRO Flex Technology TPU outsole with SR Max MaxTRAX® patented slip resistant tread design. Comp toe. EH. Metal free.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**

NEW STYLE

**Timberland PRO**



**TIMBERLAND PRO®**  
**Radius Ripstop Nylon Athletic**  
**STMA5NQG** (Blue Fog) M 7-12,13,14; W 7-12,13,14

Mutilation free, breathable mesh upper with abrasion resistant reinforcement. Breathable and moisture wicking lining with antimicrobial treatment for odor control. Hover Spring foam midsole. Oil and slip resistant Timberland PRO Flex Technology TPU outsole with SR Max MaxTRAX® patented slip resistant tread design. Comp toe. EH. Metal free.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**TIMBERLAND PRO®**  
**Powertrain Athletic**  
**TM92649** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Microfiber, leather and breathable mesh upper. Mesh lining with antimicrobial treatment. PU midsole for consistent static dissipative performance. Nonmarking, abrasion resistant, anti-fatigue PU outsole. Alloy toe. SD. 30 day comfort guarantee.  
**ASTM F2413-18 M/ I/ C SD compliant**



NEW STYLE



**TIMBERLAND PRO®**  
**Berkley Skate Style Work Shoe**  
**TMA5NST** (Black/White) M 7,8-12,13; W 9-12,13

Canvas and suede upper. Anti-Fatigue Technology PU footbed. Greenstride EVA midsole. Oil and slip resistant rubber outsole with Flex Technology featuring anatomically positioned flex grooves. Comp toe. EH. Metal free.  
**ASTM F2413-18 M/ I/ C EH compliant**



**TIMBERLAND PRO®**  
**Powertrain Athletic**  
**TMA176A** (Black) M 7-12,13,14,15; W 9-12,13,14,15

Ripstop nylon upper. Mesh lining with antimicrobial treatment for odor control. Anti-fatigue cushioning technology. Breathable PU footbed. Single density PU midsole. Oil, slip and abrasion resistant PU outsole. Alloy toe. EH. 30 day comfort guarantee.  
**ASTM F2413-18 M/ I/ C EH compliant**



**TIMBERLAND PRO®**  
**Powertrain Athletic**  
**TMA1GT9** (Gray/Orange) M 7-12,13,14,15; W 8-12,13,14,15  
**TMA1B6U** (Black) M 7.5-12,13,14,15; W 8-12,13,14,15

Ripstop nylon uppers. Mesh lining with antimicrobial treatment. Slip, oil and abrasion resistant Timberland PRO PU outsole with anti-fatigue technology. Alloy toe. SD. 30 day comfort guarantee.  
**ASTM F2413-18 M/ I/ C SD compliant. CSA grade 1 toe and SD compliant.**



**TIMBERLAND PRO®**  
**Setra Athletic**  
**TMA5RMX** (Black Grey Copper) M 8-12,13,14; W 8-12,13,14  
**TMA5PKE** (Grey Black) M 8-12,13,14; W 8-12,13,14

Breathable, durable mesh upper with abrasion resistant reinforcements. Molded TPU heel stabilizer. Breathable and moisture wicking lining with anti-microbial treatment for odor control. ReBOTL materials used. Anti-fatigue Technology PU footbed. Oil, slip and abrasion resistant Timberland PRO molded EVA Flex Technology outsole with anatomically positioned Flex grooves. Outsole features angled sidewalls for added comfort and support. Comp toe. EH. Metal free construction. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**





**REEBOK WORK®**  
**Sublite Max Athletic**  
**SRB3206** (Black) M 7-12,13,14; W 7-12,13,14

Leather upper. BK mesh lining. Memory Tech Massage removable cushioned footbed. Injected EVA midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. XTR Comp toe. EH. Metal free.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**REEBOK WORK®**  
**Floatride Energy Tactical Athletic**  
**SRB3211** (Black) M 7-12,13,14; W 7-12,13,14

Leather, and mesh upper. Moisture wicking nylon mesh lining. EVA cushion removable footbed. Floatride Energy foam midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. XTR comp toe. EH. Metal free.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**REEBOK WORK®**  
**Guide Work Cross Trainer**  
**WGIB3501** (Black) W 4-11,12,13,14,15

Leather upper. External TPU, wrap around, heel counter. Moisture wicking nylon mesh lining. Removable MemoryTech memory foam, cushion footbed. R52 rebounding EVA midsole. Oil and slip-resistant rubber outsole. Steel toe. EH. Puncture resistant plate.

**ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.**



**REEBOK WORK®**  
**Sublite Cushion Work Athletic**  
**WGIB4039** (Black) W 4-11,12,13,14,15

Microfiber and mesh upper. Moisture wicking nylon mesh lining. MemoryTech memory foam, cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant, rubber heel and forepart pads. XTR comp toe. SD 10 with dual resistor technology. Puncture resistant plate. 100% nonmetallic.

**ASTM F2413-18 M/ I/ C SD 10 PR compliant. CSA grade 1 toe, SD+, green triangle compliant.**



**REEBOK WORK®**  
**Sublite Cushion Work Athletic**  
**WGIB4041** (Black/Gray) W 4-11,12,13,14,15

Microfiber and mesh upper. Moisture wicking nylon mesh lining. MemoryTech memory foam, cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant, rubber heel and forepart pads. XTR comp toe. EH. Puncture resistant plate. 100% nonmetallic.

**ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.**





**REEBOK WORK®**  
**Fusion Flexweave Work Black/Gray Athletic**  
**WGRB4310** (Black/Grey) M 8-12,13; W 9.5-12,13,14

Ultraknit and Flexweave upper. Moisture wicking nylon mesh lining. MemoryTech memory foam removable cushion footbed. Floatride Core midsole. Oil and slip-resistant rubber outsole. XTR comp toe. EH. 100% metal free.

**ASTM F2413-18 M/ I/ C EH compliant**



**REEBOK WORK®**  
**Nano X1 Adventure Work Athletic**  
**WGRB3481** (Black/Grey) M 8-12,13,14; W 8-12,13,14

Stretched ripstop mesh upper. TPU stabilizer. Moisture wicking nylon mesh lining. Memory Tech Massage 2.0 removable cushion footbed. Floatride Energy Foam midsole. Oil and slip resistant rubber outsole. XTR comp toe. SD 10. 100% nonmetallic.


**ASTM F2413-18 M/ I/ C SD 10 compliant**



**REEBOK WORK®**  
**Sublite Work Slip-On Athletic**  
**WGRB4036** (Black) M 8-12,13,14,15; W 8-12,13,14,15

Leather upper. Twin elastic side gores. Moisture wicking nylon mesh lining. Memory Tech Massage removable cushion footbed. Sublite EVA cushion midsole with slip-resistant heel and forepart pads. XTR Comp toe. SD with dual resistor technology. 100% nonmetallic.

**ASTM F2413-18 M/ I/ C SD 10 compliant**



**REEBOK WORK®**  
**Sublite Cushion Work Athletic**  
**WGRB4039** (Black) M 8-12,13,14; W 8-12,13,14,15

Microfiber and mesh upper. Moisture wicking nylon mesh lining. Memory Tech Massage removable cushion footbed. Sublite EVA cushion midsole with slip-resistant heel and forepart pads. XTR Comp toe. SD with dual resistor technology. 100% nonmetallic.

**ASTM F2413-18 M/ I/ C SD 10 compliant**



**REEBOK WORK®**  
**Sublite Cushion Work Gray/Blue Athletic**  
**WGRB4040** (Gray/Blue) M 7-12,13,14,15,16; W 8-12,13,14,15  
**WGRB4043** (Navy) M 7-12,13,14,15; W 7-12,13,14,15

Mesh with webbing upper. Moisture wicking nylon mesh lining. MemoryTech Massage removable cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber heel and forepart flex pads. No exposed metal on upper. XTR alloy toe. Dual Resistor SD technology.

**ASTM F2413-18 M/ I/ C SD 10 compliant**





**REEBOK WORK®**  
**Sublite Cushion Work Athletic**  
**WGRB4041** (Black/Grey) M 7-12,13,14,15,16; W 7-12,13,14,15

Mesh with leather webbing upper. Moisture wicking nylon mesh lining. Memory Tech Massage removable cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber heel and forepart flex pads. XTR alloy toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**REEBOK WORK®**  
**Sublite Work Athletic Oxford**  
**WGRB4050** (Black/Orange) M 8-12,13,14; W 8-12,13,14

EXOFUSE water resistant microfiber upper. Moisture wicking nylon mesh lining. Memory Tech Massage 2.0 memory foam, removable, cushion footbed. Sublite EVA cushion midsole. Oil and slip-resistant rubber heel and forepart pads. XTR comp toe. EH. No exposed metal on upper.

**ASTM F2413-18 M/ I/ C EH compliant**



**REEBOK WORK®**  
**BB4500 Athletic**  
**WGRB4162** (Black/White) M 7-12,13,14; W 7-12,13,14

Leather with mesh upper. Moisture wicking nylon mesh lining. MemoryTech foam removable footbed. Oil and slip-resistant rubber shell outsole with sidewall stitch all around. XTR comp toe. EH. Metal free.

**ASTM F2413-18 M/ I/ C EH compliant**



**REEBOK WORK®**  
**Fusion Flexweave Athletic**  
**WGRB4311** (Black/White) M 8-12,13,14; W 8-12,13

Ultranit and Flexweave upper. Moisture wicking nylon mesh lining. EVA cushion removable footbed. Floatride Energy foam midsole with oil and slip-resistant rubber outsole. Extra wide XTR comp toe. Dual resistor SD technology. Metal free.

**ASTM F2413-18 M/ I/ C SD 10 compliant**



**REEBOK WORK®**  
**Sublite Work Athletic**  
**WGRB4443** (White/Grey) M 7-12,13,14,15; W 7-12,13,14,15

Leather with MicroWeb upper. Moisture wicking nylon mesh lining. FootFuel injected EVA removable cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber outsole. Steel toe. SD with dual resistor technology. No exposed metal on upper.

**ASTM F2413-18 M/ I/ C SD 10 compliant**



NEW STYLE



**REEBOK WORK®**  
**Speed TR Work Athletic**  
**WGRB4453** (Grey/Orange) M 7-12,13,14,16; W 9-12,13,14

Mesh with TPU upper. Moisture wicking nylon mesh lining. Memory Tech memory foam removable footbed. Dual density slip resistant rubber outsole with RopePro traction. Flex Grooves on outsole. XTR comp toe. SD 10 with dual resistor technology. 100% nonmetallic.

**ASTM F2413-18 M/ I/ C SD 10 compliant**



**KEEN UTILITY®**  
**Vista Energy Athletic**  
**KN1024604** (Vapor/Black) M 8-12,13,14; W 8-12,13,14

Breathable 2 layer engineered mesh upper. ConnectFit heel capture system. KEEN.ReGEN cushion midsole. Oil and slip-resistant outsole. Carbon fiber toe. SD 35. Nonmetallic.

**ASTM F2413-18 M/ I/ C SD 35 compliant**



NEW STYLE



**KEEN UTILITY®**  
**Sparta 2 Athletic**  
**KN1025637** (Steel Grey/Black) D 7-12,13,14; EE 8-12,13,14,15

PFC free water repellent, non-mutilating upper. Removable metatomical PU footbed. KEEN.ReGEN compression resisting midsole. Oil and slip resistant, nonmarking rubber outsole. Aluminum toe. SD 35. 30 day wear trial.

**ASTM F2413-18 M/ I/ C SD 35 compliant**



NEW STYLE



**KEEN UTILITY®**  
**Vista Energy + Waterproof Athletic**  
**KN1026705** (Coffee Bean/Black) D 8-12,13; EE 9-12,13

Full grain leather, nonmutilating upper. Mesh lining with KEEN.DRY waterproof, breathable membrane. KCONNECTFIT heel capture system. Removable metatomical PU footbed. KEEN.ReGEN compression resistant midsole. Oil and slip resistant, nonmarking, rubber outsole. Nonmetallic. Carbon fiber comp toe. EH. WP. 30 day wear trial.

**ASTM F2413-18 M/ I/ C EH compliant**



**SKECHERS WORK®**  
**Tilido-Fletchit Hands Free Slip-ins™ Athletic**  
**SK200206BKRD** (Black/Red) M 8-12,13,14

Synthetic/textile upper. Skechers Hands Free Slip-ins™ technology molded heel panel for easy entry. Air cooled memory foam pillow footbed. EVA midsole. Slip resistant rubber outsole. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**







**SKECHERS WORK®**  
**Cankton-Pending Hands Free Slip-ins™ Athletic**  
**SK200211NVGY** (Navy/Gray) M 8-12,13,14

Leather, synthetic, textile upper. Skechers Hands Free Slip-ins™ technology molded heel panel for easy entry. Air cooled memory foam cushioned footbed. EVA midsole. Rubber lug outsole. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



**SKECHERS WORK®**  
**Beau Blue Athletic**  
**SSK200148NVBL** (Navy/Light Blue) M 7.5-12,13,14

Leather upper. Mesh lining. Arch Fit Comfort technology footbed. EVA Arch Fit cushion midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Alloy toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



**EXCLUSIVE STYLE**



**SKECHERS WORK®**  
**Larry Athletic**  
**SSK606NVBL** (Navy) M 7-12,13,14

Smooth nubuck leather upper. Synthetic overlays and stitching accents. Padded collar and tongue. Soft fabric shoe lining. FlexSole shock absorbing lightweight flexible midsole. Memory foam-topped cushioned removable comfort insole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Aluminum alloy toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



**EXCLUSIVE STYLE**



**SKECHERS WORK®**  
**Charles Athletic**  
**SSK8037BLK** (Black) M 7-12,13,14

Fabric upper with RepelWell liquid and stain repellent treatment. Slip-on style with a stretch-laced front. Arch Fit cushioned footbed. EVA cushion midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Alloy toe.

ASTM F2413-18 M/ I/ C compliant



**EXCLUSIVE STYLE**

NEW STYLE



**ARIAT®**  
**Outpace Low Athletic**  
**AR10040282** (Gunmetal) D 8-12,13; EE 9-12,13

Ripstop nylon upper with TPU abrasion resistant overlays. 50% recycled polyester lining. Removable All Day Cushioning footbed. 4LR technology provides lightweight support and stability. FLX Foam midsole. Oil and slip resistant Duratread outsole. Comp toe. EH. Nonmetallic.

ASTM F2413-18 M/ I/ C EH compliant



NEW STYLE

**CAROLINA**  
Built For Work.



**CAROLINA®**  
**Derecho Athletic**  
**CA1900** (Grey) D 8-12,13; EE 9-12,13

Microfiber and mesh upper. Removable AG8 Intelli/Sphere PU dual density foam footbed. Mello/Sphere EVA cushion midsole. Lytning oil and slip resistant outsole with Tech-Tonic rubber pads. Aluminum toe. SD.

**ASTM F2413-18 M/ I/ C SD compliant**



NEW STYLE

**ROCKPORT**  
**WORKS**



**ROCKPORT WORKS®**  
**truFLEX Fly Blucher Athletic**  
**SRK4573** (Navy/Orange) M 7-12,13,14; EW 8-12,13,14

Breathable mesh and durable PU upper. Nylon pull loop back of heel. Moisture wicking micromesh lining. Shock absorbing, removable footbed. EVA midsole. truFLEX underfoot technology for ultimate motion flexibility. truFLEX spine cradles the foot and provides flexible, lightweight cushioning. Oil resistant rubber outsole with SR Max MaxTRAX® patented slip resistant tread. Comp toe. EH. Metal free.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**

**VOLCOM**



**VOLCOM®**  
**True Athletic**  
**WGVM30110** (Black) M 7-12,13,14,15

Suede leather upper. Mesh lining. Soft Landing comfort footbed. Grip Styk stone-themed oil and slip resistant rubber outsole. Comp toe. EH. 100% nonmetallic.

**ASTM F2413-18 M/ I/ C EH compliant**



**VOLCOM**



**VOLCOM®**  
**True Athletic**  
**WGVM30117** (Black) M 7-12,13,14,15

Canvas fabric upper. Mesh lining. Soft Landing comfort footbed. Grip Styk stone-themed oil and slip resistant rubber outsole. Comp toe. SD 10 with dual resistor technology. 100% nonmetallic.

**ASTM F2413-18 M/ I/ C SD 10 compliant**



**VOLCOM**



**VOLCOM®**  
**Stone Athletic**  
**WGVM30468** (Grey/Black) M 7-12,13,14

Action leather and PU upper. Mesh lining. Soft Landing comfort footbed. Grip Styk stone-themed oil and slip resistant rubber outsole. 360 degree sidewall stitch. Comp toe. EH. 100% nonmetallic.

**ASTM F2413-18 M/ I/ C EH compliant**





**VOLCOM®**

**STONE**

**WGVM30468**

See item on page 26



**VOLCOM®**  
**Stone Athletic**  
**WGVM30471** (Black/Red) M 7-12,13,14; W 7-12,13,14

Action leather and PU upper. Mesh lining. Soft Landing comfort footbed. Grip Styk stone-themed oil and slip resistant rubber outsole. 360 degree sidewall stitch. Comp toe. SD 10 with dual resistor technology. 100% nonmetallic.

**ASTM F2413-18 M/ I/ C SD 10 compliant**



NEW STYLE



**PUMA SAFETY®**  
**Iconic Suede Low Athletic**  
**PU640035** (Grey/White) M 7-12,13,14,15

Suede leather upper. BreathActive functional lining. evercushionRELIEF footbed. 572 F degree heat resistant, Heritage slip resistant rubber outsole. Comp toe. SD 35. Metal free.

**ASTM F2413-18 M/ I/ C SD 35 compliant**



NEW STYLE



**PUMA SAFETY®**  
**Iconic Suede Low Athletic**  
**PU640015** (Black/White) M 7-12,13,14,15

Suede leather upper. BreathActive functional lining. evercushionRELIEF footbed. 572 F degree heat resistant, Heritage slip resistant rubber outsole. Comp toe. EH. Metal free.

**ASTM F2413-18 M/ I/ C EH compliant**



**PUMA SAFETY®**  
**Fuse Motion Athletic**  
**PU643835** (Black) M 7,8-12,13,14

Sandwich-Mesh with Fuse Tec Elements upper. Quick lacing system. BreathActive lining. Evercushion BA footbed. Dual density Impulse Foam midsole. Sole Motion Impulse slip-resistant rubber outsole. Comp toe. SD 35. Security friendly. Vegan.

**ASTM F2413-18 M/ I/ C SD 35 compliant**



**PUMA SAFETY®**  
**Velocity 2.0 Athletic**  
**PU643845** (Black) M 8-12,13,14

Microfiber upper with TPU enforcements. Removable evercushion BA+ footbed. Dual density IMPULSE FOAM midsole. MOTION IMPULSE rubber outsole with Torsion Control System. Outsole is oil and slip-resistant. Fiberglass toe. SD 35. Metal free.

**ASTM F2413-18 M/ I/ C SD 35 compliant**



NEW STYLE



**PUMA SAFETY®**  
**Airtwist Low Athletic**  
**PU644655** (Black/White) M 7,8-12,13

Durable hydrophobic microfiber upper. BreathActive functional lining. Contoured evercushion BA+ footbed. EVA and high performance EFFECT. FOAM midsole. 572 degree F heat resistant rubber outsole. Comp toe. EH. Metal free.

**ASTM F2413-18 M/ I/ C EH compliant**



**NEW BALANCE®**  
**412 Gray/Royal Blue Athletic**  
**NBMID412G1** (Gray) D 7-12,13,14,15; 4E 7-12,13,14,15

Ripstop nylon upper. EVA cushion footbed. Slip-resistant rubber outsole. Alloy toe.

**ASTM F2413-18 M/ I/ C compliant**



NEW STYLE



**NEW BALANCE®**  
**Logic Athletic**  
**NBMIDLOGINA** (Navy/Lime) D 7-12,13,14; EE 7-12,13,14  
**NBMIDLOGIBL** (Black) D 7-12,13,14; EE 7-12,13,14

Lightweight nylon/polyester upper with synthetic overlays. Polyester lining. NB PU Comfort footbed. ACTEVA performance midsole technology. Slip resistant rubber outsole. Comp toe. EH. Puncture resistant plate. Metal free.

**ASTM F2413-18 M/ I/ C EH PR compliant**



NEW STYLE



**NEW BALANCE®**  
**Speedware Athletic**  
**NBMIDSPWROL** (Olive) D 8-12,13,14; EE 8-12,13,14  
**NBMIDSPWRBL** (Black) D 8-12,13,14; EE 8-12,13,14

Lightweight nylon/polyester upper with synthetic overlays. Polyester linings. NB PU Comfort footbed. ACTEVA performance midsole technology. AT TREAD outsole design for slip resistance. Comp toe. EH. Puncture resistant plate. Metal free.

**ASTM F2413-18 M/ I/ C EH PR compliant**



**HYTEST FOOTRESTS 2.0®**  
**Baseline Textile Trainer**  
**21103** (Black) D 7-12,13,14; EEE 8-12,13

Textile upper with abrasion resistant Tec-Tuff collar strap. Moisture wicking linings. Removable tri-layer, anti-fatigue footbed. XERGY anti-fatigue foam midsole. Oil and slip-resistant TPU outsole. Nano toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**HYTEST**  
**FOOTRESTS 2.0**  
XERGY™ TECHNOLOGY



**HYTEST FOOTRESTS 2.0®**

**Baseline Trainer**

**21109** (Black/Green) D 3.5-12,13,14,15; EEE 8-12,13,14,15

Full grain leather upper with abrasion resistant Tec-Tuff collar strap. Moisture wicking linings. Removable tri-layer, anti-fatigue footbed. XERGY anti-fatigue foam midsole. Oil and slip-resistant TPU outsole. Nano toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**HYTEST**  
**SAFETY FOOTWEAR**



**HYTEST®**

**Annex Mid Hi-Top Athletic**

**12320** (Black) M 4-12,13,14; W 7-12,13,14

Leather upper. Moisture wicking mesh lining. Comfossage massaging foam footbed. Xergy anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano comp toe. SD 10. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C SD 10 compliant**



**HYTEST**  
**SAFETY FOOTWEAR**



**HYTEST®**

**Annex Mid Hi-Top Athletic**

**12329** (Black/Blue) M 7-12,13,14; W 7-12,13,14

Leather upper. Moisture wicking mesh lining. Comfossage massaging foam footbed. Xergy anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano Toe. EH. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE

**WOLVERINE**



**WOLVERINE®**

**Rev Vent UltraSpring™ Athletic**

**SWW081004** (Black) M 7-12,13,14; EW 7-12,13

Breathable mesh upper with molded TPU reinforcements. Moisture wicking mesh lining. Removable, full cushion, low density PU footbed. UltraSpring high rebound ETPU cushioned midsole. Oil and slip resistant SR Max MaxTRAX® patented rubber outsole. CarbonMAX comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**

**Reebok**




**REEBOK WORK®**

**Floatride Energy Tactical Hi-Top Athletic**

**SRB3213** (Black) M 7-12,13,14; W 7-12,13,14

Leather and mesh upper. Moisture wicking nylon mesh lining. EVA cushion removable footbed. Floatride Energy foam midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. XTR comp toe. EH. Metal free.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**REEBOK WORK®**  
**Trailgrip Waterproof Athletic**  
**WGRB3401** (Black/Grey) M 8-12,13,14,15; W 8-12,13,14,15

Leather and mesh upper. Moisture wicking mesh lining with waterproof membrane. Memory Tech removable cushion footbed. DMX Ride cushion foam midsole. Oil and slip-resistant rubber outsole. XTR alloy toe. EH. WP. No exposed metal on upper.

**ASTM F2413-18 M/ I/ C EH compliant**



**REEBOK WORK®**  
**BB4500 Hi-Top Athletic**  
**WGRB4132** (Black/Red) M 7-12,13,14; W 7-12,13,14

Leather with mesh upper. Moisture wicking nylon mesh lining. MemoryTech foam removable footbed. Oil and slip-resistant rubber shell outsole with sidewall stitch all around. XTR comp toe. EH. Metal free.

**ASTM F2413-18 M/ I/ C EH compliant**



**REEBOK WORK®**  
**BB4500 Hi-Top Athletic**  
**WGRB4133** (Navy/Grey) M 8-12,13

Leather with mesh upper. Moisture wicking nylon mesh lining. MemoryTech foam removable footbed. Oil and slip-resistant rubber shell outsole with sidewall stitch all around. XTR comp toe. SD with dual resistor technology. Metal free.

**ASTM F2413-18 M/ I/ C SD 10 compliant**



**REEBOK WORK®**  
**Sublite Cushion Work Mid Athletic**  
**WGRB4141** (Black) M 7-12,13,14; W 8-12,13,14

Microfiber and mesh upper. Moisture wicking mesh lining. Memory Tech Massage removable cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber heel and forepart pads. XTR alloy toe. SD with dual resistor technology. No exposed metal on upper.

**ASTM F2413-18 M/ I/ C SD 10 compliant**



**REEBOK WORK®**  
**Sublite Cushion Work Waterproof Mid Athletic**  
**WGRB4144** (Black) M 8-12,13,14; W 8-12,13,14

Waterproof leather upper. Moisture wicking nylon mesh lining with waterproof membrane. Memory Tech Massage removable cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber heel and forepart pads. No exposed metal on upper. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**





**TERRA**

**TERRA®**  
**Venom Mid High Athletic**  
**TR608285BLK** (Black/Gray) M 7,8-11,12,13

Combination water resistant suede and nubuck leather. Reflective 3M Scotchlite heel band. Moisture wicking and abrasion resistant lining with CLEANFEET odor control treatment. Single density PU footbed. Direct inject PU midsole/outsole with supportive sidewall chasis. Comp toe. SD. Composite puncture resistant plate. TERRA FIRMA-FLEX metal free.

**ASTM F2413-18 M/ I/ C SD PR compliant. CSA grade 1 toe, SD, green triangle compliant.**



NEW STYLE



**HYTEST**  
 SAFETY FOOTWEAR

**HYTEST®**  
**Powerhaul Mid LX Hiker**  
**22731** (Brown) M 8-12,13,14; W 8-12,13

Premium waterproof full-grain leather upper. Moisture managing mesh lining. Removable FootRests tri-layer, anti-fatigue footbed. Energybound EVA midsole. Cement construction. Rubber outsole. Nano toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



Arriving March 2024

**HYTEST**  
 SAFETY FOOTWEAR



**HYTEST®**  
**Knox Direct Attach Waterproof Hiker**  
**13751** (Brown) W 8-12,13,14  
**13750** (Black) W 8-12,13,14

Leather upper. Moisture wicking mesh linings. EVA cushioned footbed. PU midsole. TPU outsole. Direct attached construction. Waterproof. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**WOLVERINE**

**WOLVERINE®**  
**Wilderness Waterproof Hiker**  
**WW880351** (Stone) M 8-12,13

Waterproof and breathable suede and mesh upper with TPU reinforcements. Moisture managing mesh lining. Removable EPX anti-fatigue footbed. Ultra-Light EVA midsole. Slip resistant rubber outsole. Comp toe. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**WOLVERINE**

**WOLVERINE®**  
**Grayson Waterproof Hiker**  
**WW211043** (Brown) M 7-12,13; EW 8-12,13

Waterproof full grain leather upper. Moisture wicking mesh lining with breathable Waterproof Plus waterproof membrane. Removable Ortholite full cushion footbed. UltraLight compression molded EVA midsole. Slip resistant rubber lug outsole. Steel toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**





NEW STYLE



**CATERPILLAR®**  
**Resorption Waterproof Hiker**  
**CT90977** (Brown) M 8-12,13; W 9-12,13

Full grain waterproof upper leather. Abrasion resistant toe and heel overlays. Waterproof construction. Molded EVA footbed. Slip resistant T1260 outsole. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**HARLEY-DAVIDSON®**  
**Woodridge Athletic**  
**HD93329** (Black/Orange) M 8-12,13

Leather upper. Mesh lining. Oil and slip-resistant rubber outsole. Nonmetallic metal free. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**MERRELL WORK®**  
**Moab Vertex Mid Waterproof Hiker**  
**MLJ11617** (Clay) M 8-12,13,14,15

Waterproof full grain leather and breathable mesh upper. Abrasion resistant rubber toe bumper. Breathable mesh lining with Merrell M Select DRY waterproof membrane. COMFORTBASE contoured design footbed. COMFORTBASE rubberized EVA midsole. Merrell air cushion in heel absorbs shock. Oil and slip-resistant Merrell M Select GRIP rubber outsole. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**SR MAX®**  
**Sitka Waterproof Hiker**  
**SRM2850** (Black) M 7-12,13,14,15; EW 7-12,13,14,15

Waterproof full grain leather upper. Mesh lining with waterproof bootie. Molded, removable PU cup footbed. Single density, patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**SR MAX®**  
**Winston Hi Hiker**  
**SRM4760** (Brown) M 7-12,13,14; EW 8-12,13

Action Crazy Horse upper leather with abrasion resistant toe bumper. Merry mesh lining. PU cup cushion footbed. Phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**X SR MAX®**

**SR MAX®**  
**Boone Hi Hiker**  
**SRM4790** (Black) M 7-12,13,14,15,16; EW 8-12,13,14,15

Action leather, PU and rubber upper. Merry mesh lining. Molded, removable, PU cup footbed. Phylon molded midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**Timberland PRO**

**TIMBERLAND PRO®**  
**Powerdrive High-Top Hiker**  
**STMA2BX1** (Black) M 7-12,13,14,15; W 8-12,13,14

Ripstop nylon upper. TPU toe overlay and synthetic heel overlay for added abrasion resistance. Mesh lining with antimicrobial treatment. Open cell PU footbed. EVA midsole. Oil resistant TPU outsole with SR Max MaxTRAX® patented slip-resistant tread design. CarbonShield comp toe. EH. Metal free. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**Timberland PRO**

**TIMBERLAND PRO®**  
**Switchback Waterproof Hiker**  
**STMA44EN** (Black/Grey Pop) M 7-12,13,14,15; W 8-12,13,14  
**STMA44FE** (Brown/Golden Yellow) M 7-12,13,14,15; W 8-12,13,14

Waterproof leather upper. Abrasion resistant toe overlay. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Waterproof and blood borne pathogen membrane. ReBOTL recycled materials used. Anti-Fatigue Technology PU footbed. EVA cushion midsole. Timberland PRO TPU oil, slip and abrasion resistant outsole with SR Max MaxTRAX® patented slip resistant tread design. Comp toe. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**Timberland PRO**

**TIMBERLAND PRO®**  
**Mudslinger Waterproof Hiker**  
**TM86515** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof nubuck and microfiber leather upper. Abrasion resistant synthetic toe and heel overlays. Breathable and moisture wicking lining with waterproof membrane. Removable and breathable PU footbed. EVA cushion midsole. Oil, slip and abrasion resistant rubber outsole. Heat resistant to 572 degrees F. Steel toe. EH, WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**Timberland PRO**

**TIMBERLAND PRO®**  
**Powertrain Hi-Top Athletic**  
**TMA11QF** (Black) M 7-12,13,14,15; W 8-12,13,14,15

Synthetic upper. Mesh lining with antimicrobial treatment for odor control. Proprietary Anti-Fatigue Technology to provide shock absorption and energy return. PU midsole. Nonmarking slip and abrasion resistant PU outsole. Cement construction. Alloy safety toe. SD.

**ASTM F2413-18 M/ I/ C SD compliant**



NEW STYLE



**TIMBERLAND PRO®**  
**Morphix Outdoor Waterproof Hiker**  
**TMA5QZE** (Wheat/White) M 7-12,13,14,15; W 7-12,13,14,15  
**TMA5YFU** (Grey/Navy) M 8-12,13,14; W 8-12,13,14

Abrasion resistant coated leather, ripstop nylon and TPU reinforced upper. Breathable and moisture wicking lining with waterproof membrane and anti-microbial treatment for odor control. No exposed metal on upper. Anti-Fatigue Technology PU footbed. Hover Spring foam midsole. Timberland PRO oil and slip resistant rubber outsole with Timberland PRO Flex Technology. Comp toe. EH. WP. Metal free. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**TIMBERLAND PRO®**  
**Switchback LT Waterproof Hiker**  
**TMA6763EDV** (Black/Red) M 7-12,13,14,15; W 8-12,13,14  
**TMA6763EDX** (Black/Gray) M 7-12,13,14,15; W 8-12,13,14

PU coated leather/textile upper. Mesh linings with waterproof membrane. Anti-fatigue PU footbed and 24/7 Comfort System. EVA midsole. Grip Max Ice rubber outsole with Icelandic Grip for added traction in icy/snowy conditions. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**

NEW STYLE



**KEEN UTILITY®**  
**Kansas City + Waterproof Hiker**  
**KN1026357** (Coffee Bean/Black) D 7,8-12,13,14; EE 8-12,13,14

Waterproof leather upper. KEEN BELLOWS FLEX and KONNECTFIT features. Mesh lining with KEEN.DRY waterproof, breathable membrane. Removable metatomeal PU footbed. KEEN ReGEN compression resisting midsole. Oil and slip resistant rubber outsole. Nonmetallic. Carbon fiber toe. EH. WP. 30 day wear trial.

**ASTM F2413-18 M/ I/ C EH compliant**



**KEEN UTILITY®**  
**Pittsburgh Waterproof Hiker**  
**KN1007024** (Bison) D 7.5-12,13,14,15; EE 7.5-12,13,14,15

Leather upper. 2 Zone comfort lining with KEEN.DRY waterproof, breathable membrane. KEEN Key-Tech full length TPU interlocking torsion plate. Dual density compression molded EVA and PU midsole. Oil and slip-resistant rubber outsole. Steel toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**KEEN UTILITY®**  
**Lansing Waterproof Hiker**  
**KN1018079** (Raven/Tawny Olive) D 8-12,13,14,15; EE 8-12,13,14,15

Waterproof leather upper with reflective webbing. Moisture wicking textile lining with KEEN.DRY waterproof, breathable membrane. Removable metatomeal EVA footbed. Nonmarking, oil and slip-resistant rubber outsole. Waterproof. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**





KEEN UTILITY®

# KANSAS CITY

KN1026357

See item on page 35





**KEEN**  
UTILITY

**KEEN UTILITY®**  
**Detroit XT Waterproof Hiker**  
**KN1020086** (Cascade Brown/Orion Blue) D 8-12,13,14; EE 8-12,13,14

Waterproof leather upper with reflective webbing. Moisture wicking textile lining with KEEN.DRY waterproof, breathable membrane and Cleansport NXT for natural odor control. Removable metatomical PU footbed. KEEN.KEY-TECH FLEX contoured underfoot support. Dual density compression molded EVA midsole. Nonmarking KEEN.GRIP oil and slip-resistant rubber outsole. Steel toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**KEEN**  
UTILITY

**KEEN UTILITY®**  
**Vista Energy Hiker**  
**KN1024588** (Vapor/Black) D 7-12,13,14,15; EE 7-12,13,14,15  
**KN1024592** (Black/Raven) D 7.5-12,13,14,15; EE 7-12,13,14,15

Mesh and synthetic, nonmutilating upper. Removable, metatomical PU footbed. KEEN.ReGEN compression molded midsole. Oil and slip-resistant, nonmarking, rubber outsole. KONNECTFIT heel-capture for locked-in heel fit. Carbon fiber safety toe. EH. 100% metal free.

**ASTM F2413-18 M/ I/ C EH compliant**



**KEEN**  
UTILITY

**KEEN UTILITY®**  
**Reno Waterproof 6" Mid Hiker**  
**KN1027102** (Dark Olive/Black) D 8-12,13,14,15; EE 8-12,13,14

Leather upper. KEEN.DRY waterproof membrane construction. KEEN.BELLOWS FLEX allows foot to bend and flex with ease. KEEN.ReGEN provides added energy return. Oil and slip-resistant outsole. Carbon fiber toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**CAROLINA**  
Built For Work.

**CAROLINA®**  
**S-117 Hiker**  
**CA5570** (Brown) D 8-12,13,14; EE 8-12,13,14

Neutral Mahogany leather upper. Removable EVA cushion footbed. Oil and slip resistant rubber outsole. Aluminum toe. SD.

**ASTM F2413-18 M/ I/ C SD compliant**



**Danner**  
SINCE 1932

**DANNER®**  
**Vicious Waterproof 4.5" Boot**  
**DA13860** (Brown) D 8-12,13,14; EE 8-12,13,14

Full grain leather upper. Abrasion resistant heel overlay. Gore-Tex breathable, waterproof membrane. PU cushion footbed. Dual density EVA midsole. Oil and slip-resistant Vibram Vicious rubber outsole. 90 degree heel breast. Comp toe. EH. WP. 365 day warranty.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE

NEW STYLE



**DANNER®**  
**Riverside Waterproof Hiker**  
**DA15340** (Brown) D 8-12,13,14; EE 8-12,13,14

Leather and abrasion resistant textile upper. Danner Dry 100% waterproof liner. EVA midsole. Oil and slip-resistant rubber outsole. Steel toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**AVENGER®**  
**Flight Waterproof Hiker**  
**N7421** (Brown) M 8-12,13

Waterproof leather upper. Waterproof membrane construction. SD10 comfort footbed. EVA midsole with slip-resistant rubber forepart and heel pads. No exposed metal on upper. Alloy toe. SD 10. WP.

**ASTM F2413-18 M/ I/ C SD 10 compliant**



NEW STYLE



**AVENGER®**  
**Wedge Waterproof Work Boot**  
**N7508** (Black) M 7,8-12,13; W 9-12,13

Full grain leather upper. Moisture wicking mesh lining with breathable waterproof membrane. Removable PUREcomfort dual density PU footbed. Wedge style outsole. Advanced Flex-welt construction. Carbon fiber comp toe. EH. WP. Security friendly. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**HOSS BOOT COMPANY®**  
**Blast Waterproof Insulated Hiker**  
**HS60242** (Brown) D 8-12,13; EE 8-12,13

Full grain Success leather upper. HyDry waterproof membrane. 400 grams Thinsulate insulation. PU cushion footbed with memory foam. EVA midsole. Slip resistant rubber outsole with Ice Gripping Plugs for slip resistance on multiple surfaces. Comp toe. EH. PR. WP/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**HOSS BOOT COMPANY®**  
**Hudson Waterproof Insulated Hiker**  
**HS60466** (Brown) D 8-12,13; EE 9-12,13

Full grain leather upper. HyDry waterproof membrane. 400 grams Thinsulate insulation. Soft PU cushion with memory foam footbed. PU midsole. Slip resistant rubber outsole. Comp toe. EH. Lenzi puncture resistant plate. WP/Insulated.

**ASTM F2413-18 M/ I/ C EH PR compliant**





**SR MAX®**  
**Winston Low Hiker**  
**SRM4660** (Brown) M 7-12,13,14; EW 8-12,13

Action Crazy Horse upper leather with abrasion resistant toe bumper. Merry mesh lining. PU cup cushion footbed. Phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**KEEN UTILITY®**  
**Braddock Low Hiker**  
**KN1011244** (Black/Bossa Nova) D 8-12,13,14,15; EE 8-12,13,14,15

Water resistant nubuck upper leather. Hydrophobic/hydrophilic 2 zone comfort technology lining. Removable metatomical dual density EVA footbed. Abrasion resistant heel counter. Direct attached PU midsole with overlay toe bumper. Direct attached oil and slip-resistant rubber outsole. Assembled in USA. Steel Toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**KEEN UTILITY®**  
**Lansing Brown/Brick Low Hiker**  
**KN1023205** (Brown) D 7-12,13,14; EE 8-12,13,14,15

Waterproof leather upper. Reflective features from heel to toe for added visibility. Moisture wicking textile lining. Removable metatomical, dual density PU footbed. Torsional stability shank (TSS) for midfoot support. Oil and slip-resistant, nonmarking, rubber outsole with wrap up toe bumper. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**KEEN UTILITY®**  
**Atlanta Cool II Low Hiker**  
**KN1023217** (Gargoyle/Midnight Navy) D 7-12,13,14; EE 7-12,13

Leather and mesh upper with reflective webbing. Moisture wicking textile lining. Removable metatomical, dual density, EVA footbed. KEEN.ReGEN compression resisting, cushion midsole. External Stability Shank for midfoot support. Oil and slip-resistant rubber outsole. Steel toe. SD 35.

**ASTM F2413-18 M/ I/ C SD 35 compliant**



NEW STYLE



**THOROGOOD®**  
**Crosstrex Waterproof Hiker**  
**TG804-4291** (Brown) M 8-12,13,14; W 9-12,13,14

Leather/mesh construction upper. Waterproof breathable lining. Removable Shock Zone single density polyurethane footbed. Cement construction. Crosstrex 360 outsole. Comp toe. EH. WP.

**ASTM F2413-18 M/I/C EH compliant**



NEW STYLE



carhartt

**CARHARTT®**  
**Force 5" Sneaker Boot**  
**CMFA5415M** (Brown/Tan) M 8-12,13

Oil tanned leather with 1200D high abrasion duck nylon fabric. High rebound EVA midsole. Oil and slip resistant Force rubber outsole. Nano comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



HYTEST  
**FOOTRESTS 2.0**  
XERGY TECHNOLOGY

**HYTEST FOOTRESTS 2.0®**  
**XERGY 6" Waterproof Boot**  
**22477** (Brown) D 3-12,13,14,15,16; 3E 3-12,13,14,15,16 (Vendor Sizes)

Premium waterproof full-grain leather upper with Tec-Tuff abrasion resistant toe. Moisture-wicking mesh lining with waterproof membrane. Removable FootRests tri-layer, anti-fatigue footbed. Xergy anti-fatigue foam midsole absorbs shock and returns energy. Cement construction. FootHolds oil and slip resistant rubber outsole made with 20% recycled rubber. Metal free. Nano toe. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



**Arriving March 2024**



HYTEST  
**FOOTRESTS 2.0**  
XERGY TECHNOLOGY

**HYTEST FOOTRESTS 2.0®**  
**Rebound Waterproof 6" Hiker**  
**22471** (Brown) D 8-12,13,14,15; EEE 8-12,13,14,15  
**22470** (Black) D 4-12,13,14; EEE 7.5-12,13,14

Full grain waterproof leather upper. Moisture wicking mesh lining with waterproof membrane. FootRests tri-density anti-fatigue footbed. XERGY anti-fatigue foam midsole absorbs and returns energy. Oil and slip-resistant wide track TPU outsole. Waterproof. Nano toe. EH. Podiatric seal of approval.

**ASTM F2413-18 M/ I/ C EH compliant**



HYTEST  
**FOOTRESTS 2.0**  
XERGY TECHNOLOGY

**HYTEST FOOTRESTS 2.0®**  
**Tread 6" Hiker**  
**23332** (Navy) D 7-12,13,14,15; EEE 8-12,13,14,15

TecTuff abrasion resistant leather upper. Moisture wicking mesh lining. Removable FootRests tri-layer, anti-fatigue footbed. Xergy anti-fatigue foam midsole absorbs shock and returns energy. Oil and slip-resistant rubber outsole. Nano toe. EH. Podiatric seal of approval.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



HYTEST  
**FOOTRESTS**

**HYTEST FOOTRESTS®**  
**Atlas 6" Waterproof Boot**  
**23470** (Black) M 8-12,13,14; W 8-12,13,14

Premium waterproof full-grain leather upper. Moisture-wicking mesh lining with waterproof membrane. Removable FootRests tri-layer, anti fatigue footbed. Xergy anti-fatigue foam midsole absorbs shock and returns energy. Welt construction. Oil and slip resistant rubber outsole. Nano toe. EH. WP. 30 Day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



**Arriving March 2024**



NEW STYLE



**HYTEST**  
FOOTRESTS

**HYTEST FOOTRESTS®**  
**Atlas 6" Waterproof Boot**  
**23471** (Brown) M 8-12,13,14; W 8-12,13,14

Premium waterproof full-grain leather upper. Moisture-wicking mesh lining with waterproof membrane. Removable FootRests tri-layer, anti fatigue footbed. Xergy anti-fatigue foam midsole absorbs shock and returns energy. Welt construction. Oil and slip resistant rubber outsole. Nano toe. EH. WP. 30 Day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



Arriving March 2024



**HYTEST**  
FOOTRESTS

**HYTEST FOOTRESTS®**  
**Waterproof 6" Boot**  
**23181** (Brown) D 7-12,13,14,15,16,17,18; EEE 7-12,13,14,15,16,17,18

Premium waterproof and breathable leather upper. Mesh lining with Breathe Right foam and HBR barrier bootie. Texon/Poron insole. Tri-layer anti-fatigue footbed. Dual density PU midsole. Tri-tec oil and slip-resistant rubber outsole. Storm welt construction. Composite toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**HYTEST**  
SAFETY FOOTWEAR

**HYTEST®**  
**Apex 6" Waterproof Hiker**  
**12254** (Brown) M 8-12,13,14; W 8-12,13,14

Waterproof, full grain leather upper with Tec-Tuff abrasion resistant toe, heel and eyestay. Moisture wicking lining with waterproof membrane. Removable EVA cushion footbed. EVA cushion midsole. Oil and slip-resistant rubber outsole. Comp toe. SD. WP.

**ASTM F2413-18 M/ I/ C SD 10 compliant**



**HYTEST**  
SAFETY FOOTWEAR

**HYTEST®**  
**Apex 6" Waterproof Work Boot**  
**12481** (Brown) M 4-12,13,14; W 7-12,13,14

Waterproof oiled full grain leather upper. Mesh lining with barrier bootie. Well-Max Flex puncture resistant insole. EVA Pesu III footbed. EVA cushioned midsole. Lightweight slip and oil resistant rubber outsole. Cement construction. Comp toe. EH. PR. WP.

**ASTM F2413-18 M/ I/ C EH PR compliant**



**HYTEST**  
SAFETY FOOTWEAR

**HYTEST®**  
**Zinc 6" Work Boot**  
**13180** (Black) M 4.5-12,13,14,15,16; W 4-12,13,14,15,16

Full grain leather. Fully lined. Removable, cushioned footbed. EVA cushioned midsole. Oil and slip-resistant rubber outsole. Strobel construction. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**





**HYTEST®**  
**Apex 2 Pike 6" Waterproof Boot**  
**13500** (Black) M 4-12,13,14,15; W 7-12,13,14,15

Waterproof, full grain leather upper. Moisture wicking mesh lining with waterproof membrane. Removable Apex anti-fatigue XERGY foam footbed. EVA cushion midsole. Oil and slip-resistant rubber outsole. Nano composite toe. EH. Puncture resistant plate. WP. Security friendly. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH PR compliant**



**HYTEST®**  
**Kane 6" Waterproof Insulated Work Boot**  
**13571** (Brown) M 8-12,13,14; W 8-12,13,14

Full grain waterproof leather with abrasion resistant rubber vamp. Abrasion resistant mesh lining with HY-Dry waterproof membrane. B400 Thinsulate insulation. Memory foam footbed. EVA cushioned midsole. Oil and slip-resistant rubber outsole. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**HYTEST®**  
**Zinc 6" Waterproof Boot**  
**13610** (Black) M 4-12,13,14; W 7-12,13,14

Full grain leather upper. Full padded tongue and collar. CK mesh lining with polyurethane membrane. Removable EVA full cushion footbed. EVA/Nexus rubber oil and slip-resistant outsole. Non-Metallic. Strobel with bootie construction. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**HYTEST®**  
**Knox 6" Waterproof Boot**  
**13620** (Black) W 4-12,13,14

Waterproof full grain leather upper. Moisture wicking mesh lining. Removable cushion footbed. PU cushion midsole. Oil and slip-resistant TPU outsole. Direct attached construction. Steel toe. EH. PR. WP.

**ASTM F2413-18 M/ I/ C EH PR compliant**



**HYTEST®**  
**Knox 6" Waterproof Boot**  
**13621** (Brown) W 8-12,13,14

Waterproof full grain and Tec-Tuff leather upper. Moisture wicking mesh lining. Removable cushion footbed. PU cushion midsole. Oil and slip-resistant TPU outsole. Direct attached construction. Steel toe. EH. PR. WP.

**ASTM F2413-18 M/ I/ C EH PR compliant**





**HYTEST FOOTRESTS 2.0®**

# **REBOUND**

**22470**

See item on page 40



**HYTEST**  
SAFETY FOOTWEAR

**HYTEST®**  
**Knox Direct Attach Slip-On Boot**  
**13781** (Brown) W 7-12,13,14

Leather upper. Twin elastic side gore panels. Moisture wicking mesh lining. EVA cushion footbed. PU midsole with oil, slip and abrasion resistant TPU outsole. Direct attached construction. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**HYTEST**  
SAFETY FOOTWEAR

**HYTEST®**  
**Empire 6" Waterproof Insulated Boot**  
**13860** (Black) M 4-12,13,14,15; EW 4-12,13,14,15

PU coated, waterproof leather upper. Molded, waterproof foot. Taibrelle lining with waterproof barrier bootie. Insulated. Removable EVA Pesu II full cushion footbed. Dual density PU slip-resistant outsole. Waterproof. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**HYTEST**  
SAFETY FOOTWEAR

**HYTEST®**  
**Byron 6" Waterproof Work Boot**  
**13890** (Black) D 4-12,13,14,15; E 7-12,13,14,15; EEE 4-12,13,14,15

Waterproof full grain black leather upper. Mesh lining with waterproof barrier bootie. 100 grams Thinsulate insulation. Fully padded tongue and collar. Removable EVA Pesu II full cushion footbed. Goodyear welt construction. Dual density oil and slip-resistant polyurethane outsole.

**ASTM F2413-18 M/ I/ C EH compliant**



**HYTEST**  
SAFETY FOOTWEAR

**HYTEST®**  
**Knock 6" Waterproof Boot**  
**13990** (Black) W 4-12,13,14  
**13991** (Brown) W 8-12,13,14

Waterproof full grain leather upper. Waterproof construction. Moisture wicking mesh lining. Removable cushioned footbed. PU cushioned midsole. Oil resistant rubber outsole. Direct attached construction. Steel toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**WOLVERINE**  
DURASHOCKS SR  
COMFORT TECHNOLOGY

**WOLVERINE DURASHOCKS SR®**  
**WPF 6" Waterproof Boot**  
**WW211022** (Brown) M 8-12,13; EW 8-12,13

Waterproof, full grain upper leather. Breathable, waterproof membrane with moisture wicking mesh lining. Removable, full cushion, dual density footbed. Advanced Comfort PU midsole. Oil and slip-resistant DuraShocks SR outsole with dual density PU pads. Direct attached construction. Steel toe. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



WOLVERINE 



**WOLVERINE®**  
**Cabor EPX® Waterproof 6" Boot**  
**WW10314** (Dark Brown) M 7-12,13,14; EW 8-12,13

Waterproof upper leather. Wave mesh lining with Wolverine PC Dry waterproof membrane. Dual density PU EPX anti-fatigue footbed. PU midsole. Slip-resistant rubber outsole. Direct attached construction. Comp toe. EH. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



WOLVERINE 



**WOLVERINE®**  
**Blade LX Waterproof 6" Boot**  
**WW10653** (Chocolate Chip) M 7-12,13,14; EW 7-12,13

Waterproof full grain leather with abrasion resistant toe overlay and heel counter. Moisture wicking mesh lining with Waterproof Plus breathable membrane. Removable EPX anti-fatigue footbed. Advanced Comfort PU midsole. Slip-resistant rubber lug outsole. Direct attached construction. Wolverine CarbonMAX nanotechnology safety toe. Comp toe. EH. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



WOLVERINE 



**WOLVERINE®**  
**I-90 EPX Waterproof Romeo Boot**  
**WW10791** (Brown) M 8-11,12,13

Waterproof, full grain, leather upper. Front and back nylon pull up loops. Twin elastic side gores. Moisture wicking mesh lining with breathable waterproof membrane. Removable, dual density PU, anti-fatigue EPX footbed. Advanced Comfort PU midsole. Oil, slip and abrasion resistant TPU lug outsole. CarbonMAX composite toe. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



WOLVERINE 



**WOLVERINE®**  
**Hellcat Ultraspring™ 6" Waterproof Work Boot**  
**WW201175** (Tobacco) M 7-12,13,14; EW 7-12,13

Waterproof, full grain leather upper. Breathable, waterproof membrane with moisture wicking mesh lining. Removable Ortholite UltraLite full cushion footbed. UltraSpring high rebound ETPU midsole. Oil and slip-resistant rubber lug outsole. Goodyear welt construction. CarbonMAX composite toe. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



WOLVERINE 



**WOLVERINE®**  
**Floorhand Waterproof Romeo Boot**  
**WW231018** (Sudan Brown) M 7-12,13,14; EW 7-12,13

Waterproof full grain leather upper. Convenient front and back pull loops. Twin side gore panels. Moisture wicking lining with breathable, waterproof membrane. ETPU cushion footbed. Molded EVA midsole. Rubber lug outsole with abrasion resistant TPU layer. Steel toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**





WOLVERINE 

**WOLVERINE®**  
**SwampMonster 6" Waterproof Boot**  
**WW5698** (Brown) M 7-12,13,14; EW 7-12,13

Waterproof full grain leather upper with SwampMonster shell. Wave mesh lining. Removable air cell PU cushion footbed. Wolverine slip-resistant rubber outsole. Cement construction. Steel toe. EH. Waterproof.

**ASTM F2413-18 M/ I/ C EH compliant**



WOLVERINE 

**WOLVERINE®**  
**Bonaventure Waterproof Hiker**  
**WW8399** (Black) M 7.5-12,13,14; EW 7.5-12,13

Saf-Gard exclusive style. Waterproof full grain leather upper. Wave mesh lining. Removable air cell PU cushion footbed with anti microbial mesh sock liner. Compression molded EVA midsole. Rubber lug outsole. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**CATERPILLAR®**  
**Impact 6" Waterproof Work Boot**  
**CT91402** (Friar Brown) M 8-12,13; W 8-12,13

Full-grain waterproof leather upper. 100% post industrial recycled polyester linings. ReVive Tech lightweight cushioning that provides more energy return than other foams. Strobel construction. SRX slip-resistant oil and abrasion resistant rubber outsole. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**CATERPILLAR®**  
**Threshold 6" Waterproof Hiker**  
**CT90936** (Black) M 7-12,13,14,15; W 7-12,13,14

Full grain leather upper. Lightweight, flexible ERGO midsole. Slip-resistant rubber outsole. Steel toe. EH. Seam sealed waterproof construction.

**ASTM F2413-18 M/ I/ C EH compliant**



**HARLEY-DAVIDSON®**  
**Lagarto 6" Waterproof Boot**  
**HD93579** (Black) M 7.5-12,13

Waterproof full grain leather upper. Mesh lining. Waterproof construction. Oil resistant rubber outsole. Goodyear welt construction. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**





**BATES®**  
**Tactical Sport Side-Zip Hiker**  
**BA3164** (Black) M 4-12,13,14,15; EW 7-12,13,14

Full grain leather and 1680D Performance Polyester upper. YKK inside quarter zipper. Moisture wicking lining. PU foam removable footbed. Shock absorbing CMEVA midsole. TacTRAX slip-resistant rubber outsole. 90 degree heel breast. Flexible strobrel construction. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**SR MAX®**  
**Denali 6" Waterproof Hiker**  
**SRM2650** (Black) M 7-12,13,14,15,16; EW 7-12,13,14,15,16  
**SRM2660** (Brown) M 7-12,13,14; EW 7-12,13,14

Waterproof, oiled, tumbled leather upper. Waterproof bootie construction. Nylon mesh linings. Molded removable PU cup insole. Molded phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**SR MAX®**  
**Estes 6" Waterproof Hiker**  
**SRM2670** (Brown) M 7-12,13,14,15,16; EW 7-12,13,14,15

Waterproof, oiled, Crazy Horse leather upper. Waterproof membrane bootie construction. Removable PU cup antistatic footbed. Phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. SD. WP.

**ASTM F2413-18 M/ I/ C SD 10 compliant**



**EXCLUSIVE STYLE**

NEW STYLE



**SR MAX®**  
**Tulsa Romeo Pull-On Boot**  
**SRM2680** (Black) M 7-12,13,14,15; EW 7.5-12,13,14,15

Waterproof, oiled, full grain leather upper. Convenient front and back pull loops. Merry mesh and knit cotton lining. PU cup, removable, cushion footbed. Phylon midsole. SR Max MaxTRAX® patented, oil and slip resistant rubber outsole. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**SR MAX®**  
**Washington 6" Boot**  
**SRM5000** (Black) M 7-12,13,14; EW 7-12,13,14

Water repellent, oiled, full grain leather upper. Taibrelle with fabric linings. Molded removable PU cup insole. Direct attached PU midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Steel Toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant.**



**EXCLUSIVE STYLE**



**SR MAX®**

**SR MAX®  
Lewiston 6" Waterproof Boot**

**SRM9160** (Brown) M 7-12,13,14,15; EW 7-12,13,14,15  
**SRM9150** (Black) M 7-12,13,14,15; EW 7-12,13,14,15

Waterproof, oiled leather upper. Fabric lining with waterproof membrane. PU with memory foam, removable footbed. Direct attached PU midsole with raised toe bumper. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**SR MAX®**

**SR MAX®  
Concord Waterproof Hiker**

**SRM9170** (Brown) M 7-12,13,14,15; EW 7-12,13,14,15

Waterproof, oiled Crazy Horse upper leather. Fabric lining with waterproof membrane. PU with memory foam, removable footbed. Direct attached PU midsole with raised toe bumper. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**Timberland PRO**

**TIMBERLAND PRO®  
6" Direct Attach Waterproof Insulated Boot**

**STMA1W6B** (Wheat) M 7-12,13,14,15; W 7-12,13,14,15  
**STMA41QN** (Castlerock) M 7-12,13,14,15; W 7-12,13,14

Waterproof nubuck leather upper. Breathable and moisture wicking lining with anti-microbial treatment. 200 grams Thermolite insulation. Timberland PRO 24/7 comfort system to reduce foot fatigue. Seam-sealed waterproof construction. PU midsole. Oil and slip-resistant Thermoplastic Urethane (TPU) outsole with MaxTRAX® patented slip resistant tread for superior slip resistance. Direct attached construction. Steel toe. EH. Waterproof. Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**Timberland PRO**

**TIMBERLAND PRO®  
6" Direct Attach Waterproof Insulated Boot**

**STMA41PY** (Earth Bandit) M 7-12,13,14,15; W 7-12,13,14,15  
**STMA1W52** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof upper leather. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Seam sealed waterproof construction. 200 grams insulation. Breathable, open cell PU footbed. PU midsole. Oil, slip and abrasion resistant TPU outsole with SR Max MaxTRAX® patented, slip-resistant tread pattern. Direct attached construction. Steel toe. EH. WP/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**Timberland PRO**

**TIMBERLAND PRO®  
6" Direct Attach Waterproof Insulated Boot**

**STMA5TDH** (Cinnamon) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof leather upper with seam sealed waterproof construction. Breathable, moisture wicking lining with anti-microbial treatment for odor control. 200 grams insulation. Single density, moisture wicking and air permeable, open cell PU footbed. Oil, slip and abrasion resistant TPU outsole with SR Max MaxTRAX® patented, slip resistant tread pattern. Steel toe. EH. WP/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**





**TIMBERLAND PRO®**  
**6" Direct Attach Boot**  
**TM26038** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof leather upper with sealed seams. Anti-microbial mesh lining. Open cell PU footbed with anti-microbial treatment. 200 grams ThermoLite insulation. Direct injected blown TPR midsole. Timberland PRO oil resistant rubber lug outsole. Steel toe. EH. WP. Insulated. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



**TIMBERLAND PRO®**  
**TITAN 6" Boot**  
**TM26064** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Soft upper leather to minimize break-in time. Anti-microbial, spacer mesh linings. Open cell PU footbed with Outlast Adaptive Comfort technology. PU cushioned midsole. Timberland PRO oil, slip and abrasion resistant rubber outsole. Heat resistant up to 572 degrees F. TITAN alloy safety toe. EH. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



**TIMBERLAND PRO®**  
**TITAN 6" Waterproof Boot**  
**TM26078** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Soft upper leather to minimize break-in time. Anti-microbial, spacer mesh linings with waterproof membrane. Open cell PU footbed with Outlast Adaptive Comfort technology. PU cushioned midsole. Timberland PRO oil, slip and abrasion resistant rubber outsole. Heat resistant up to 572 degrees F. Blood borne pathogen feature. TITAN alloy safety toe. EH. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



**TIMBERLAND PRO®**  
**Pit Boss 6" Boot**  
**TM33034** (Brown) M 7-12,13,14; W 7-12,13,14  
**TM33032** (Black) M 7-12,13,14,15; W 7-12,13,14

Oiled nubuck upper leather. Cambrelle lining with antimicrobial treatment for odor control. Removable open cell PU footbed. PU midsole. Timberland PRO abrasion, oil and slip-resistant rubber outsole. Heat resistant up to 572 degrees F. Goodyear welt construction. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**TIMBERLAND PRO®**  
**Powerwelt 6" Waterproof Boot**  
**TM47001** (Brown/Black) M 7-12,13,14,15; W 7-12,13,14,15

Full grain and Ever-Guard heat and abrasion resistant leather upper. Waterproof membrane with blood borne pathogen feature. Ortholite footbed with Outlast Adaptive Comfort cover. Goodyear welt Cast-Bond construction for a durable chemical and mechanical bond. Nonmarking, oil resistant PU outsole with Ladder Lock heel radius. Steel toe. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**





**TIMBERLAND PRO®**  
**Endurance 6" Boot**

**TM52562** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Full grain leather upper. Anti-microbial spacer mesh linings. Timberland PRO rubber double toe and rubber backstay for added abrasion resistance. PU footbed with anti-microbial cover. Anti-fatigue PU midsole. Timberland PRO oil, slip and abrasion resistant rubber outsole with Ladder Lock heel radius. Outsole is heat resistant up to 932 degrees F. Steel-Flex puncture resistant plate. Steel Toe. EH. PR. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe. Omega. Green triangle compliant.**



**TIMBERLAND PRO®**  
**Hyperion 6" Waterproof Work Boot**

**TM90646** (Brown/Black) M 8-12,13,14,15; W 7-12,13,14,15

Premium leather upper. Ever-Guard leather heel and backstay. Molded Timberland PRO rubber toe protector. Breathable and moisture wicking lining with antimicrobial treatment and waterproof membrane. Blood borne pathogen feature. Anti-Fatigue Technology PU footbed for shock absorption and energy return. EVA midsole. Vibram rubber outsole is oil, abrasion and slip-resistant. Ladder Lock heel breast. Alloy toe. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



**TIMBERLAND PRO®**  
**Boondock 6" Waterproof Work Boot**

**TM92615** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof leather upper with Ever-Guard abrasion resistant heel counter. Molded Timberland PRO high abrasion rubber toe piece. Waterproof membrane with blood borne pathogen feature. Cushioned footbed. Goodyear welt forepart with cemented heel construction. Oil, abrasion and slip-resistant TPU outsole. Comp toe. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



**TIMBERLAND PRO®**  
**Helix HD 6" Waterproof Work Boot**

**TMA1HQL** (Brown) M 8-12,13,14; W 8-12,13

Distressed full grain leather upper. Molded Timberland PRO rubber toe protector. Breathable, moisture wicking lining with antimicrobial treatment and waterproof membrane. Blood borne pathogen feature. PU footbed for shock absorption and energy return. PU midsole. Timberland PRO rubber outsole is oil, abrasion and slip-resistant. Direct attached construction. Comp toe. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



**TIMBERLAND PRO®**  
**Workstead Black 6" Boot**

**TMA1Q2W** (Black) M 7-12,13,14,15; W 7-12,13,14

Full grain leather upper. Breathable, moisture wicking lining with anti-microbial treatment for odor control. Anti-Fatigue PU footbed. PU midsole. Abrasion, oil and slip-resistant TPU outsole. Ladder-Lock heel breast. Comp toe with CarbonShield tech. SD. 100% nonmetallic. CSA grade one toe, SD 35 compliant. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C SD 35 compliant**





**TIMBERLAND PRO®**  
**Hypercharge 6" Waterproof Boot**  
**TMA1Q54** (Brown) M 8-12,13,14,15; W 8-12,13,14,15

Full grain leather upper. Breathable and moisture wicking lining with anti-microbial treatment. Anti-Fatigue Technology PU footbed. EVA midsole. Nonmarking, slip, abrasion and oil resistant Timberland PRO rubber outsole with Ladder Lock heel is heat resistant to 572 degrees F. Comp toe with CarbonShield technology. EH. Waterproof construction. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



**TIMBERLAND PRO®**  
**Hypercharge 6" Waterproof Boot**  
**TMA1RVS** (Brown) M 8-12,13,14; W 8-12,13

Waterproof full grain leather upper. Breathable, moisture wicking lining with antimicrobial treatment and waterproof membrane. Blood borne pathogen feature. Anti-Fatigue Technology PU footbed for shock absorption and energy return. Stable Stride Technology stability platform. Independent Suspension Network for support and agility. EVA midsole. Timberland PRO rubber outsole is oil, slip and abrasion resistant. Heat resistant to 572 degrees F. Comp toe with CarbonShield. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



**TIMBERLAND PRO®**  
**Bosshog 6" Waterproof Boot**  
**TMA1XJP** (Black) M 8-12,13,14,15; W 9.5-12,13,14  
**TMA1XK1** (Brown) M 8-12,13,14; W 9.5-12,13,14

Full grain waterproof leather upper. Abrasion resistant toe overlay. Breathable and moisture wicking lining with antimicrobial treatment for odor control. Waterproof membrane. Anti-fatigue PU footbed. EVA midsole. Oil, slip and abrasion resistant rubber outsole. Heat resistant up to 572 degrees F. Comp toe powered by CarbonShield technology. EH. Nonmetallic puncture plate. Security friendly. 30 day comfort guarantee. **ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.**



**REEBOK WORK®**  
**Trainex 6" Waterproof Sport Boot**  
**WGRB6765** (Black) M 4-12,13,14,15; W 4.5-12,13,14

Water resisting leather upper. Nylon mesh and waterproof membrane lining. Removable EVA cushion insert with sponge rubber heel wedge. Direct attached PU midsole with rubber outsole. 90 degree heel breast. Heel airbag. 100% metal free. Comp toe. EH. Nonmetallic puncture plate.

**ASTM F2413-18 M/ I/ C EH PR compliant**



**REEBOK WORK®**  
**Trainex Sport Boot**  
**WGRB7755** (Brown) M 5.5-12,13,14,15,16,17,18; W 7.5-12,13,14,15,16,17

Leather upper. Nylon mesh lining. Removable EVA cushion insert with sponge rubber heel wedge. Direct attached PU midsole with rubber outsole. 90 degree heel breast. Heel airbag. 100% metal free. Comp toe. SD.

**ASTM F2413-18 M/ I/ C SD 10 compliant**





**REEBOK WORK®**  
**Rapid Response 6" Side-Zip Stealth Boot**  
**WGRB8674** (Black) M 7-12,13,14; W 7-12,13

Leather and ballistic nylon upper. YKK inside quarter zipper. Moisture wicking nylon mesh lining. Foot Force F2A PU removable cushion footbed with Shock Eliminator heel cushion. EVA cushion midsole. Mountain Trail oil and slip-resistant rubber outsole. XTR comp toe. EH. 100% metal free.

**ASTM F2413-18 M/ I/ C EH compliant**



**REEBOK WORK®**  
**Rapid Response 6" Side Zip Stealth Boot**  
**WGRB8694** (Desert Tan) M 7.5-12,13,14; W 8-12,13

Suede leather and ballistic nylon upper. Inside quarter zipper. Nylon mesh lining. Removable F2 PU cushion footbed with Shock Eliminator heel cushion. EVA cushion midsole. Mountain Trail rubber outsole. 100% nonmetallic. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**KEEN UTILITY®**  
**Louisville 6" Waterproof Boot**  
**KN1015401** (Cascade Brown) D 8-12,13,14; EE 8-12,13,14  
**KN1011357** (Black) D 7-12,13,14,15; EE 7-12,13,14,15

Abrasion resistant tough-tec leather upper. KEEN.DRY waterproof, breathable membrane lining. Removable metatomical dual density EVA footbed. Compression molded EVA midsole. Oil and slip-resistant rubber outsole. Waterproof. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**KEEN UTILITY®**  
**Dover 6" Waterproof Boot**  
**KN1021467** (Dark Earth/Black) D 8-12,13; EE 8-12,13

Waterproof leather upper. Moisture wicking texture lining with KEEN.DRY waterproof, breathable membrane. Connectfit heel-capture system for a locked in feel. Removable metatomical PU footbed. KEEN Luftcell: Air-infused PU midsole. Oil and slip-resistant rubber outsole. Carbon fiber toe. EH. WP. Assembled in USA.

**ASTM F2413-18 M/ I/ C EH compliant**



**KEEN UTILITY®**  
**Cincinnati 6" Waterproof Boot**  
**KN1023222** (Belgian/Sandshell) D 8-12,13; EE 8-12,13

Full grain barnyard resistant waterproof leather upper. KEEN.DRY waterproof breathable membrane. Removable dual density PolyAer PU footbed. KEEN Luftcell: Air infused PU midsole. Oil and slip resistant rubber outsole. Carbon fiber comp toe. EH.WP. 30 day wear trial.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**KEEN UTILITY®**  
**Chicago 6" Waterproof Boot**  
**KN1024182** (Tobacco/Black) D 7-12,13,14,15; EE 7-12,13,14,15  
**KN1024184** (Black/Forged Iron) D 7-12,13,14,15; EE 7-12,13,14,15

Leather upper. KEEN.DRY waterproof, breathable membrane. Removable metatomical PU footbed. KEEN.ReGEN cushion midsole. Security friendly. Oil and slip-resistant rubber outsole is heat resistant to 572 degrees F. 90 degree heel breast. Carbon fiber toe. EH. WP.  
**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**KEEN UTILITY®**  
**Troy 6" Waterproof Boot**  
**KN1025697** (Magnet/Black) D 8-12,13,14; EE 8-12,13,14

Leather upper. KEEN.BELLOWS FLEX for added forepart flex. Moisture wicking textile lining with KEEN.DRY waterproof, breathable membrane. Removable dual density PolyAer PU footbed. KEEN Luftcell air infused PU midsole. Oil and slip-resistant rubber outsole with LuftCore shock absorbing heel. 90 degree heel breast. Heat resistant to 572 degrees F. Carbon fiber safety toe. EH. WP.  
**ASTM F2413-18 M/ I/ C EH compliant**



**KEEN UTILITY®**  
**Independence Waterproof 6" Boot**  
**KN1026486** (Black) D 8-12,13,14; EE 8-12,13,14

Full grain, waterproof leather upper. Moisture wicking mesh textile lining with Cleansport NXT Technology for natural odor control. KEEN.DRY waterproof, breathable membrane. Removable metatomical PU footbed. Direct attached KEEN. Luftcell air infused PU midsole with heel and toe overlays. Oil and slip-resistant PU KEEN.ToughSole outsole with 90 degree heel breast. Carbon fiber comp toe. EH. WP. Assembled in U.S.A.  
**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**ARIAT®**  
**Treadfast Waterproof 6" Boot**  
**AR10034673** (Dark Brown) D 8-12,13; EE 9-12,13

Waterproof full grain leather upper. Mesh lining with DRYShield waterproof construction. Removable All Day Cushioning footbed. 4LR technology provides lightweight support and stability. Oil and slip resistant Duratread outsole with 90 degree heel breast. Steel toe. EH. WP.  
**ASTM F2413-18 M/ I/ C EH compliant**



**ARIAT®**  
**Turbo Chelsea Waterproof Pull-On Boot**  
**AR10036738** (Barley Brown) D 8-12,13,14; EE 8-12,13,14

Leather upper. Twin elastic gore panels. Energy Max footbed dissipates pressure. Oil and slip resistant, dual density, PU/TPU outsole with defined heel breast. Direct attached construction. Waterproof Pro construction. 100% nonmetallic. Carbon fiber composite toe. EH. WP. Assembled in U.S.A.  
**ASTM F2413-18 M/ I/ C EH compliant**





**ARIAT®**  
**Turbo 6" Waterproof Boot**  
**AR10036739** (Rich Brown) D 8-12,13,14; EE 8-12,13,14

Leather upper. Energy Max footbed dissipates pressure. Oil and slip-resistant, dual density, PU/TPU outsole with defined heel breast. Direct attached construction. Waterproof Pro construction. 100% nonmetallic. Carbon fiber composite toe. EH. WP. Assembled in U.S. A.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**CAROLINA®**  
**Dormite 6" Waterproof Boot**  
**CA3558** (Brown) D 8-12,13; EE 8-12,13,14

Neutral Mahogany leather upper. Mesh lining. Waterproof construction. Removable EVA footbed. Polyurethane midsole. Oil and slip resisting Turnpike rubber outsole. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**CAROLINA®**  
**Sarge Lo 6" Work Boot**  
**CA1309** (Light Brown) D 8-12,13,14; EE 8-12,13,14

Pitstop leather upper. Dri-Lex lining. Poron performance cushioning insole with removable AG7 PU footbed. Dual density PU outsole. Goodyear welt construction. Steel toe. EH. Union made in USA.

**ASTM F2413-18 M/ I/ C EH compliant**



**CAROLINA®**  
**Bruno Lo Copper Crazy Horse Waterproof 6" Boot**  
**CA5520** (Brown) D 8-12,13,14,15; EE 9-12,13

Crazy Horse leather upper. SCUBALINER waterproof membrane. Removable AG7 PU footbed. EVA midsole. Oil and slip-resistant rubber outsole. Waterproof. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**CAROLINA®**  
**Amp USA 6" Boot**  
**CA7811** (Brown) D 8-12,13; EE 8-12,13,14

Old Town Folklore leather upper. Oil and slip resistant Meramec Raptor PU wedge outsole. Goodyear welt construction. Steel Toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**CAROLINA**  
Built For Work.

**CAROLINA®**  
**Ferric USA 6" Boot**  
**CA7829** (Brown) D 8-12,13,14 EE 8-12,13,14

Old Town Folklore upper leather. Oil and slip resistant Iron Heel dual density PU outsole with 90 degree heel breast. Goodyear welt, leather welt construction. Steel toe. EH. Union made in USA.

**ASTM F2413-18 M/ I/ C EH compliant**



**ROCKPORT**  
**WORKS**

**ROCKPORT WORKS®**  
**More Energy 6" Waterproof Work Boot**  
**WGRK6635** (Black) M 6-12,13,14; W 6-12,13

Waterproof, tumbled, full grain leather upper. Moisture wicking nylon mesh lining with Hydro-Defense waterproof bootie. Removable EVA cushion footbed with adiPRENE by adidas, shock absorbing pad. Direct attached PU midsole. Rubber traction bottom with shock absorbing heel and rebounding forepart pads. Waterproof. 100% nonmetallic. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**Georgia Boot®**

**GEORGIA BOOT®**  
**Georgia Giant 6" Boot**  
**GA6374** (Soggy Brown) M 7-12,13,14,15,16,17; W 7-12,13,14,15

Full grain leather upper. Oil resistant bumper guard. High performance linings. Covered cushion footbed. EVA midsole. Oil resistant PU outsole. Goodyear welt construction. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**Georgia Boot®**

**GEORGIA BOOT®**  
**Eagle One Waterproof Slip On Chelsea Boot**  
**GAGB00337** (Brown) M 8-12,13,14; W 8.5-11,12,13

SPR full grain leather. Twin elastic side gores. High performance mesh lining with Georgia waterproof construction. Cushioned EVA midsole. Oil, chemical, abrasion and slip-resistant rubber outsole. Steel toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**IRON AGE**

**IRON AGE®**  
**Compound Waterproof Shaft Boot**  
**WGIA9650** (Brown/Black) W 7-12,13,14,15; EW 4-12,13,14

Molded rubber bottom with waterproof leather shaft. Nylon mesh with waterproof membrane lining. Removable EVA cushion insert insole with sponge rubber heel wedge. IronTreads rubber slip-resistant outsole. Waterproof. Comp Toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**





**ROCKY®**  
**MobiLite 6" Waterproof Work Boot**  
**RY6114** (Brown) M 8-12,13,14,15,16; W 8-12,13,14,15

Leather upper. Rocky waterproof construction. Removable PU footbed. EVA cushion midsole. Oil and slip-resistant rubber outsole. Steel toe. EH.  
**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**THOROGOOD®**  
**Crosstrex 6" Waterproof Boot**  
**TG804-4296** (Brown) M 8-12,13; W 9-12,13,14

Leather/mesh construction upper. Waterproof breathable lining. Removable Shock Zone single density polyurethane footbed. Cement construction. Crosstrex 360 outsole. Comp toe. EH. WP.  
**ASTM F2413-18 M/I/C EH compliant**



NEW STYLE



**THOROGOOD®**  
**1957 Series 6" Waterproof Moc Toe Wedge Boot**  
**TG804-3600** (Briar Pitstop) D 8-12,13,14; EE 8.5-12,13,14

Briar Pitstop upper leather. X-Stream waterproof membrane. Removable memory foam footbed. Single density slip resistant MaxWear PU wedge outsole. Goodyear welt construction. Made in USA. Union made. Steel toe. EH.  
**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**THOROGOOD®**  
**1957 Series 6" Waterproof Work Boot**  
**TG804-3696** (Brown) D 8-12,13,14; EE 8-12,13,14

Full grain waterproof leather upper. Fabric waterproof breathable membrane lining. Removable Ultimate Shock Absorption footbed. Goodyear storm welt construction. MAXWear 90 slip resisting outsole. Steel toe. EH. WP. Made in the USA.  
**ASTM F2413-18 M/I/C EH compliant**



**THOROGOOD®**  
**American Heritage 6" Moc Toe Wedge Boot**  
**TG804-4200** (Tobacco) D 8-12,13,14; EE 8-12,13,14

Oil tanned leather upper. Cotton drill vamp lining. Removable dual density Ultimate Shock Absorption footbed on Poron 4000 comfort cushion. Rubber midsole. PU MAXWear oil and slip-resistant wedge outsole. Goodyear welt construction. Steel toe. EH.  
**ASTM F2413-18 M/ I/ C EH compliant**







**THOROGOOD®**  
**American Heritage 6" Moc Toe Work Boot**  
**TG804-4375** (Trail Crazyhorse) D 9-12,13; EE 9-12,13

Crazy Horse upper leather. Removable dual density Ultimate Shock Absorption footbed on Poron comfort cushion insole. Single density PU MAXWear sole with 90 degree heel breast. Goodyear storm welt construction. Steel toe. EH. Made in USA.  
**ASTM F2413-18 M/ I/ C EH compliant**



**THOROGOOD®**  
**The Deuce 6" Tactical Side-Zip Boot**  
**TG804-6190** (Black) M 8-12,13,14; W 8-12,13,14

Leather upper with 400g air mesh nylon upper. YKK inside quarter zipper. BBP X-Stream waterproof membrane. Blood borne pathogen resistant. Removable PU SHOCK ZONE cushion footbed. Z-Trac ASR dual density slip-resistant rubber outsole. 100% nonmetallic. Comp toe. EH.  
**ASTM F2413-18 M/ I/ C EH compliant**



**5.11 TACTICAL®**  
**Company 3.0 Pull-On Boot**  
**FEL12421** (Black) M 8-12,13

Water resistant leather upper. Nylon padded collar. Force foam PU cushioning. X-25 Ortholite footbed. Oil and slip-resistant outsole. Carbon tac toe. EH. PR.  
**ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle complaint.**



**DANNER®**  
**Field Ranger 6" Waterproof Boot**  
**DA15161** (Brown) D 8-12,13,14; EE 8-12,13,14

Leather and abrasion resistant textile upper with abrasion resistant toe bumper. Danner Dry waterproof membrane lining. OrthoLite removable cushion footbed. Trail Guard TPU shank provides lateral support. Oil and slip-resistant Field Ranger outsole with 90 degree heel breast. Comp toe. EH. WP. 365 day warranty.  
**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**DANNER®**  
**Bull Run Moc Toe 6" Boot**  
**DA15569** (Black) D 8-10,11-12,13; EE 9-12,13

Durable full grain leather upper. Moc toe design with contrasting stitch. Cushioning open cell OrthoLite footbed. Danner Wedge, oil and slip resistant outsole. Steel Toe. EH. Made in the USA. 365 day warranty.  
**ASTM F2413-18 M/ I/ C EH compliant**





carhartt

**CARHARTT®**  
**Ground Force 6" Waterproof Boot**  
**CME6355** (Brown) M 8-12,13,14; W 8-12,13

Oil tanned leather upper. Fast Dry lining with Storm Defender waterproof, breathable membrane. Abrasion resistant rubber toe and heel underlays. Insite technology footbed. High rebound EVA midsole. Oil and slip-resistant Ground Force rubber outsole. Comp toe. EH. WP. APMA seal of approval.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



carhartt

**CARHARTT®**  
**Rugged Flex 6" Waterproof Work Boot**  
**CMF6356** (Wheat Nubuck) M 8-12,13,14; W 9-12,13,14

Wheat nubuck upper leather. Rubber toe and heel bumpers. Storm Defender waterproof breathable membrane. PU cushion footbed. EVA midsole. Slip resistant rubber outsole. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



carhartt

**CARHARTT®**  
**Rugged Flex 6" Waterproof Boot**  
**CMFF6213M** (Brown/Chocolate Brown) M 8-12,13,14;  
 W 9-12,13,14,15

Leather and reinforced fabric upper. FastDry lining wicks away moisture. PU cushioned footbed. EVA midsole with PU strobel pads. Rugged Flex slip resistant rubber outsole. Steel toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



carhartt

**CARHARTT®**  
**Traditional Welt 6" Boot**  
**CMW6274** (Brown) M 8-12,13; W 9-12,13

Crazy Horse leather upper. FastDry lining wicks away moisture. Cushioned PU footbed. Rubber outsole with 90 degree heel breast. Goodyear welt construction. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



carhartt

**CARHARTT®**  
**Moc Toe 6" Waterproof Wedge Boot**  
**CMW6295** (Brown) M 8-12,13

Oil tanned leather upper. FastDry lining with Storm Defender waterproof, breathable membrane. PU strobel pad with PU cushion footbed. Dual density rubber wedge outsole. Goodyear welt construction. Steel toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**





**Blundstone**  
TASMANIA AUSTRALIA 1870

**BLUNDSTONE®**  
**Stout Pull-On Chelsea Boot**  
**BL140** (Brown) M 8-12,13

Water resistant upper leather. Twin side elastic gore panels. Comfort cushion footbed. SPS Max-XRD Technology in the heel and forepart for increased impact protection. PU midsole. Oil and slip-resistant TPU outsole. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**Blundstone**  
TASMANIA AUSTRALIA 1870

**BLUNDSTONE®**  
**143 Crazy Horse 6" Work Boot**  
**BL143** (Brown) M 8-12,13

Water resistant Crazy Horse upper leather. Molded TPU heel guard. Breathable moisture wicking lining. Removable Comfort Arch footbed. SPS Max-XRD Technology in the heel and forepart for increased impact protection. PU midsole. Oil and slip-resistant TPU outsole. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**Blundstone**  
TASMANIA AUSTRALIA 1870

**BLUNDSTONE®**  
**Stout Pull-On Chelsea Boot**  
**BL172** (Brown) EE 7,8-12,13

Oil tanned upper leather. Twin side elastic gore panels. Breathable Comfort Classic PU footbed with XRD Extreme Impact pads at ball and heel. SPS Max-XRD Technology in heel and forepart strike zones. PU midsole with toe kick guard. Oil resistant TPU outsole. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**Blundstone**  
TASMANIA AUSTRALIA 1870

**BLUNDSTONE®**  
**XTREME Safety Series Pull On Boot**  
**BL179** (Black) EE 7-12,13,14

Leather upper. Elastic gore side panels. Removable xtreme comfort EVA with Poron XRD footbed. PU midsole with TPU outsole. Steel toe. EH. Nonmetallic puncture resistant plate.

**ASTM F2413-18 M/ I/ C EH PR compliant**



**Blundstone**  
TASMANIA AUSTRALIA 1870

**BLUNDSTONE®**  
**990 Chelsea Pull-On Boot**  
**BL990** (Black) M 8-12,13

Water resistant upper leather. Twin side elastic gore panels. Abrasion resistant, molded, TPU toe overlay. Comfort cushion footbed. SPS Max-XRD Technology in the heel and forepart for increased impact protection. Shock absorbing PU midsole. Oil and slip-resistant rubber outsole is heat resistant to 572 degrees F. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**BLUNDSTONE®**  
**997 Black Side-Zip 6" Boot**  
**BL997** (Black) MW 8-12,13

Water resistant leather upper. Thermal regulating bamboo lining. Removable PU footbed with Poron XRD. Inside quarter zipper. Molded TPU abrasion resistant toe overlay. PU midsole. Rubber outsole.

**ASTM F2413-18 M/ I/ C EH compliant**



**AVENGER®**  
**6" Waterproof Hiker**  
**N7223** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Crazy Horse leather upper. Waterproof membrane construction. Removable Rebound foam footbed. Direct attached dual density PU oil and slip-resistant outsole. Waterproof. 100% nonmetallic. Comp toe. EH. Lenzi puncture resistant plate.

**ASTM F2413-18 M/ I/ C EH PR compliant**



NEW STYLE



**AVENGER®**  
**Builder 6" Waterproof Boot**  
**N8225** (Brown) M 7-12,13,14; W 7-12,13,14

Synthetic leather upper. High performance mesh lining. Waterproof construction. Removable PUREcomfort dual density PU footbed. Advanced PU midsole. Oil and slip resistant PU outsole. Steel toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**AVENGER®**  
**6" Waterproof Hiker**  
**N7245** (Black) M 7-12,13,14; W 7-12,13,14

Water resistant upper leather. Waterproof bladder construction. Removable PU dual density footbed. Rubber toe overlay for added abrasion resistance. No exposed metal on upper. EVA midsole. Oil and slip-resistant rubber outsole. Comp toe. EH. 100% metal free.

**ASTM F2413-18 M/ I/ C EH compliant**



**AVENGER®**  
**6" Waterproof Insulated Boot**  
**N7264** (Brown) M 7-12,13,14; W 7.5-12,13,14

Waterproof full grain leather with abrasion resistant toe bumper and heel overlay. 200 grams Thinsulate insulation. Waterproof membrane. Removable dual density footbed. Slip-resistant rubber outsole. Comp toe. EH. WP/Insulated. Security friendly.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**AVENGER®**  
**Builder 6" Waterproof Boot**  
**N8224** (Black) M 7-12,13,14; W 8-12,13,14

Synthetic leather upper. High performance mesh lining. Waterproof construction. Removable PUREcomfort dual density PU footbed. Advanced PU midsole. Oil and slip resistant PU outsole. Steel toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**REDBACK BOOTS®**  
**Nevada Romeo Work Boot**  
**REDUSNPU9** (Puma Brown) EE 7-12,13

Full grain leather upper. Twin side gore panels. Front and back nylon pull loops. Fatigue fighting Anatomic Support System helps to prevent arch sagging and foot strain. Dual density Air Cushion PU midsole. Oil, acid and slip resistant TPU outsole. Direct attached construction. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**ROYER®**  
**Agility Arctic Grip 6" Waterproof Boot**  
**R05628AG** (Brown) EE 7-11,12,13,14,15

Crazy Horse leather and SHIELDTEX abrasion resistant fabric with PARESHOK TPU abrasion resistant toe bumper. Waterproof AIRFLOW membrane. Breathable R-LITE footbed. Direct attached PU midsole. Vibram Arctic Grip slip-resistant, rubber outsole. Comp toe. EH. Nonmetallic puncture resistant plate. Metal free. Assembled in Canada.

**ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.**



**HAIX®**  
**Airpower XR200 6" Waterproof Hiker**  
**HX604103** (Brown) M 8-12,13,14; W 9-12,13

Oiled nubuck upper leather with molded toe overlay. 2 Zone lacing allows for upper and lower boot snug fitting. Gore Tex membrane and Haix Climate System keep feet dry and temperature balanced. Secura Liner prevents lining from shifting and wrinkling. Arch Support System keeps the foot properly supported. Slip-resistant rubber outsole. Comp toe. EH. Nonmetallic puncture plate. Para-aramid European Class 1 cut protection. WP. Engineered in Germany. Manufactured in Europe.

**ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.**



NEW STYLE




**HOSS BOOT COMPANY®**  
**Carter 6" Boot**  
**HS60160** (Black) D 8-12,13; EE 9-12,13  
**HS60542** (Brown) D 8-12,13; EE 9-12,13

Full grain leather/nylon upper. Fast rebound super cushion footbed. Direct attached, dual density PU, slip resistant outsole. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**Dunham**

**DUNHAM®**  
**8000 Works Series 6" Waterproof Boot**  
**DUC12187** (Wheat) D 8-12,13,14; 4E 8-12,13,14; 6E 9-12,13

Wheat nubuck upper leather. Waterproof membrane lining with seam sealed waterproof construction. TPU Stability R Bar. Oil resistant rubber outsole. Carbon fiber comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**BRUNT**

**BRUNT®**  
**Marin 6" Waterproof Boot**  
**BRF10001-002** (Black) D 8-12,13,14; EE 8-12,13,14

Full-grain barnyard resistant waterproof leather upper with dual purpose metal lace hooks. Brunt waterproof breathable membrane. Removable dual density Brunt Cush'n footbed. Width adjustable removable insert. Oil and slip resistant, high heat resistant (300C/572F) Brunt rubber outsole. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**Arriving March 2024**

NEW STYLE



**BRUNT**

**BRUNT®**  
**Marin 6" Waterproof Boot**  
**BRF10001-001** (Brown) D 8-12,13,14; EE 8-12,13,14

Full-grain barnyard resistant waterproof leather upper with dual purpose metal lace hooks. Brunt waterproof breathable membrane. Removable dual density Brunt Cush'n footbed. Width adjustable removable insert. Oil and slip resistant, high heat resistant (300C/572F) Brunt rubber outsole. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**Arriving March 2024**



**HARLEY-DAVIDSON**  
 FOOTWEAR

**HARLEY-DAVIDSON®**  
**Boxbury Black 7" Side-Zip Boot**  
**HD93496** (Black) M 8-12,13

Full grain and Cordura upper. YKK dual locking inside and outside zippers. Mesh lining. Removable dual density footbed. EVA with rubber outsole. Goodyear welt construction. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**HYTEST**  
 SAFETY FOOTWEAR

**HYTEST®**  
**Knox 8" Waterproof Direct Attach Boot**  
**14781** (Brown) W 4-12,13,14

Waterproof leather upper. Moisture wicking mesh lining. EVA cushion footbed. PU midsole with oil, slip, and abrasion resistant TPU outsole. Direct attached construction. WP. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**





WOLVERINE®

# HELLCAT ULTRASPRING

WW201175

See item on page 45



WOLVERINE 

**WOLVERINE®**  
**Cabor EPX® Waterproof 8" Boot**  
**WW10316** (Dark Brown) M 7.5-12,13,14; EW 7.5-12,13

Waterproof leather upper. Mesh lining. Fatigue-fighting EPX footbed. PU Midssole. Slip-resistant rubber outsole. Comp toe. EH. Waterproof construction. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



WOLVERINE 

**WOLVERINE®**  
**Warrior Black Waterproof Insulated 8" Boot**  
**WW191044** (Black) M 7-12,13,14; W 8-12,13

Waterproof full grain leather upper. Moisture wicking mesh lining with breathable, waterproof membrane. 400g Thinsulate Ultra insulation. Removable EPX Anti-Fatigue cushion footbed. Advanced Comfort PU midsole. Steel puncture resistant plate. Rubber outsole is heat resistant up to 932 degrees Fahrenheit. Direct attached construction. CarbonMAX composite toe. EH. PR. WP. Insulated. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH PR compliant**



WOLVERINE 

**WOLVERINE®**  
**Hellcat UltraSpring™ Heavy Duty 8" Waterproof Boot**  
**WW211139** (Brown) M 8-12,13,14; EW 9-12,13

Waterproof full grain leather upper. Moisture wicking mesh lining with Waterproof Plus waterproof membrane. Removable ETPU full cushion footbed. UltraSpring high rebound ETPU midsole. Rubber lug outsole with DuraShocks Flex. Goodyear welt construction. CarbonMAX comp toe. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



WOLVERINE 

**WOLVERINE®**  
**Floorhand 8" Waterproof Insulated Boot**  
**WW221041** (Dark Brown) M 8-12,13,14; EW 9-12,13

Waterproof full grain leather/nylon upper. Moisture wicking mesh lining with breathable, waterproof membrane. 400 grams Expedition insulation. Removable full cushion footbed. Slip resistant rubber outsole. Steel toe. EH. WP/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



 **BATES**

**BATES®**  
**GX-8 8" Side-Zip Boot**  
**BA2276** (Desert Tan) M 7-12,13,14,15; EW 7-12,13,14

Stain and water resistant Wolverine Warrior leather upper. Breathable mesh lining. YKK nylon side zipper. Cushioned removable insert. Athletic cement construction. Oil and slip-resistant rubber outsole. Comp Toe. EH. Security friendly construction.

**ASTM F2413-18 M/ I/ C EH compliant**







**BATES®**  
**Tactical Sport Side-Zip 8" Boot**  
**BA3184** (Black) M 5-12,13,14,15; EW 7-12,13,14

Full grain leather and 1680D Performance Polyester upper. YKK inside quarter zipper. Moisture wicking lining. PU foam removable footbed. Shock absorbing CMEVA midsole. TacTRAX slip-resistant rubber outsole. 90 degree heel breast. Flexible strobel construction. Comp toe. EH.


**ASTM F2413-18 M/ I/ C EH compliant**



**SR MAX®**  
**Bear 8" Waterproof Insulated Boot**  
**SRM2950** (Black) M 7-12,13,14; EW 8-12,13

Waterproof, oiled, full grain leather upper. Mesh lining with waterproof bootie. 400 grams Thinsulate insulation. PU cup removable insole. Molded phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole with cold storage compound. Metal free. Comp toe. EH. WP/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**




**EXCLUSIVE STYLE**



**SR MAX®**  
**Logan 8" Waterproof Insulated Boot**  
**SRM9960** (Brown) M 7-12,13,14,15; EW 7-12,13,14,15

Waterproof, oiled Crazy Horse upper leather. Fabric lining with waterproof membrane and 200 g insulation. PU with memory foam, removable footbed. Direct attached PU midsole with raised toe bumper. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH. WP/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**SR MAX®**  
**Fairbanks 8" Waterproof Insulated Boot**  
**SRM9990** (Black) M 7-12,13,14,15; EW 8-12,13,14,15

Waterproof, oiled, full grain leather upper. Waterproof membrane bootie. 800 grams insulation. Memory foam with PU footbed. PU midsole with toe overlay piece. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Direct attached construction. Comp toe. EH. WP/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**TIMBERLAND PRO®**  
**8" Direct Attach Waterproof Insulated Boot**  
**STMA1WDJ** (Wheat) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof nubuck leather upper. Breathable and moisture wicking lining with anti-microbial treatment. 200 grams ThermoLite insulation. Timberland PRO 24/7 comfort system to reduce foot fatigue. Seam-sealed waterproof construction. PU midsole. Nonmarking, oil, and abrasion resistant Thermoplastic Urethane (TPU) outsole with MaxTRAX® patented slip resistant tread for superior slip resistance. Direct attached construction. Steel toe. EH. Waterproof/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**TIMBERLAND PRO®**  
**8" Direct Attach Waterproof Insulated Boot**  
**STMA1WDU** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof leather upper. Breathable and moisture wicking lining with anti-microbial treatment. 200 grams ThermoLite insulation. Timberland PRO 24/7 comfort system to reduce foot fatigue. Seam-sealed waterproof construction. PU midsole. Nonmarking, oil, and abrasion resistant Thermoplastic Urethane (TPU) outsole with MaxTRAX® patented slip resistant tread for superior slip resistance. Direct attached construction. Steel toe. EH. Waterproof/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**TIMBERLAND PRO®**  
**TITAN 8" Waterproof Boot**  
**TM47019** (Brown) M 7.5-12,13,14,15; W 8-12,13,14,15

Full grain waterproof upper leather. Waterproof membrane. Anti-microbial spacer mesh linings. Ortholite footbed with Dryz Intellitemp X-Static moisture, temperature, and anti-microbial treatment. PU cushioned midsole. Timberland PRO oil, slip and abrasion resistant rubber outsole. Outsole is heat resistant to 572 degrees F. TITAN alloy safety toe. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



**TIMBERLAND PRO®**  
**Endurance 8" Boot**  
**TM52561** (Brown) M 7-12,13,14; W 7-12,13,14,15

Full grain leather upper. Anti-microbial spacer mesh linings. Timberland PRO rubber double toe and rubber backstay for added abrasion resistance. PU footbed with anti-microbial cover. Anti-fatigue PU midsole. Timberland PRO oil, slip and abrasion resistant rubber outsole with Ladder Lock heel radius. Outsole is heat resistant to 932 degrees F. Steel-Flex puncture resistant plate. Steel Toe. EH. PR. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.**



**TIMBERLAND PRO®**  
**Boondock 8" Waterproof Insulated Boot**  
**TM89628** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof full grain leather upper. Molded Timberland PRO rubber toe protector. Breathable, moisture wicking lining with antimicrobial treatment and waterproof membrane. Blood borne pathogen feature. 600 grams ThermoLite insulation. Anti-Fatigue Technology PU footbed for shock absorption and energy return. 3/4 welt with cement heel construction. Timberland PRO TPU outsole is oil, abrasion and slip-resistant. Comp toe. EH. WP. Insulated. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



**TIMBERLAND PRO®**  
**Boondock 8" Waterproof Boot**  
**TM92671** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof leather upper. Molded Timberland PRO rubber toe protector. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Waterproof membrane with blood borne pathogen feature. Anti-Fatigue technology PU footbed. Oil, slip and abrasion resistant TPU outsole. Combination 3/4 Goodyear welt/cement heel construction. Comp toe. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**





**TIMBERLAND PRO®**  
**Endurance 8" Waterproof Boot**  
**TM95567** (Black) M 8-12,13; W 8-12,13

Full grain leather upper with Timberland PRO rubber double toe and rubber backstay. Breathable and moisture wicking lining with antimicrobial treatment for odor control. Waterproof membrane. Blood borne pathogen feature. Removable, contoured, breathable PU footbed. Anti-fatigue technology midsole. Oil, slip and abrasion resistant rubber outsole. Ladder Lock heel breast. Heat resistant up to 932 degrees F. Steel toe. EH. Puncture resistant plate. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.**



**REEBOK WORK®**  
**Floatride Energy Tactical 8" Side-Zip Boot**  
**WGRB3214** (Black) M 7-12,13,14; W 7-12,13,14

Leather and ballistic nylon upper. Inside quarter zipper. Moisture wicking nylon mesh lining. EVA cushion removable footbed. Floatride Energy foam midsole. Slip-resistant rubber outsole. XTR comp toe. EH. Metal free.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**




NEW STYLE

**REEBOK WORK®**  
**Trailgrip Tactical Side-Zip 8" Waterproof Insulated Boot**  
**WGRB3461** (Coyote) M 8-12,13,15; W 8-12,13

Waterproof leather and ballistic nylon upper. YKK inside quarter zipper. 400 grams Thinsulate insulation Waterproof liner. Memory Tech memory foam removable footbed. DMXRide cushion foam midsole. Oil and slip resistant FrigidGrip rubber outsole. XTR comp toe. EH. WP/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



**REEBOK WORK®**  
**Floatride Energy Tactical 8" Side-Zip Boot**  
**WGRB4360** (Coyote) M 8-12,13,14; W 8-12,13,14

Leather and ballistic nylon upper. YKK inside quarter zipper. Moisture wicking nylon mesh lining. EVA cushioned, removable footbed. Floatride Energy midsole. Slip-resistant rubber outsole. XTR comp toe. EH. Security friendly.

**ASTM F2413-18 M/ I/ C EH compliant**



**REEBOK WORK®**  
**Sublite Cushion Tactical 8" Waterproof Tactical Boot**  
**WGRB8807** (Black) M 8-12,13,14; W 8-12,13,14

Leather and ballistic nylon upper. Moisture wicking nylon mesh lining. Memory Tech Massage removable cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber heel and forepad. Waterproof construction. Inside quarter zipper. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**





**KEEN UTILITY®**  
**Coburg 8" Waterproof Boot**  
**KN1017833** (Cascade Brown/Brindle) D 8-12,13,14; EE 8-12,13,14

Waterproof leather and KEEN.Tuff-Tex abrasion resistant fabric upper. Molded heel guard protection. Hydrophobic/hydrophilic 2 zone comfort lining with KEEN.DRY waterproof, breathable membrane. CLEANSPORT NXT treatment for odor control. Removable metatomical dual density EVA footbed. Direct attached PU midsole. Oil and slip-resistant, nonmarking rubber outsole. Steel toe. EH. Waterproof. Assembled in USA.

**ASTM F2413-18 M/ I/ C EH compliant**



**KEEN UTILITY®**  
**Dover 8" Waterproof Insulated Boot**  
**KN1024222** (Dark Earth/Black) D 7,8-12,13; EE 8-12,13,15

Waterproof leather upper with KEEN.DRY waterproof, breathable membrane. 600 grams KEEN.WARM insulation. KONNECTFIT heel capture system. Removable metatomical PU footbed. KEEN Luftcell PU midsole. Oil and slip resistant rubber outsole with 90 degree heel breast. Carbon fiber toe. EH. WP/Insulated. Assembled in the U.S.A. 30 day wear trial.

**ASTM F2413-18 M/ I/ C EH compliant**



**CAROLINA®**  
**Sarge Hi 8" Domestic Work Boot**  
**CA1809** (Light Brown) D 8-12,13,14; EE 8-12,13,14

Pitstop leather upper. Dri-Lex lining. Poron performance cushioning insole with removable AG7 PU footbed. Dual density PU outsole. Goodyear welt construction. Steel toe. EH. Made in USA.

**ASTM F2413-18 M/ I/ C EH compliant**



**CAROLINA®**  
**Surveyor 8" Waterproof Insulated Boot**  
**CA3534** (Dark Brown) D 9-12,13; EE 9-12,13,14

Gaucha Crazy Horse leather upper. Mesh lining with SCUBALINER waterproof membrane and 400 grams Thinsulate insulation. Removable EVA cushion footbed. Oil and slip resistant rubber outsole. Steel toe. EH. WP/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**




**CAROLINA®**  
**Circuit Hi 8" Waterproof Insulated Boot**  
**CA3538** (Brown) D 8-12,13; EE 9-12,13

Bandit Nutcase upper leather. Mesh lining with SCUBALINER waterproof membrane and 800 grams Thinsulate insulation. Removable EVA footbed. Oil and slip resistant rubber outsole. Comp toe. EH. WP/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**CAROLINA**  
Built For Work.

**CAROLINA®**  
**Forrest Brown 8" Waterproof Insulated Boot**  
**CA4515** (Brown) D 8-12,13,14; EE 8.5-12,13,14

Copper Crazy Horse leather with nylon mesh upper. Mesh lining with SCUBALINER waterproof membrane and 800 grams Thinsulate insulation. Pillow cushion insole with AG7 PU footbed. EVA midsole. Heavy duty 4 x 4 oil resistant rubber outsole. Comp toe. EH. WP/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**CAROLINA**  
Built For Work.

**CAROLINA®**  
**Duke 8" Waterproof Insulated Boot**  
**CA5547** (Dark Brown) D 8-12,13,14; EE 8.5-12,13,14

Cowboy Teak upper leather. Mesh lining with SCUBALINER waterproof membrane and 440 grams Thinsulate and X-Static odor resistant insulation. Removable AG8 Intelli/Sphere PU dual density foam footbed. EVA midsole. Oil and slip resistant rubber outsole. Carbon comp toe. EH. WP/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**CAROLINA**  
Built For Work.

**CAROLINA®**  
**Ferric USA 8" Boot**  
**CA7516** (Brown) D 8-12,13,14; EE 8-12,13,14

Old Town Folklore leather upper. Removable Poron Performance cushioning footbed. Oil and slip resistant Iron Heel dual density PU outsole with 90 degree heel breast. Goodyear welt construction. Steel toe. EH. Union made in the USA.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**CAROLINA**  
Built For Work.

**CAROLINA®**  
**Journeyman 8" Waterproof Insulated Boot**  
**CA7545** (Wheat) D 8-12,13,14; EE 8-12,13,14

Wheat nubuck upper leather. 200 grams Thinsulate insulation. Seam sealed waterproof construction. Oil resistant rubber lug outsole. Direct attached construction. Steel toe. EH. WP/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**CAROLINA**  
Built For Work.

**CAROLINA®**  
**Dormite 8" Waterproof Insulated Boot**  
**CA8556** (Brown) D 8-12,13,14; EE 8-12,13

Storm TMORO leather upper. Mesh lining with 600 grams Thinsulate insulation. Waterproof construction. Removable EVA cushion footbed. PU midsole. Oil and slip resistant Turnpike rubber outsole. Comp toe. EH. WP/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**





**THOROGOOD®**

# **AMERICAN HERITAGE**

**TG804-4364**

See item on page 71



**ARIAT®**  
**WorkHog Brown 8" Waterproof Boot**  
**AR1943** (Brown) D 8-12,13,14; EE 8-12,13

Ariat ATS Max platform provides an extra level of stability. Waterproof Pro construction shuts out rain, snow and water. 8 inch lacer with removable kiltie. EVA cushioning midsole combined with Duratread oil and slip resisting outsole. Goodyear welt construction.

**ASTM F2413-18 M/ I/ C EH compliant**



**THOROGOOD®**  
**1957 Series 8" Waterproof Moc Toe Wedge Boot**  
**TG804-3800** (Briar Pitstop) D 9-12,13; EE 8-12,13

Briar Pitstop upper leather. X-Stream waterproof membrane. Removable memory foam footbed. Single density slip-resistant MAXwear PU wedge outsole. Goodyear welt construction. Made in USA with USA and globally sourced components. Union made. Steel toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**THOROGOOD®**  
**American Heritage 8" Moc Toe Wedge Boot**  
**TG804-4208** (Tobacco) D 8-12,13; EE 7.5-12,13

Full grain leather. Unlined. Removable Ultimate Shock Absorption PU footbed. Poron cushion insole. MAXWear PU wedge outsole. Goodyear storm welt construction. Made in USA with USA and globally sourced components. Union Made. Steel Toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**THOROGOOD®**  
**American Heritage 8" Work Boot**  
**TG804-4364** (Tobacco) D 8-12,13,14; EEE 8-12,13

Oil tanned leather upper. Drill vamp lining. Removable dual density Ultimate Shock Absorption footbed on Poron 4000 Comfort Cushion. Rubber midsole. Oil and slip-resistant PU MAXWear wedge outsole. Goodyear storm welt construction. Steel toe. EH. Made in USA.

**ASTM F2413-18 M/ I/ C EH compliant**



**THOROGOOD®**  
**American Heritage 8" Moc Toe Work Boot**  
**TG804-4378** (Trail Crazyhorse) D 8-12,13; EE 9-12,13

Trail Crazy Horse full grain leather upper. Unlined. Ultimate Shock Absorption PU footbed. Poron cushion insole. MAXWear 90 PU outsole with 90 degree heel breast. Goodyear storm welt construction. Made in USA. Union made. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**





**THOROGOOD®**  
**American Heritage Wedge 8" Moc Toe Boot**  
**TG804-4478** (Trail Crazyhorse) EE 8-12,13

Crazyhorse leather upper. Removable dual density Ultimate Shock Absorption footbed on Poron Comfort Cushion. Oil and slip-resistant PU MAXWear wedge outsole. Goodyear storm welt construction. Steel toe. EH. Made in USA.  
**ASTM F2413-18 M/ I/ C EH compliant**



**THOROGOOD®**  
**The Deuce 8" Tactical Side-Zip Waterproof Boot**  
**TG804-6191** (Black) M 8-12,13,14; W 8-12,13,14

Full grain and action leather with Air Mesh upper. Inside quarter YKK zipper. Two zone wicking mesh lining with Thoro-Dri waterproof system that is blood-borne pathogen compliant. Removable dual density PU Shock-Zone footbed with airflow vents. Z-Trac PU/rubber slip-resistant outsole. Comp toe. EH. WP. 100% nonmetallic.  
**ASTM F2413-18 M/ I/ C EH compliant**



**UNDER ARMOUR®**  
**Stellar G2 Protect Side-Zip Boot**  
**UA3024947** (Black) M 8-12,13,14

Breathable textile upper with full grain, polishable leather forefoot. Front and back pull loops for easier on/off. Full length EVA cushion footbed. Molded EVA midsole. Reinforced TPU shank. Slip resistant rubber lug outsole. Comp toe. EH.  
**ASTM F2413-18 M/ I/ C EH compliant**



**5.11 TACTICAL®**  
**A.T.A.C. 2.0 8" Shield Boot**  
**FEL12416** (Black) M 8-12,13

Waterproof leather and nylon upper. SlipStream lining with waterproof/bloodborne pathogen membrane. Ortholite ankle foam and achilles heel flex zone for wider range of motion and better heel hold and comfort. YKK inside quarter zipper. Dual density Ortholite footbed. Puncture resistant board. ATAC midsole with oil and slip-resistant outsole. CARBON-TAC composite toe. EH. PR. WP.  
**ASTM F2413-18 M/ I/ C EH PR compliant. CSA Grade 1 toe, Omega, Green Triangle compliant.**



**DANNER®**  
**Steel Yard 8" Waterproof Boot**  
**DA12534** (Brown) D 8-12,13,14; EE 8-12,13,14

Full grain leather upper. Danner Dry waterproof membrane lining. Patent pending, ventilated, dual density, cushion footbed. Oil and slip resistant Steel Yard rubber outsole. Steel toe. EH. WP. 365 day warranty.  
**ASTM F2413-18 M/ I/ C EH compliant**







**Danner**  
SINCE 1932

**DANNER®**  
**Quarry USA 8" Waterproof Boot**  
**DA17311** (Black) D 8.5-12,13; EE 8.5-12,13

Full grain leather upper. Gore-Tex breathable, waterproof membrane. Ortholite comfort footbed. Vibram Quarry midsole. Oil and slip-resistant Vibram Quarry outsole with 90 degree heel breast. Stitchdown construction. Alloy toe. EH. WP. Manufactured in USA.

**ASTM F2413-18 M/ I/ C EH compliant**



**Danner**  
SINCE 1932

**DANNER®**  
**Quarry USA 8" Waterproof Insulated Boot**  
**DA17321** (Brown) D 9-12,13; EE 8.5-12,13

Nubuck leather upper. Gore-Tex breathable, waterproof membrane. Ortholite comfort footbed. Vibram Quarry midsole. 400 grams Thinsulate insulation. Oil and slip-resistant Vibram Fire and Ice rubber outsole with 90 degree heel breast. Stitchdown construction. Comp toe. EH. WP. Insulated. Manufactured in USA.

**ASTM F2413-18 M/ I/ C EH compliant**



**carhartt**

**CARHARTT®**  
**Ground Force 8" Waterproof Boot**  
**CME8355** (Brown) M 8-12,13,14; W 8-12,13

Oil tanned leather upper. Fast Dry lining with Storm Defender waterproof, breathable membrane. Abrasion resistant rubber toe and heel underlays. Insite technology footbed. High rebound EVA midsole. Oil and slip-resistant Ground Force rubber outsole. Comp toe. EH. WP. APMA seal of approval.

**ASTM F2413-18 M/ I/ C EH compliant**



**AVENGER**  
SAFETY FOOTWEAR

**AVENGER®**  
**8" Waterproof Work Boot**  
**N7573** (Brown/Black) M 8-12,13,14; W 9-12,13

Crazy Horse upper leather. Abrasion resistant toe bumper and heel overlay. Waterproof membrane. 600 g Thinsulate insulation. Removable PU dual density footbed. Oil and slip-resistant, nitrile rubber outsole with 90 degree heel breast. Flex welt construction. Carbon nanofiber comp toe. EH. Lenzi puncture resistant plate.

**ASTM F2413-18 M/ I/ C EH PR compliant**



**ROYER**

**ROYER®**  
**Agility Arctic Grip 8" Waterproof Boot**  
**R05725AG** (Brown) EE 7-11,12,13,14,15

Crazy Horse leather and SHIELDTEX abrasion resistant fabric with PARESHOK TPU abrasion resistant toe bumper. Waterproof AIRFLOW membrane. Breathable R-LITE footbed. Direct attached PU midsole. Vibram Arctic Grip slip-resistant, rubber outsole. Comp toe. EH. WP. Nonmetallic puncture resistant plate. WP. Metal free.

**ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.**





**WORK ZONE®**  
**852 8" Waterproof Insulated Boot**  
**WZS852-BR** (Brown) M 7-12,13,14

Oiled, full grain, tumbled leather upper. Moisture absorbing lining. 200 g Thinsulate insulation. COMFORTTUF removable footbed. Oil and slip-resistant Flex Sole PU dual density outsole. Waterproof. Insulated. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**HAIX®**  
**Protector Ultra 8" Waterproof Chain Saw Boot**  
**HX603110** (Lime Green) M 8-12,13,14; W 8.5-12,13

Nubuck leather upper with rubber toe and heel overlays. Reflective material at heel and ankle for better visibility. Soft top collar prevents sawdust and woodchips from getting inside. 2 zone lacing allows for upper and lower boot snug fitting. Gore Tex membrane and Haix Climate System keep feet dry and temperature balanced. Secura Liner prevents lining from shifting and wrinkling. Machine washable, quick drying footbed. Slip-resistant Vibram 050 outsole. Steel toe. EH. Nonmetallic puncture plate. Para-aramid European Class 2 cut protection. WP. Engineered in Germany. Manufactured in Europe. **ASTM F2413-18 M/ I/ C EH PR compliant.**

**CSA grade 1 toe, Omega, green triangle compliant.**



**HAIX®**  
**Protector Ultra 8" Waterproof Chain Saw Boot**  
**HX603111** (Red) M 8-12,13,14; W 9.5-12,13

Nubuck leather upper with rubber toe and heel overlays. Reflective material at heel and ankle for better visibility. Soft top collar prevents sawdust and woodchips from getting inside. 2 zone lacing allows for upper and lower boot snug fitting. Gore Tex membrane and Haix Climate System keep feet dry and temperature balanced. Secura Liner prevents lining from shifting and wrinkling. Machine washable, quick drying footbed. Slip-resistant Vibram 050 outsole. Steel toe. EH. Nonmetallic puncture plate. Para-aramid European Class 2 cut protection. WP. Engineered in Germany. Manufactured in Europe. **ASTM F2413-18 M/ I/ C EH PR compliant.**

**CSA grade 1 toe, Omega, green triangle compliant.**



NEW STYLE



**BELLEVILLE BOOT®**  
**Spearpoint Side-Zip Waterproof Boot**  
**BV918ZWPCT** (Black) R 8-12,13; W 8-12,13

Waterproof full grain leather upper with 1680 denier nylon fabric. YKK side zipper. Waterproof and bloodborne pathogen membrane. Molded removable footbed. EVA midsole. Oil and slip resistant rubber outsole. Comp toe. EH. WP.

**ASTM 2413-18 M/ I/ C EH compliant**



NEW STYLE



**BRUNT®**  
**Marin 8" Waterproof Boot**  
**BRF10006-001** (Brown) D 8-12,13,14; EE 8-12,13,14

Full-grain barnyard resistant waterproof leather upper with dual purpose metal lace hooks. Brunt waterproof breathable membrane. Removable dual density Brunt Cush'n footbed. Width adjustable removable insert. Oil and slip resistant, high heat resistant (300C/572F) Brunt rubber outsole. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**Arriving March 2024**



**HAIX®**  
**Protector Prime 9" Waterproof Chainsaw Boot**  
**HX603102** (Orange) M 8-12,13,14; W 9-12,13

Nubuck leather upper with rubber toe and heel overlays. 2 Zone lacing allows for upper and lower boot snug fitting. Gore Tex membrane and Haix Climate System keep feet dry and temperature balanced. Secura Liner prevents lining from shifting and wrinkling. Machine washable, quick drying footbed. Slip-resistant Vibram 050 outsole. Steel toe. EH. Para-aramid European Class 2 cut protection. Nonmetallic puncture plate. WP. Engineered in Germany. Manufactured in Europe.

**ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.**



NEW STYLE



**ORIGINAL SWAT®**  
**Side Zip 9" Tactical Boot**  
**SW1160** (Black) M 5-12,13; W 8,9-12,13,14,15

Leather and nylon upper. Inside quarter zipper. Full length cushion footbed. EVA cushion midsole. Oil and slip-resistant rubber outsole. Safety toe. EH. Puncture resistant plate.

**ASTM F2413-18 M/ I/ C EH PR compliant**



NEW STYLE



**CARHARTT®**  
**Yukon 10" Waterproof Insulated Boot**  
**CMC1259** (Coffee) M 8-12,13,14,15

Oil tanned and PU coated leather upper. Molded toe overlay piece. TPU molded heel guard with Achilles flex joint. Storm Defender waterproof breathable membrane. 1000 grams LiteFire insulation. Removable EVA foam cushion footbed with molded TPU arch support. PU midsole. Oil and slip resistant rubber outsole with 90 degree heel breast. Comp toe. EH. W/P/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



**TIMBERLAND PRO®**  
**Evergreen Waterproof Insulated Logger**  
**TMA280Q** (Brown) M 7-12,13,14

Waterproof upper leather. Removable leather kiltie. ExoSpine technology provides stability and improved heel fit. Breathable and moisture wicking lining with antimicrobial treatment and waterproof and blood borne technology membrane. Insulated lining. ReBOTL recycled materials. Anti-Fatigue Technology PU footbed. Independent Suspension Network system for control and support. Vibram Fire and Ice rubber logger outsole. CarbonShield comp toe. EH. W/P/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



**TIMBERLAND PRO®**  
**Boondock HD Logger Waterproof Boot**  
**TMA29G9** (Brown) M 8-12,13,14,15; W 8-12,13,14

Waterproof leather upper. Molded Timberland PRO rubber toe protector. ExoSpine technology provides structure, durability and improved heel fit. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Waterproof membrane with blood borne pathogen feature. Step Propel footbed for shock absorption and energy return. PU midsole. Oil and slip-resistant TPU outsole with Ladder Lock shank feature. Goodyear welt construction. CarbonShield comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**





**CAROLINA**  
Built For Work.

CAROLINA®

**Elm 8" Logger**

**CA1825** (Black) D 8-12,13,14; EE 8-12,13

**CA1821** (Dark Brown) D 8-12,13,14; EE 8-12,13,14

Full grain leather upper. Steel Shank. Welt Construction. One piece rubber lug oil resistant outsole. Steel toe. EH.

ASTM F2413-18 M/ I/ C EH compliant



**CAROLINA**  
Built For Work.

CAROLINA®

**Elm Copper Waterproof Insulated Logger**

**CA5821** (Brown) D 7-12,13,14; EE 7.5-12,13,14; 4E 8-12,13,14

Copper Crazy Horse upper leather. Taibrelle lining with waterproof SCUBALINER membrane. 600 grams Thinsulate insulation. Goodyear welt construction. Steel toe. EH. WP/Insulated.

ASTM F2413-18 M/ I/ C EH compliant



**CAROLINA**  
Built For Work.

CAROLINA®

**Timber 8" Waterproof Logger**

**CA6921** (Walnut) D 8-12,13; EE 9-12,13

Leather upper. Mesh lining with Scubaliner waterproof membrane. Removable PU dual-density memory foam footbed. Goodyear welt construction. Oil resistant, one piece rubber lug outsole. Comp toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant



**CAROLINA**  
Built For Work.

CAROLINA®

**Birch 8" Waterproof Logger**

**CA7522** (Brown) D 7-12,13,14; EE 8-12,13,14

Gaucha crazy horse leather upper. Removable kiltie. Mesh lining with waterproof SCUBALINER membrane. Removable AG7 PU footbed. Triple rib steel shank. Leather welt construction. Vibram one piece rubber lug logger outsole. Comp toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant



**CAROLINA**  
Built For Work.

CAROLINA®

**Spruce Waterproof Logger**

**CA9824** (Dark Brown) D 7-12,13,14; EE 8-12,13,14

Crazy Horse leather upper. Removable leather kiltie. Taibrelle lining with waterproof SCUBALINER membrane. Pillow Cushion footbed. One piece, oil and slip resistant rubber lug outsole. Triple ribbed steel shank. Goodyear welt construction. Steel toe. EH. WP.

ASTM F2413-18 M/ I/ C EH compliant





**CAROLINA**  
Built For Work.

**CAROLINA®**  
**Poplar 8" Waterproof Logger**  
**CA9852** (Dark Brown) D 8-12,13; EE 9-12,13

Leather upper. Mesh lining with waterproof SCUBALINER membrane. Removable EVA footbed. PU midsole. Oil and slip-resistant rubber outsole. Comp toe. EH. WP.  
**ASTM F2413-18 M/ I/ C EH compliant**



**Georgia Boot**

**GEORGIA BOOT®**  
**8" Waterproof Logger**  
**GA7313** (Chocolate) M 7-12,13,14,15; W 8-12,13,14

Full grain leather upper. Removable brush guard kiltie. Georgia Waterproof System construction. Covered cushion insole with removable cushion PU footbed. Abrasion resistant rubber Georgia Logger outsole. Goodyear welt construction. Steel toe. EH. WP.  
**ASTM F2413-18 M/ I/ C EH compliant**



**Georgia Boot**

**GEORGIA BOOT®**  
**Comfort Core Waterproof Logger**  
**GAGB00097** (Brown) M 8-12,13; W 8-12,13

Full grain leather upper. High performance mesh lining with Georgia Waterproof System. Leather brush guard kiltie. CC7 Comfort Core removable cushion footbed. Oil and slip-resistant Vibram rubber outsole. Goodyear welt construction. Waterproof. Comp toe. EH.  
**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**Thorogood**  
Since 1892

**THOROGOOD®**  
**Logger Series 9" Waterproof Insulated Boot**  
**TG804-3554** (Brown) D 8-11,12,13,14,15; EEE 8-11,12,13,14,15

Full grain waterproof leather upper. Fabric waterproof lining with 400g 3M Thinsulate insulation. Removable Ultimate Shock Absorption footbed. Vibram rubber midsole. Storm welt construction. Vibram Tacoma outsole with reinforced tip stitch. Steel toe. EH. WP/Insulated. Made in the USA.  
**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**CHIPPEWA**

**CHIPPEWA®**  
**Super DNA 9" Waterproof Logger**  
**CH59417** (Wheat) E 8-12,13,14; 3E 8-12,13,14

Premium waterproof full grain leather upper. Dri-Lex plus 400g 3M Thinsulate Ultra lining. Orthotic insert. Goodyear welt construction with 1 inch triple ribbed steel shank. Vibram Tacoma TC4+ rubber outsole. Steel toe. EH. WP/Insulated.  
**ASTM 2413-18 M/ I/ C EH compliant**





**CHIPPEWA®**  
**Paladin 8" Waterproof Logger**  
**CH73050** (Black) M 6-12,13,14; W 7-12,13,14  
**CH73060** (Briar) M 6-12,13,14; W 7-12,13,14

Oiled waterproof leather upper. Goodyear leather welt construction. Chip-A-Tex waterproof bootie. Nylex lining. Steel shank. Texon insole. 400 grams Thinsulate Ultra insulation. Vibram one piece Tacoma logger outsole. Steel Toe. EH. WP/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



carhartt

**CARHARTT®**  
**8" Waterproof Climbing Boot**  
**CML8360** (Brown) M 8-12,13,14; W 8-12,13,14,15

Crazy Horse upper leather with Carstrong reinforced panel uppers. Back pull loop. TPU heel guard with Achilles flex joint for ankle stability and side impact protection. Storm Defender waterproof, breathable membrane. Cushioned, removable PU footbed. Rubber outsole with 90 degree heel breast and aggressive tread design that sheds mud and debris. Goodyear welt construction. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



carhartt

**CARHARTT®**  
**8" Waterproof Insulated Logger**  
**CML8369** (Chocolate Brown) M 8-12,13,14; W 8-12,13,14

Oil tanned leather upper with Carstrong reinforced fabric panels. TPU heel guard with Achilles flex joint for ankle stability and side impact protection. StormDefender breathable, waterproof membrane. 400 grams Thinsulate insulation. PU cushion footbed. Rubber lug outsole. Goodyear welt construction. Comp toe. EH. WP/insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



HYTEST  
 FOOTRESTS

**HYTEST FOOTRESTS 2.0®**  
**Crossover Wellington**  
**25251** (Brown) D 8-12,13,14; EEE 8-12,13,14

Full grain waterproof leather upper. Moisture wicking mesh lining with waterproof membrane and CoreTemp temperature control technology. Removable FootRests tri-layer anti-fatigue footbed. Xergy anti-fatigue foam midsole. FootHolds oil and slip-resistant rubber outsole. Nano toe. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



HYTEST  
 SAFETY FOOTWEAR

**HYTEST®**  
**Falcon Waterproof Wellington**  
**15581** (Brown) M 7-12,13,14; W 7-12,13,14

Waterproof, full grain leather upper. Moisture wicking mesh lining. Waterproof construction. Removable cushion footbed. Ultralight EVA midsole. Oil and slip-resistant rubber outsole. BonWelt construction. Steel toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**





**WOLVERINE**  
DURASHOCKS®  
COMFORT TECHNOLOGY

**WOLVERINE DURASHOCKS®**  
**Raider Waterproof Wellington**  
**WW211129** (Peanut) M 8-12,13,14; EW 8-12,13

Waterproof, full grain leather upper. Waterproof Plus waterproof membrane. Removable dual density footbed. Advanced Comfort PU midsole. Oil and slip-resistant rubber outsole. Contour welt construction. CarbonMAX comp toe. EH. WP. Wolverine comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



**WOLVERINE**  
DURASHOCKS®  
COMFORT TECHNOLOGY

**WOLVERINE DURASHOCKS®**  
**Rancher Waterproof Wellington**  
**WW231013** (Peanut/Red) M 8-12,13,14; EW 8-12,13

Waterproof full grain leather upper. Moisture wicking mesh lining with breathable, waterproof membrane. Removable, full cushion, molded PU footbed. Compression molded PU midsole. DuraShocks SR dual density PU slip-resistant outsole. Bonwelt cement construction. CarbonMAX comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**WOLVERINE**

**WOLVERINE®**  
**Cabor EPX® Waterproof Wellington**  
**WW10318** (Dark Brown) M 7-12,13,14; EW 7-12,13

Waterproof upper leather. Wave mesh lining with Wolverine PC Dry waterproof membrane. Dual density PU EPX anti-fatigue footbed. PU midsole. Slip-resistant rubber outsole. Direct attached construction. Comp toe. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



**WOLVERINE**

**WOLVERINE®**  
**Floorhand Waterproof Wellington**  
**WW10680** (Dark Brown) M 8-12,13,14; EW 8-12,13,14

Waterproof full grain leather. Moisture wicking mesh lining. Removable full cushion footbed. Rubber midsole. Rubber lug outsole. Cement construction. Waterproof. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**WOLVERINE**

**WOLVERINE®**  
**Rancher Square Toe Wellington**  
**WW10702** (Dark Brown/Rust) M 7-12,13,14; EW 8-12,13

Full grain leather upper. Moisture wicking lining. Removable OrthoLite cushioned footbed. Ultra-Light EVA midsole. Rubber lug outsole. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**





WOLVERINE 

**WOLVERINE®**  
**Hellcat Ultraspring™ Waterproof Wellington**  
**WW201178** (Tobacco) M 8-12,13,14; EW 8-12,13

Waterproof, full grain leather upper. Breathable, waterproof membrane with moisture wicking mesh lining. Removable Ortholite UltraLite full cushion footbed. UltraSpring high rebound ETPU midsole. Oil and slip-resistant rubber lug outsole. Goodyear welt construction. CarbonMAX composite toe. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



WOLVERINE 

**WOLVERINE®**  
**Rancher Claw Square Toe Wellington**  
**WW201218** (Brown/Flag) M 8-12,13; EW 8-12,13

Waterproof, full grain leather upper. Breathable, waterproof membrane with moisture wicking mesh lining. Full cushion, molded EVA footbed. EVA midsole. Oil and slip-resistant rubber lug outsole. BonWelt construction. Steel toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**HARLEY-DAVIDSON®**  
 FOOTWEAR

**HARLEY-DAVIDSON®**  
**Altman Wellington**  
**HD93563** (Black) M 8-12,13

Waterproof full grain leather upper. Mesh lining. Oil and slip-resistant rubber outsole. Goodyear welt construction. Composite Toe. EH. Waterproof construction.

**ASTM F2413-18 M/ I/ C EH compliant**



**SR MAX®**

**SR MAX®**  
**Beaumont Waterproof Wellington**  
**SRM2160** (Dark Brown) M 7-12,13,14,15,16

Waterproof, oiled, Crazy Horse leather upper. Lining with waterproof membrane. Removable PU cup footbed. Phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**SR MAX®**

**SR MAX®**  
**Midland Waterproof Wellington**  
**SRM2170** (Brown) M 7-12,13,14,15,16

Waterproof, oiled, Crazy Horse leather upper. Lining with waterproof membrane. Removable PU cup antistatic footbed. Phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. SD. WP.

**ASTM F2413-18 M/ I/ C SD 10 compliant**



**EXCLUSIVE STYLE**





**TIMBERLAND PRO®**  
**Rigmaster Waterproof Wellington**  
**TM89604** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof leather upper. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Waterproof membrane. Anti-Fatigue technology PU footbed. Goodyear welt cast-bond construction. Oil, slip and abrasion resistant PU outsole. Steel toe. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH compliant**



**TIMBERLAND PRO®**  
**True Grit Waterproof Square-Toe Wellington**  
**TMA2297** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Full grain waterproof and Ever-Guard upper leather. Exospine back of boot technology. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Waterproof and blood borne pathogen membrane. Anti-fatigue technology footbed. Goodyear welt Cast-Bond construction. Oil, slip and abrasion resistant TPU outsole. Comp toe powered by CarbonShield. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**TIMBERLAND PRO®**  
**True Grit Waterproof Wellington**  
**TMA24BH** (Brown Earth) M 8-12,13,14; W 8-12,13,14

Waterproof full grain leather with ExoSpine technology for structure, durability, and improved heel fit. Breathable and moisture wicking lining with antimicrobial treatment for odor control. Waterproof membrane with blood borne pathogen feature. Anti-fatigue technology PU footbed. PU midsole. Oil, slip and abrasion resistant rubber outsole with Ladder Lock 90 degree heel breast. Heat resistant up to 572 degrees F. Goodyear welt Cast-Bond construction. Comp toe powered by CarbonShield technology. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**ARIAT®**  
**Sierra Wellington**  
**AR10012948** (Earth) D 8-12,13,14; EE 8-12,13,14

Full grain leather upper. Mesh lining. Removable ALL Day Cushion footbed. Oil and slip resistant Duratread outsole with 90 degree heel breast. Goodyear welt construction. Steel toe. EH. SWEN-FLEX nonmetallic puncture resistant plate.

**ASTM F2413-18 M/ I/ C EH PR compliant**



**ARIAT®**  
**Groundbreaker Wide Square Toe Waterproof Wellington**  
**AR10015196** (Palm Brown) D 8-12,13,14; EE 8-12,13,14

Full grain leather with 900 denier nylon upper. Mesh lining. Waterproof PRO waterproof construction. Contoured All Day Cushioning PU footbed. EVA midsole. Oil and slip resistant Duratread rubber outsole. 90 degree heel breast. Outsole is heat resistant up to 572 degrees F. Steel toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**





ARIAT®

# WORKHOG XT

AR10024966

See item on page 83



**ARIAT®**  
**WorkHog Waterproof Wellington**

**AR10017420** (Bruin Brown) D 8-12,13,14; EE 8-12,13

Waterproof leather upper. Mesh lining. EVA midsole. Oil and slip-resistant Duratread outsole with 90 degree heel breast. Patented U-Turn Entry system. ATS Max Technology for stability and foot-fatigue reduction. Waterproof PRO construction. Goodyear welt construction. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**ARIAT®**  
**MasterGrip Brown Wellington**

**AR10020094** (Brown) D 8-12,13,14; EE 8-12,13,14

Full grain leather upper. Mesh lining. Shock-absorbing EVA midsole. 100% non-metallic. 90 degree heel. ATS Pro technology for stability and comfort. Heavy-duty oil and slip resisting Duratread outsole with kick heel feature. Metal free. Comp toe. SD 35.

**ASTM F2413-18 M/ I/ C SD 35 compliant**



**ARIAT®**  
**WorkHog Patriot Wellington**

**AR10022968** (Earth/Sand Camo) D 9-12,13; EE 9-12,13

Full grain leather foot with sand camo printed shaft and American flag patch. Mesh lining. ATS Max technology for stability, support and foot fatigue reduction. EVA midsole. Oil and slip-resistant Duratread outsole with 90 degree heel breast. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**ARIAT®**  
**Intrepid VentTEK Wellington**

**AR10023042** (Bruin Brown/Sassy Orange) D 8-12,13,14,15; EE 8-12,13,14

Full grain upper leather with VentTEK mesh panels. U-Turn Entry System. High tech Dri-freeze lining. Pro Performance PU footbed. PU midsole. Oil and slip resistant Duratread rubber outsole with 90 degree heel breast. Outsole is heat resistant to 572 degrees F. Comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**ARIAT®**  
**WorkHog XT Waterproof Wellington**

**AR10024966** (Tumbled Bark) D 8-12,13,14,15; EE 8-12,13,14

Waterproof upper leather. Mesh lining. Waterproof PRO construction. Energy Max rebound foam footbed. EVA cushion midsole. Oil and slip-resistant Duratread outsole. Patented U-Turn Entry System for easy entry. ATS Max technology for stability and foot-fatigue reduction. Carbon fiber safety toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**





**ARIAT®**  
**WorkHog XT Patriot Waterproof Wellington**  
**AR10036002** (Distressed Brown) EE 7-12,13,14,15

Leather upper. U.S. flag embroidered on upper. WorkHog Waterproof PRO construction with waterproof membrane. Removable Energy Max anti-fatigue footbed. ATS Max extra wide shank for maximum support and less fatigue. EVA midsole. Oil and slip-resistant Duratread outsole with 90 degree heel breast. Goodyear welt construction. Carbon safety toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**Georgia Boot**

**GEORGIA BOOT®**  
**Giant Wellington**  
**GA4374** (Soggy Brown) M 7-12,13,14; W 8-12,13,14

Full grain leather upper. Oil resistant wrap around bumper guard. High performance lining. Covered cushion footbed. EVA midsole. Rubber outsole. Goodyear welt construction. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**Georgia Boot**

**GEORGIA BOOT®**  
**Athens Waterproof Wellington**  
**GA4603** (Brown) M 8-12,13,14; W 9-12,13

Waterproof leather with suede panels. Georgia waterproof system construction. Advanced Memory PU footbed. Anchor Disk by Georgia provides added heel support. EVA midsole. Rubber outsole. Waterproof. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**THOROGOOD®**  
**American Heritage 11" Waterproof Wellington**  
**TG804-3320** (Crazyhorse) D 8-12,13,14; EE 8-12,13,14

Full grain leather upper. Waterproof bootie construction. Removable Ultimate Shock Absorption footbed on Poron Comfort Cushion insole. Oil and slip-resistant MAXwear 90 PU outsole with 90 degree heel breast. Goodyear welt construction. Steel toe. EH.WP. Made in USA with USA and globally sourced components.

**ASTM F2413-18 M/ I/ C EH compliant**



**TWISTED X®**  
**11" Pull On Waterproof Boot**  
**TWMHKBCW1** (Brown) M 8-12,13,14; W 8-12,13

Full grain leather upper with reinforced pull tabs. Breathable, air mesh, waterproof lining. Molded, removable footbed is moisture wicking, anti-bacterial, and machine washable. Molded EVA shock absorbing midsole. Oil and slip-resistant rubber outsole. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**TWISTED X®**  
**12" Western Pull-On Work Boot**

**TWMXBA006** (Brown Elephant Print & Bone) D 7-12,13,14; EE 7-12,13,14

Full grain leather vamp with TWX recycled leather shaft. Blend85 recycled foam footbed with ecoTWEED recycled cover. CellStretch comfort technology provides cushioning and comfort. Compression molded EVA midsole integrated with molasses to reduce EVA content. Oil and slip-resistant rubber outsole. Double stitched stormwelt construction. Alloy toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**TWISTED X®**  
**12" Western Work Boot**

**TWMXBN001** (Tan/Tan) D 8-12,13; EE 8-12,13

Full grain leather shaft with reinforced pull tabs. Air mesh lining. Twisted X patented CellStretch comfort technology. Molded, removable footbed is moisture wicking, anti-bacterial, and machine washable. EVA molded midsole. Oil and slip-resistant rubber outsole. Double stitched storm welt construction. Nano toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**TWISTED X®**  
**12" Western Work Boot**

**TWMXBN004** (Texas Flag/Brown) D 8-12,13,14; EE 8-12,13

Full grain leather upper with reinforced pull holes. Air mesh linings. CellStretch comfort technology. Double stitched storm welt construction. Oil and slip-resistant rubber outsole. Nano comp toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**CARHARTT®**  
**Ground Force 10" Waterproof Wellington**

**CME1355** (Brown) M 8-12,13,14; W 8-12,13

Oil tanned leather upper with Carstrong reinforced fabric shaft. Abrasion resistant rubber toe and heel underlays. FastDry moisture wicking lining with Storm Defender waterproof, breathable membrane. Insite technology footbed. High rebound EVA midsole. Oil and slip-resistant Ground Force rubber outsole. Comp toe. EH. WP. APMA seal of approval.

**ASTM F2413-18 M/ I/ C EH compliant**



NEW STYLE



**BRUNT®**  
**Bolduc Waterproof Wellington**

**BRF20002-001** (Brown) D 8-12,13,14; EE 8-12,13,14

Full-grain barnyard resistant waterproof leather upper with dual purpose metal lace hooks. Brunt waterproof breathable membrane. Removable dual density Brunt Cush'n footbed. Width adjustable removable insert. Oil and slip resistant, high heat resistant (300C/572F) Brunt rubber outsole. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**Arriving March 2024**

SCAN TO VIEW ALL CURRENT STYLES:



# METATARSAL GUARD



**TWISTED X®**

**Internal Met-Guard Driving Moc**

**TWMDMSM01** (Peanut) M 7-12,13,14; W 7-12,13,14

Full grain leather upper. Removable, moisture wicking, anti-bacterial, machine washable, molded footbed. Oil and slip-resistant rubber outsole. Steel toe. EH. Met Guard shield internal met.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**ARIAT®**

**Edge LTE Internal Met-Guard Chukka**

**AR10034149** (Dark Brown) D 8-12,13,14; EE 8-12,13,14

Full grain leather upper. Convenient back pull loop. Mesh lining. Removable All Day cushioning footbed. 4LR lightweight stabilizing shank. Oil and slip resistant Bantamweight outsole with defined heel breast. Comp toe. EH. Flexible XRD Extreme Impact Protection internal met guard.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**HYTEST FOOTRESTS 2.0®**

**Trio Internal Met-Guard Waterproof Athletic**

**20250** (Black) D 7-12,13,14; EEE 8-12,13,14

Full grain waterproof leather with TecTuff abrasion resistant toe. Moisture wicking mesh lining with waterproof membrane and CoreTemp temperature control technology. Removable FootRests tri-layer anti-fatigue footbed. Xergy anti-fatigue foam midsole. FootHolds oil and slip-resistant rubber outsole. Nano toe. EH. Terrapin internal met guard. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**HYTEST FOOTRESTS 2.0®**

**Baseline Internal Met-Guard Trainer**

**21400** (Black) D 8-12,13,14; EEE 8-12,13,14

TecTuff abrasion resistant leather upper. Moisture wicking mesh lining. Removable FootRests tri-layer, anti-fatigue footbed. Xergy anti-fatigue foam midsole absorbs shock and returns energy. Oil and slip-resistant rubber outsole. Poron XRD internal met guard. Nano toe. EH. Mt. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**





**HYTEST®**  
**Annex Internal Met-Guard Athletic**  
**11729** (Black) M 3-12,13,14; W 7-12,13,14

TecTuff and leather upper. Moisture wicking mesh lining. Comforssage massaging foam footbed. Xergy anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano toe. EH. Terrapin internal met guard. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**HYTEST®**  
**Annex Mid Internal Met-Guard Hi-Top Athletic**  
**12220** (Black) M 4-12,13,14; W 7-12,13,14

Leather upper. Moisture wicking mesh lining. Comforssage massaging foam footbed. Xergy anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano comp toe. EH. Terrapin internal met guard. Nonmetallic. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**REEBOK WORK®**  
**Trailgrip Internal Met-Guard Athletic**  
**WGRB3400** (Navy/Black) M 8-12,13,14; W 8-12,13,14

Microfiber and mesh upper. Moisture wicking nylon mesh lining. Memory Tech removable cushion footbed. DMX Ride cushion foam midsole. Oil and slip-resistant rubber outsole. XTR alloy toe. EH. CushGuard internal met guard. No exposed metal on upper.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



NEW STYLE



**VOLCOM®**  
**Evolve Internal Met-Guard Skate Work Athletic**  
**WGVM30239** (Black/Yellow) M 8-12,13

Nubuck and mesh upper. Mesh lining. Soft Landing Comfort footbed. Grip Styk Stone-Themed slip resistant rubber outsole. Comp toe. EH. Cushguard internal met guard. Metal free.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**KEEN UTILITY®**  
**Detroit XT Internal Met-Guard Hiker**  
**KN1021315** (Steel Gray/Bossa Nova) D 7-12,13,14,15,16,17; EE 7-12,13,14,15,16,17

Water resistant upper leather with reflective webbing for added visibility. Moisture wicking textile lining with CLEANSPOORT NXT treatment for natural odor control. Removable metatomical PU footbed. KEEN.KEY-TECH FLEX contoured underfoot support. Dual density compression molded EVA midsole. Nonmarking, oil and slip-resistant rubber outsole. Steel toe. EH. XRD internal met guard.

**ASTM F2413-18 M/ I/ C EH Mt compliant**





**HYTEST®**  
**Apex Internal Met-Guard Waterproof 6" Hiker**  
**12451** (Brown) M 4-12,13,14,15; W 7-12,13,14,15

Nomad waterproof leather upper. Mesh lining with waterproof bootie. Pesu III EVA footbed. EVA molded midsole. Apex oil and slip-resistant rubber outsole is heat resistant to 752 degrees F. Steel toe. EH. Poron XRD internal met guard.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**TIMBERLAND PRO®**  
**Powertrain Internal Met-Guard Sport Boot**  
**TMA1GHM** (Black) M 4-12,13,14,15; W 4-12,13,14,15

Ripstop nylon upper. Mesh lining with antimicrobial treatment for odor control. Anti-fatigue cushioning technology. Anatomically shaped open cell PU met guard. Oil, slip and abrasion resistant PU outsole. Alloy toe. EH. Mt. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**AVENGER®**  
**Foundation Internal Met-Guard Waterproof Hiker**  
**N7402** (Brown) M 8-12,13; W 9-11,12,13

Waterproof full grain leather upper. Waterproof membrane. Removable, dual density footbed. Dual density, slip resistant, PU direct attached outsole. Lenzi puncture plate. Carbon nanofiber toe. EH. Internal met guard. PR. WP. Metal free.

**ASTM F2413-18 M/ I/ C EH Mt PR compliant**



**HYTEST FOOTRESTS 2.0®**  
**Rebound 6" Internal Met-Guard Waterproof Hiker**  
**23130** (Black) D 4-12,13,14; EEE 7-12,13,14

Waterproof full grain leather with Tec-Tuff abrasion resistant toe. Moisture wicking lining with waterproof membrane. Removable FootRests tri-layer, anti-fatigue footbed. XERGY anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano toe. EH. Poron XRD internal met guard. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**HYTEST FOOTRESTS 2.0®**  
**Rebound 6" Internal Met-Guard Waterproof Hiker**  
**23131** (Brown) D 8-12,13,14; EEE 8-12,13,14

Waterproof, full grain leather upper with TecTuff abrasion resistant toe. Moisture wicking mesh lining with waterproof membrane. Removable FootRests tri-layer, anti-fatigue footbed. Xergy anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano toe. EH. XRD internal met guard. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**







HYTEST  
FOOTRESTS 2.0  
XERO™ TECHNOLOGY

**HYTEST FOOTRESTS 2.0®**  
**Trio Internal Met-Guard Waterproof 6" Boot**  
**23250** (Black) D 7-12,13,14; EEE 8-12,13,14

Full grain waterproof leather with TecTuff abrasion resistant toe. Moisture wicking mesh lining with waterproof membrane and CoreTemp temperature control technology. Removable FootRests tri-layer anti-fatigue footbed. Xergy anti-fatigue foam midsole. FootHolds oil and slip-resistant rubber outsole. Nano toe. EH. Terrapin internal met guard. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



HYTEST  
FOOTRESTS 2.0  
XERO™ TECHNOLOGY

NEW STYLE

**HYTEST FOOTRESTS 2.0®**  
**Trio Internal Met-Guard Waterproof 6" Boot**  
**23251** (Brown) D 8-12,13,14; EEE 8-12,13,14

Waterproof, full grain leather upper with Tec-Tuff abrasion resistant toe. Moisture wicking mesh lining with waterproof membrane and CoreTemp temperature control lining technology. Removable FootRests tri-layer, anti-fatigue footbed. Xergy anti-fatigue foam midsole. FootHolds oil and slip resistant rubber outsole. Nano technology comp toe. EH. Terrapin internal met guard. WP.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



HYTEST  
FOOTRESTS

**HYTEST FOOTRESTS®**  
**High Energy 6" Internal Met-Guard Waterproof Boot**  
**13562** (Brown) M 7.5-12,13,14,15; W 8-12,13,14,15

Waterproof full grain leather upper. Mesh lining. Waterproof membrane. Molded PU insole with molded EVA stabilizer and foam footbed. High abrasion heel overlay. Molded TPU toe overlay. Poron XRD internal met guard. Comp toe. EH. Mt. PR. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt PR compliant**



HYTEST  
FOOTRESTS

**HYTEST FOOTRESTS®**  
**Internal Met-Guard Waterproof 6" Boot**  
**23231** (Brown) D 4-12,13,14,15; EEE 7-12,13,14,15

Premium waterproof and breathable leather upper. Mesh lining with Breathe Right foam and HBR barrier bootie. Texon/Poron insole. Removable FootRests tri-layer, anti-fatigue footbed. Internal met-guard. Dual density PU midsole. Tri-Tec oil and slip-resistant rubber outsole. Storm welt construction. Comp toe. EH. Mt. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



HYTEST  
FOOTRESTS

**HYTEST FOOTRESTS®**  
**Met-Guard Waterproof 6" Boot**  
**23300** (Black) D 7-12,13,14,15,18; EEE 8-12,13,14,15,17,18

Waterproof tumbled full grain leather upper. High abrasion performance mesh with Breathe Right foam and HBR barrier bootie lining. Texon/Poron insole. Removable FootRests tri-layer, anti-fatigue footbed. TPU external Smart Guard. Dual density PU midsole. Tri-Tec oil and slip-resistant outsole. Welt construction. Comp toe. EH. Mt. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**





**HYTEST®**  
**Apex 6" Internal Met-Guard Waterproof Boot**  
**12251** (Brown) M 4-12,13,14,15,16,17; W 7-12,13,14,15,16,17

Waterproof tumbled full grain leather upper. High abrasion performance mesh lining with waterproof membrane. Removable Pesu III EVA footbed. EVA cushioned midsole. Apex oil and slip-resistant rubber outsole. Poron XRD internal met-guard. Cement construction. Comp toe. EH. Mt. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**HYTEST®**  
**Apex 6" Internal Met-Guard Slip-On Boot**  
**13200** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Full grain leather upper. Abrasion resistant mesh linings. Pesu III EVA Footbed. EVA cushioned midsole. TPU stabilizer and shank. Oil and slip-resistant rubber outsole. Poron XRD internal met guard. Steel toe. EH. Mt.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**HYTEST®**  
**Knock 6" Internal Met-Guard Waterproof Boot**  
**13261** (Brown) W 7-12,13,14

Waterproof leather upper. Moisture wicking mesh lining. Seam sealed waterproof construction. Removable cushion footbed. PU cushion midsole. Oil and slip-resistant rubber outsole. Steel toe. EH. Internal met guard. WP. Direct attached construction.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



NEW STYLE



**WOLVERINE DURASHOCKS®**  
**Raider 6" Internal Met-Guard Waterproof Boot**  
**WW211165** (Peanut) M 7-12,13,14; EW 7-12,13

Waterproof, full grain leather upper. Moisture wicking mesh lining with breathable waterproof membrane. Removable dual density footbed. PU midsole. Slip resistant rubber lug outsole has DuraShocks Flex construction which absorbs shock with individual compression pads throughout the outsole. TPU internal met guard. ContourWelt construction. CarbonMAX comp toe. EH. Mt. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**WOLVERINE®**  
**Blade LX Internal Met-Guard Waterproof 6" Boot**  
**WW10706** (Brown) M 8-12,13,14; EW 8-12,13

Waterproof full grain leather upper. Abrasion resistant toe and heel. Moisture wicking mesh lining with Waterproof Plus breathable membrane. Removable EPX anti-fatigue footbed. Advanced Comfort PU midsole. Rubber lug outsole. Heat resistant to 572 degrees F. Direct attached construction. CarbonMAX nanotechnology safety toe. EH. Internal met guard. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**





**WOLVERINE** 

**WOLVERINE®**  
**Warrior Internal Met-Guard Waterproof 6" Boot**  
**WW10942** (Dark Coffee) M 8-12,13,14; EW 8-12,13

Waterproof full grain leather upper. Moisture wicking lining with breathable waterproof membrane. Removable EPX Anti-Fatigue footbed. PU midsole. Oil resistant rubber outsole. Heat resistant to 932 degrees F. Comp toe. EH. Internal met guard. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**WOLVERINE** 

**WOLVERINE®**  
**McKay 6" Waterproof Internal Met-Guard Boot**  
**WW5679** (Brown) M 7-12,13,14; EW 7-12,13

Full grain leather upper. Waterproof CK mesh lining. Removable full cushion footbed. Wolverine slip-resistant PU/rubber outsole. Goodyear welt construction. Waterproof. Steel toe. EH. Internal met guard.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**Timberland PRO** 

**TIMBERLAND PRO®**  
**Met-Guard 6" Boot**  
**TM40000** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Timberland PRO Ever-Guard leather upper. Antimicrobial Cambrelle fabric lining. Ortholite footbed. Kevlar sewing thread on welt, met shield and toe rand. Hinged ABS high-impact metatarsal shield. Goodyear welt construction. Steel toe. EH. Timberland PRO oil, slip, and abrasion resistant rubber outsole is heat resistant to 932 degrees F.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**Timberland PRO** 

**TIMBERLAND PRO®**  
**Helix 6" Internal Met-Guard Work Boot**  
**TM89697** (Brown) M 8.5-12,13,14; W 8-12,13

Premium full-grain leather upper. Timberland PRO rubber double toe. Timberland PRO rubber outsole with Ladder Lock shank. Outsole is slip, oil and abrasion resistant. Composite safety toe is shaped on TITAN last. Anti-fatigue technology with conical geometry in PU footbed. Internal, anatomical, breathable open-cell polyurethane and rubber anti-fatigue technology metatarsal guard. Mesh lining with antimicrobial treatment for odor control. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**KEEN**  
**UTILITY**

**KEEN UTILITY®**  
**Louisville 6" Waterproof Internal Met-Guard Hiker**  
**KN1007969** (Brown) D 7-12,13,14,15; EE 7-12,13,14,15

Waterproof full grain and abrasion resistant Tough-Tec leather. KEEN.DRY waterproof membrane. Removable metatomical dual density EVA footbed. Compression molded EVA midsole. Oil and slip-resistant rubber outsole with molded toe overlay and 90 degree heel breast. Steel toe. EH. Internal met guard. WP.

**ASTM F2413-18 M/ I/ C EH Mt compliant**





IRON AGE®

# GROUNDBREAKER

WGIA5016

See item on page 93



**CAROLINA**  
Built For Work.

**CAROLINA®**  
**INT Lo 6" Met-Guard Boot**

**CA508USA** (Dark Brown) D 4-12,13,14,15,16; EE 8-12,13,14,15,16; EEE 6.5-12,13,14,15,16

Briar Pitstop upper leather. Vibram Alpha one piece outsole. External covered metatarsal guard. Goodyear welt construction with Kevlar stitching. Dri-Lex lining. Radiantex insole board. Pillow cushion insole. Broad toe last. Outsole is heat resistant to 572 degrees F. Union made in USA.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**CAROLINA**  
Built For Work.

**CAROLINA®**  
**Bruno INT 6" Internal Met-Guard Boot**

**CA5582** (Dark Brown) D 8-12,13,14; EE 8-12,13,14

Crazy Horse leather upper with abrasion resistant coated leather toe. Mesh lining. Pillow Cushion insole with removable AG7 PU footbed. EVA midsole. Rubber outsole. Comp Toe. EH. Internal PU met guard.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**Florsheim**  
WORK

**FLORSHEIM WORK®**  
**Hercules Internal Met-Guard Quick Release Boot**

**WGFE690** (Black) D 5-12,13,14,15; EEE 5.5-12,13,14

Full grain leather upper. Moisture wicking nylon mesh lining. Removable F2A dual density polyurethane cushion insert insole. PU midsole. Slip, oil, chemical and abrasion resistant direct injected rubber outsole. No exposed metal. Steel toe. EH. Flex-Met internal met guard technology.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**IRON AGE**

**IRON AGE®**  
**Dozer 6" Internal Met-Guard Boot**

**WGIA0163** (Brown) M 8-12,13,14; W 8-12,13

Leather upper. Abrasion resistant toe bumper. Moisture wicking nylon mesh lining. Removable EVA cushion footbed with sponge rubber heel wedge. Rubber lug outsole. Goodyear welt construction with Kevlar stitching. Steel toe. EH. Internal Flex-Met metatarsal guard.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**IRON AGE**

**IRON AGE®**  
**Groundbreaker 6" Met-Guard Boot**

**WGIA5016** (Black) M 8-12,13,14; W 8-12,13

Full grain leather upper. External leather covered met guard. Moisture wicking nylon mesh lining. Removable EVA footbed with sponge rubber heel wedge. Oil, slip and chemical resistant, solid rubber outsole. Goodyear welt construction. Kevlar stitching. Steel toe. EH. Mt.

**ASTM F2413-18 M/ I/ C EH Mt compliant**





**IRON AGE**

**IRON AGE®**  
**Groundbreaker 6" Internal Met-Guard Boot**  
**WGIA5018** (Brown) M 8-11,12,13; W 10-11,12,13

Leather upper with leather covered elastic gore side panels. Quick-Release elastic collar with two pull tabs. Moisture wicking mesh lining. BootBed dual layered, memory foam footbed. Vibram TC4 rubber outsole is heat resistant to 572 degrees F. Steel toe. EH. CushGuard internal met guard.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**MICHELIN**

**MICHELIN®**  
**Sledge 6" Met-Guard Boot**  
**MIXPX761** (Brown) M 7.5-12,13,14; W 8-12,13

Leather upper. TPU/PU contoured removable orthotic footbed. Leather covered external met guard. Oil and slip-resistant rubber outsole. Steel Toe. EH. Mt.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**WORK ZONE**

**WORK ZONE®**  
**612 6" Met-Guard Boot**  
**WZM612-BL** (Black) M 6-11,12,13,14

Oiled full grain leather upper. Leather covered external met guard. Moisture absorbing lining. Polyuou footbed. Oil resistant rubber outsole. Goodyear welt construction. Steel toe. Mt.

**ASTM F2413-18 M/ I/ C Mt compliant**



**HYTEST FOOTRESTS 2.0**

**HYTEST FOOTRESTS 2.0®**  
**Trio 8" Waterproof Internal Met-Guard Boot**  
**24251** (Brown) D 8-12,13; EEE 8-12,13

Waterproof, full grain leather upper with TecTuff abrasion resistant toe. Moisture wicking mesh lining with waterproof membrane and CoreTemp temperature control lining technology. Removable FootRests tri-layer anti-fatigue footbed. Xergy anti-fatigue foam midsole. FootHolds oil and slip-resistant rubber outsole. Nano comp toe. EH. Metal free. Terrapin TM internal met guard. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**HYTEST FOOTRESTS**

**HYTEST FOOTRESTS®**  
**High Energy 8" Internal Met-Guard Waterproof Boot**  
**14562** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof full grain leather upper with high abrasion heel. Molded TPU toe guard for extra protection. Abrasion resistant mesh lining. Waterproof membrane. Well-Max Flex puncture resistant insole. Molded PU High Energy performance midsole. Molded EVA stabilizer and foam footbed for added cushion and support. Dura-Tech oil and slip-resistant rubber outsole. Poron XRD internal met-guard. Strobel/cement construction. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



NEW STYLE



**HYTEST**  
**FOOTRESTS**

**HYTEST FOOTRESTS®**  
**Rival 8" Internal Met-Guard Waterproof Insulated Boot**  
**24041** (Brown) D 7-12,13,14; EEE 7-12,13,14

Waterproof, full grain and Tec-Tuff leather upper. Moisture wicking mesh lining with waterproof membrane. 800 grams Thinsulate insulation. Removable FootRests tri-layer anti-fatigue footbed. Xergy anti-fatigue foam midsole. Oil and slip resistant rubber outsole. Goodyear welt construction. Nano comp toe. EH. Terrapin internal met guard. WP/Insulated. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**HYTEST**  
**FOOTRESTS**

**HYTEST FOOTRESTS®**  
**8" Internal Met-Guard Waterproof Boot**  
**24231** (Brown) D 7-12,13,14,15; EEE 7-12,13,14,15

Premium waterproof and breathable leather upper. Mesh lining with Breathe Right foam and HBR barrier bootie. Texon/Poron insole. Removable FootRests tri-layer, anti-fatigue footbed. Dual density PU midsole. Tri-Tec oil and slip-resistant rubber outsole. Storm welt construction. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**HYTEST**  
**SAFETY FOOTWEAR**

**HYTEST®**  
**Boulder 8" Internal Met-Guard Insulated Boot**  
**04321** (Brown) M 7-12,13,14; W 8-12,13,14

Full grain leather upper. Moisture wicking mesh lining. Aerogel thermal insulation protects from heat transfer. Removable tri-layer, anti-fatigue footbed. Heat, oil and slip-resistant rubber outsole. Heat resistant up to 932 degrees F. Goodyear welt construction. Internal met guard. Alloy toe. EH. Mt. Insulated.

**ASTM F2413-18 M/ I/ C EH Mt compliant**




**WOLVERINE**

**WOLVERINE®**  
**Warrior Internal Met-Guard Waterproof 8" Boot**  
**WW10945** (Brown) M 7-12,13,14; EW 8-12,13

Waterproof full grain leather upper. Moisture wicking mesh lining with breathable, waterproof membrane. EPX cushion footbed. PU midsole with raised heel upkick and toe overlay. Oil and slip-resistant rubber outsole. Heat resistant up to 932 degrees F. Direct attached construction. Comp toe. EH. Internal met guard. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**WOLVERINE**

**WOLVERINE®**  
**McKay 8" Waterproof Internal Met-Guard Boot**  
**WW5680** (Brown) M 7-12,13,14; EW 7-12,13

Full grain leather upper. Waterproof CK mesh lining. Removable full cushion footbed. Wolverine slip-resistant PU/rubber outsole. Goodyear welt construction. Waterproof. Steel toe. EH. Internal met guard.

**ASTM F2413-18 M/ I/ C EH Mt compliant**





**CAROLINA**  
Built For Work.

**CAROLINA®**  
**INT Hi 8" Met-Guard Boot**  
**CA505USA** (Dark Brown) D 7-12,13,14,15,16; EE 7-12,13,14,15

Briar Pitstop upper leather. Vibram one piece outsole. External covered metatarsal guard. Goodyear welt construction with Kevlar stitching. Dri-Lex lining. Radiantex insole board. Pillow cushion insole. Broad toe last. Outsole is heat resistant to 572 degrees F. Steel toe. EH. Mt. Union made in USA.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**CAROLINA**  
Built For Work.

**CAROLINA®**  
**Elm INT 8" Internal Met-Guard Waterproof Insulated Logger**  
**CA7821** (Dark Brown) D 8-12,13,14; EE 8-12,13,14

Crazy Horse leather upper. Taibrelle lining with waterproof SCUBALINER membrane and 600 g Thinsulate insulation. PU internal met guard. Oil resistant one piece rubber lug outsole. Goodyear welt construction. Steel toe. EH. Internal met. Waterproof/insulated.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**MICHELIN**

**MICHELIN®**  
**Sledge Met-Guard 8" Boot**  
**MIXPX781** (Brown) M 8-12,13,14; W 8-12,13

Leather upper. TPU/PU contoured removable orthotic footbed. Leather covered external met guard. Oil and slip-resistant rubber outsole. Steel Toe. EH. Mt.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**Blundstone**  
TASMANIA AUSTRALIA 1870

**BLUNDSTONE®**  
**994 Internal Met-Guard 6" Boot**  
**BL994** (Black) MW 7-12,13,14

Water resistant leather upper. Thermal regulating bamboo lining. Kevlar stitching. Removable PU footbed with Poron XRD. Molded TPU abrasion resistant toe overlay. PU midsole. Rubber outsole. Poron XRD met guard. Nonmetallic puncture resistant plate.

**ASTM F2413-18 M/ I/ C EH Mt PR compliant**



**ROYER**

**ROYER®**  
**XPAN RealFlex 8" Met-Guard Boot**  
**RO12002XP** (Black) EEE 8-11,12,13,14

Waterproof, full grain leather upper. Kevlar flame resistant stitching. Velcro wrap around fit adjustments. Leather linings. V2000 cushion footbed. Arrow dual density rubber XPAN technology outsole is heat resistant to 932 degrees F. Aluminum alloy toe cap. EH. External, leather covered, REALFLEX metatarsal guard. Made in Canada.

**ASTM F2413-18 M/ I/ C EH Mt compliant. CSA grade 1 toe (blue rectangle), Omega, metatarsal protection.**







**ROYER®**

**ROYER®**  
**XPAN 8" Met-Guard Boot**  
**R012161XP** (Brown) EEE 7-12,13,14

Waterproof, full grain, leather upper with Kevlar stitching. Velcro backed, leather upper lace and metguard covers. Leather/taibrelle linings. V2000 footbed. Dual density rubber Arrow outsole is heat resistant up to 932 degrees F. Aluminum safety toe. REALFLEX external, leather covered met guard. Nonmetallic puncture resistant plate.

**ASTM F2413-18 M/ I/ C EH Mt PR compliant. CSA grade 1 toe, Omega, green triangle compliant.**



**ROYER®**

**ROYER®**  
**8" Met-Guard Boot**  
**R012311XPJ** (Brown) EEE 9-11,12,13

Waterproof, full grain leather upper. Kevlar flame resistant stitching. Velcro wrap around fit adjustments. Leather and Taibrelle linings. V2000 cushion footbed. JYG dual density rubber XPAN technology, vulcanized rubber outsole. Aluminum alloy toe cap. EH. Internal INTERGUARD metatarsal guard with exterior leather covered velcro backed wrap. Heat resistant to 932 degrees F. Non metallic puncture resistant plate. Made in Canada.

**ASTM F2413-18 M/ I/ C EH Mt PR compliant. CSA grade 1 toe, Omega, green triangle, metatarsal protection.**



**HYTEST FOOTRESTS®**

**HYTEST FOOTRESTS®**  
**Massena 10" Internal Met-Guard Boot**  
**04052** (Brown) M 4-12,13,14,15,16,17,18; W 7-12,13,14,15,16,17,18

Full grain heat resistant upper leather. Abrasion resistant toe overlay. Abrasion resistant, breathable, moisture absorbing lining. Poron XRD internal met guard. Kevlar heat resistant stitching. Clincher heat, oil and slip-resistant rubber outsole. Heat resistant up to 752 degrees F. Goodyear welt construction. Comp toe. EH. Mt.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**HYTEST SAFETY FOOTWEAR**

**HYTEST®**  
**Iron Internal Met-Gard 10" Boot**  
**04055** (Brown) M 4-12,13,14,15,16; W 7-12,13,14,15,16

Full-grain heat resistant and waterproof leather upper. Cambrelle lining. Pesu III EVA footbed. Internal met-guard. Storm welt construction. Clincher heat, oil, and slip-resistant rubber outsole. Heat resistant up to 752 degrees F. Mark 590L last. Comp toe. EH. Mt. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**Timberland PRO**

**TIMBERLAND PRO®**  
**Gravel Pit 10" Internal Met-Guard Boot**  
**TM53531** (Black) M 7.5-12,13,14,15; W 7-12,13,14,15

Waterproof and Ever-Guard abrasion resistant upper leather with rubber toe overlay. Breathable and moisture wicking lining with waterproof membrane. Thermolite zoned insulation (400g). PU midsole. Oil, slip, and abrasion resistant Timberland PRO rubber outsole with Ladder-Lock shank. Heat resistant up to 932 degrees Fahrenheit. Steel toe. EH. Internal met guard. Puncture resistant metal plate.

**ASTM F2413-18 M/ I/ C EH Mt PR compliant. CSA grade 1 toe, Omega, green triangle compliant.**





**HYTEST**  
FOOTRESTS

**HYTEST®**  
**High Energy Internal Met-Guard Wellington**  
**15041** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof full grain leather. Mesh lining. Waterproof membrane. Molded EVA stabilizer and foam footbed. PU midsole. Dura-Tech oil and slip-resistant rubber outsole. Molded TPU toe guard. WellMax puncture resistant fabric plate. Internal met guard. Comp Toe. EH. Mt. PR.

**ASTM F2413-18 M/ I/ C EH Mt PR compliant**



**HYTEST**  
SAFETY FOOTWEAR

**HYTEST®**  
**Ryder Internal Met-Guard Wellington**  
**15021** (Brown) M 8-12,13,14; EW 8-12,13,14

Premium nubuck upper. Unlined shaft. Pesu III molded EVA footbed for lightweight comfort. Goodyear welt construction. Clincher HY-01 outsole heat resistant up to 752 degrees F, bonded using high heat cement procedures. Steel toe. EH. XRD internal met guard.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**HYTEST**  
SAFETY FOOTWEAR

**HYTEST®**  
**Knock Internal Met-Guard Waterproof Wellington**  
**15221** (Brown) W 8-12,13,14

Waterproof upper leather. Moisture wicking mesh lining with seam sealed waterproof construction. Removable cushion footbed. PU cushion midsole. Oil and slip-resistant rubber outsole. Direct attached construction. Steel toe. EH. Internal met guard. WP.

**ASTM F2413-18 M/ I/ C EH Mt compliant**




**HYTEST**  
SAFETY FOOTWEAR

**HYTEST®**  
**Apex Internal Met-Guard Waterproof Wellington**  
**15261** (Brown) M 4-12,13,14; W 7-12,13,14

Thunder full grain leather. High abrasion mesh lining. Waterproof membrane. Pesu III EVA footbed. Oil and slip-resistant rubber outsole. XRD internal metatarsal guard. Cement construction. Comp toe. EH. Mt. WP.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



NEW STYLE



**HYTEST**  
SAFETY FOOTWEAR

**HYTEST®**  
**Falcon Internal Met-Guard Waterproof Wellington**  
**15202** (Brown) M 8-12,13,14; W 8-12,13

Premium waterproof full-grain leather upper. Moisture wicking mesh lining with waterproof membrane. Internal contour met guard. Removable cushioned footbed. Molded EVA midsole. Cement construction. Oil and slip resistant rubber outsole. Steel toe. EH.

**ASTM F2413-18 M/ I/ C Mt EH compliant**



Arriving March 2024



**TIMBERLAND PRO®**

**True Grit Internal Met-Guard Waterproof Wellington  
TMA25F5** (Brown) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof full grain leather with ExoSpine technology for structure, durability, and improved heel fit. Breathable and moisture wicking lining with antimicrobial treatment for odor control. Waterproof membrane with blood borne pathogen feature. Anti-fatigue technology PU footbed. PU midsole. Oil, slip and abrasion resistant rubber outsole with Ladder Lock 90 degree heel breast. Heat resistant up to 572 degrees F. Goodyear welt Cast-Bond construction. Comp toe powered by CarbonShield technology. Flexible SKYDEX impact protection met guard with Anti-Fatigue technology shell. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**CAROLINA®**

**Well X Internal Met-Guard Wellington  
CA4582** (Dark Brown) D 8-12,13,14; EE 9-12,13,14

Crazy Horse leather upper with abrasion resistant leather forepart. Mesh lining. Pillow cushion insole with removable AG7 PU footbed. EVA midsole. Oil and slip-resistant rubber outsole. Comp toe. EH. PU internal met guard.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**JUSTIN BOOTS®**

**Keavon Internal Met-Guard Waterproof Wellington  
JUSE4570** (Dark Brown) D 7.5-12,13,14; EE 8-12,13,14

Leather upper. Orthotic footbed. Waterproof construction. Internal XRD Impact Protection metatarsal guard. Rubber outsole. Steel toe. EH. Internal met guard.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**IRON AGE®**

**Hauler Internal Met-Guard Side-Zip Wellington  
WGIA0195** (Brown) M 8-12,13,14; W 8.5-12,13

Leather upper. Inside quarter zipper. Moisture wicking nylon mesh lining. Removable PU cushion footbed. Direct attached PU outsole. 100% nonmetallic. Comp toe. EH. Internal Flex-Met metatarsal guard.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**TWISTED X®**

**12" Internal Met-Guard Western Work Boot  
TWMLCSM01** (Cognac Glazed Pebble/Lime) D 8-12,13,14; EE 8-12,13,14

Full grain leather upper. Air mesh lining. Molded, removable footbed is moisture wicking, anti-bacterial, and machine washable. Compression molded EVA midsole. Oil and slip-resistant rubber outsole. Double stitched storm welt construction. Steel toe. EH. MetGuard shield, internal met guard.

**ASTM F2413-18 M/ I/ C EH Mt compliant**





**TWISTED X®**  
**11" Internal Met-Guard Work Boot**  
**TWMXCNM01** (Distressed Saddle) M 8-12,13,14; W 8-12,13,14

Full grain leather upper with reinforced pull tabs. Air mesh lining. Twisted X patented CellStretch comfort technology. Molded, removable footbed is moisture wicking, anti-bacterial, and machine washable. Compression molded EVA midsole. Oil and slip-resistant rubber outsole. Nano toe. EH. MetGuard shield, internal met guard.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



MEN'S

# SOFT TOE

SCAN TO VIEW ALL CURRENT STYLES:



**DR. MARTENS®**  
**1461 Originals Oxford**  
**DMR24381001** (Black) MW 4-14 (no half sizes)

Industrial full grain upper leather. Moisture wicking, antimicrobial, breathable lining. Contoured SoftWair footbed with memory foam cushion at the heel and anatomically shaped arch support. Air-cushion rubber and PVC hybrid GRIP-TRAX™ outsole.

**Soft toe. No safety toe cap. ASTM EH compliant.**



NEW STYLE



**VOLCOM®**  
**Chill Slip-On Casual Oxford**  
**SVM30807** (Black) W 7-12,13,14

Canvas upper. Mesh lining. Soft Landing comfort footbed. Oil resistant rubber outsole with patented SR Max MaxTRAX® slip resistant tread. 100% nonmetallic.

**Soft toe. No safety toe cap. ASTM EH compliant.**



EXCLUSIVE STYLE



**SR MAX®**  
**Manteo EVA Clog**  
**SRM7700** (Black) EW 7-14 (no half sizes)

Injection molded EVA upper and midsole. Unlined. Removable cushion EVA footbed. Patented SR Max MaxTRAX® Anti-Clogging oil and slip-resistant rubber outsole featuring a wider gap between the treads to help reduce clogging from food and debris. Waterproof. 100% nonmetallic.

**Soft toe. No safety toe cap.**



EXCLUSIVE STYLE



**SR MAX®**  
**Huntington Canvas Skate Athletic**  
**SRM1670** (Black) M 7-12,13,14

100Z canvas textile upper treated with DuPont™ Teflon® fabric protector. Canvas lining. PU with memory foam footbed. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Vulcanized construction.

**Soft toe. No safety toe cap.**



**EXCLUSIVE STYLE**

NEW STYLE



**SR MAX®**  
**Lexington Athletic**  
**SRM6150** (Black) M 7-12,13,14,15; EW 7-12,13,14,15

PU upper. Merry mesh lining. PU cup removable cushion footbed. Phylon midsole. SR Max MaxTRAX® patented oil and slip resistant rubber outsole. Strobel/cement construction.

**Soft toe. No safety toe cap.**



**EXCLUSIVE STYLE**

NEW STYLE



**TIMBERLAND PRO®**  
**Radius Ripstop Nylon Athletic**  
**STMA5YVB** (Dress Blue/Blue Fog) M 7-12,13,14; W 7-12,13,14

Mutilation free, breathable mesh upper with abrasion resistant reinforcement. Breathable and moisture wicking lining with antimicrobial treatment for odor control. Hover Spring foam midsole. Oil and slip resistant Timberland PRO Flex Technology TPU outsole with SR Max MaxTRAX® patented slip resistant tread design.

**Soft toe. No safety toe cap. ASTM EH compliant.**



**EXCLUSIVE STYLE**



**REEBOK WORK®**  
**Sublite Max Athletic**  
**SRB3201** (Black/Gray) M 7-12,13,14; W 7-12,13,14; 4E 8-12,13

Microfiber and mesh upper. DryKick™ splash-resistant membrane in toe area protects against food and liquid spills in the workplace. BK mesh lining. Memory Tech Massage removable cushioned footbed. Injected EVA midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

**Soft toe. No safety toe cap.**



**EXCLUSIVE STYLE**

NEW STYLE



**CARHARTT®**  
**Moc Toe 6" Waterproof Wedge Boot**  
**CMW6095** (Dark Brown) M 8-12,13,14; W 9-12,13,15

Oil tanned leather upper. FastDry lining with Storm Defender waterproof, breathable membrane. PU strobel pad with PU cushion footbed. Dual density slip resistant rubber wedge outsole. Goodyear welt construction.

**Soft toe. No safety toe cap. ASTM F2892-18 EH compliant.**





**SR MAX®**

**SR MAX®**  
**Kobuk 6" Waterproof Hiker**  
**SRM2600** (Black) M 8-12,13,14; EW 8-12,13,14  
**SRM2610** (Brown) M 8-12,13,14; EW 8-12,13,14

Waterproof, oiled, tumbled leather upper. Waterproof bootie construction. Taibrelle linings. Molded removable PU cup insole. Molded phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

**Soft toe. No safety toe cap.**



**EXCLUSIVE STYLE**



**Timberland PRO**

**TIMBERLAND PRO®**  
**6" Direct Attach Waterproof Insulated Boot**  
**STMA1V48** (Wheat) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof nubuck leather upper. Breathable and moisture wicking lining with anti-microbial treatment. 200 grams Thermolite insulation. Timberland PRO 24/7 comfort system to reduce foot fatigue. Seam-sealed waterproof construction. PU midsole. Nonmarking, oil, and abrasion resistant Thermoplastic Urethane (TPU) outsole with MaxTRAX® patented slip resistant tread for superior slip resistance. Direct attached construction. WVP/Insulated.

**Soft toe. No safety toe cap. ASTM EH compliant.**



**EXCLUSIVE STYLE**



**Timberland PRO**

**TIMBERLAND PRO®**  
**6" Direct Attach Waterproof Insulated Boot**  
**STMA1W6M** (Black) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof leather upper. Breathable and moisture wicking lining with anti-microbial treatment. 200 grams Thermolite insulation. Timberland PRO 24/7 comfort system to reduce foot fatigue. Seam-sealed waterproof construction. PU midsole. Nonmarking, oil, and abrasion resistant Thermoplastic Urethane (TPU) outsole with MaxTRAX® patented slip resistant tread for superior slip resistance. Direct attached construction. WVP/Insulated.

**Soft toe. No safety toe cap. ASTM EH compliant.**



**EXCLUSIVE STYLE**



**Timberland PRO**

**TIMBERLAND PRO®**  
**6" Direct Attach Waterproof Insulated Boot**  
**STMA5MEP** (Earth Bandit) M 7-12,13,14,15; W 7-12,13,14,15

Waterproof upper leather. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Seam sealed waterproof construction. 200 grams insulation. Breathable, open cell PU footbed. PU midsole. Oil, slip and abrasion resistant TPU outsole with SR Max MaxTRAX® patented, slip-resistant tread pattern. Direct attached construction. EH. WP/Insulated.

**Soft toe. No safety toe cap. ASTM EH compliant.**



**EXCLUSIVE STYLE**



**Dr. AirWair Martens**

**DR. MARTENS®**  
**1460 Industrial 8" Boot**  
**DMR24382001** (Black) MW 4-14 (no half sizes)

Water and spill resistant, full grain leather upper. Memory foam footbed with moisture wicking SoftWair cover. PVC outsole with rubber pods of GRIP-TRAX™ slip-resistant rubber.

**Soft toe. No safety toe cap.**





# CONDUCTIVE



**HYTEST®**  
**Brace Hiker**  
**12011 MENS** (Black) M 4-12,13,14; W 8-12,13

Leather upper. Moisture wicking mesh lining. Comfossage massaging foam footbed. Xergy anti-fatigue foam midsole. Oil and slip resistant rubber outsole. Nano toe. Cd. Security friendly. 30 day comfort guarantee. PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.  
**ASTM F2413-18 M/ I/ C Cd compliant.**  
**PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.**



**HYTEST®**  
**Avery 6" Conductive Hiker**  
**12571 MENS** (Brown) M 4.5-12,13,14; W 7.5-12,13,14

Full grain leather upper. Moisture wicking mesh lining. Removable EVA cushion footbed. EVA cushion midsole. Oil and slip-resistant, conductive rubber outsole. Steel toe. Conductive. PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.  
**ASTM F2413-18 M/ I/ C Cd compliant.**  
**PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.**



**REEBOK WORK®**  
**Sublite Cushion Work Athletic Oxford**  
**WGRB4049 MENS** (Black) M 8-12,13,14; W 8-12,13,14

Leather upper. Moisture wicking nylon mesh lining. Foot Force F2A removable PU cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber heel and forepart pads. XTR alloy toe. Conductive. No exposed metal on upper.  
**ASTM F2413-18 M/ I/ C Cd compliant.**  
**PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.**



**REEBOK WORK®**  
**Tyak High Performance Athletic Oxford**  
**WGRB4177 MENS** (Black) M 5.5-11,12,13,14,15; W 4.5-11,12,13,14,15

Leather upper. Nylon mesh lining. Removable F2A PU cushion insert. EVA cushion midsole with wrap around shank stabilizer. Heel airbag. Rubber outsole. 100% metal free. Comp toe. Conductive.  
**ASTM F2413-18 M/ I/ C Cd compliant.**  
**PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.**





**REEBOK WORK®**  
**Tyak Performance Hiker**  
**WGRB4327 MENS** (Golden Tan) M 5,6,7-11,12,13,14; W 6,7-11,12,13,14,15

Nubuck leather upper. Nylon mesh lining. Removable F2A PU cushion insert. EVA cushion midsole with wrap around shank stabilizer. Heel airbag. Rubber outsole. 100% metal free. Comp toe. Conductive. PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.

**ASTM F2413-18 M/ I/ C Cd compliant.**  
**PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.**



**REEBOK WORK®**  
**Sublite Cushion Work Athletic**  
**WGRB049 WOMENS** (Black) M 6-10; W 6-10

Leather upper. Moisture wicking nylon mesh lining. Foot Force F2A removable PU cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber heel and forepart pads. XTR alloy toe. Conductive. No exposed metal on upper.

**ASTM F2413-18 F/ I/ C Cd compliant.**  
**PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.**



**REEBOK WORK®**  
**Tyak High Performance Athletic Oxford**  
**WGRB417 WOMENS** (Black) M 5-10,11; W 5-10,11

Leather upper. Nylon mesh lining. Removable F2A PU cushion insert. EVA cushion midsole with wrap around shank stabilizer. Heel airbag. Rubber outsole. 100% metal free. Comp toe. Conductive.

**ASTM F2413-18 F/ I/ C Cd compliant.**  
**PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.**



**REEBOK WORK®**  
**Tyak Classic Performance Hiker**  
**WGRB437 WOMENS** (Golden Tan) M 5-10; W 5-10

Nubuck leather upper. Nylon mesh lining. Removable F2A PU cushion insert. EVA cushion midsole with wrap around shank stabilizer. Heel airbag. Rubber outsole. 100% metal free. Comp toe. Conductive.

**ASTM F2413-18 F/ I/ C Cd compliant.**  
**PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.**



**LEGGE SYSTEMS®**  
**Conductive 14" Rubber Boot**  
**LS1031 MENS** (Black) M 8-14 (no half sizes)

14 Inch high vulcanized rubber boot. Woven poly-cotton canvas lining. Conductive cushion insert footbed. Chemical and slip-resistant, vulcanized, conductive rubber outsole. Steel toe. Conductive. WP.

**ASTM F2413-18 M/ I/ C Cd compliant.**  
**PLEASE NOTE: EMPLOYEES EXPOSED TO ELECTRICAL HAZARDS SHOULD NEVER WEAR CONDUCTIVE FOOTWEAR.**





SCAN TO VIEW ALL CURRENT STYLES:



# SAFETY TOE



**HYTEST®**  
**Blake Twin Gore Slip-On Oxford**  
**17300** (Black) M 5.5-10,11; W 5-10,11  
**17302** (Gray) W 5.5-10,11  
**17033** (Storm Blue) W 6-10

Leather upper. Twin elastic side gores. Abrasion resistant mesh lining. Removable memory foam footbed. EVA cushioned midsole. Oil and slip-resistant rubber outsole. Steel toe. EH.

ASTM F2413-18 F/ I/ C EH compliant



**MERRELL WORK®**  
**Jungle Moc Slip On Work Shoe**  
**MLJ099304** (Espresso) M 6-10

Full grain leather upper with twin elastic side gores. Breathable mesh lining. COMFORTBASE cushion footbed. COMFORTBASE rubberized EVA midsole. Merrell air cushion in the heel. Merrell M Select GRIP oil and slip resistant rubber outsole. Comp toe. EH.

ASTM F2413-18 F/ I/ C EH compliant



**SR MAX®**  
**Albany Comfort Twin Gore Slip On**  
**SRM415** (Black) M 5-10,11

Full grain leather upper. Twin elastic side gores. Span Tex fabric lining. PU cup footbed with extra cushion layer. PU midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Alloy toe. EH. 30 day comfort guarantee.

ASTM F2413-18 F/ I/ C EH compliant



**EXCLUSIVE STYLE**



**TIMBERLAND PRO®**  
**TITAN Work Oxford**  
**TM63189** (Brown) M 6-10,11; W 6-10,11

Full grain leather upper. Breathable and moisture wicking lining with anti-microbial treatment. Removable, contoured, breathable PU footbed. PU midsole. Oil, slip and abrasion resistant Timberland PRO rubber outsole. Alloy toe. EH. 30 day comfort guarantee.

ASTM F2413-18 F/ I/ C EH compliant





**TIMBERLAND PRO®**  
**Newbury Twin Gore Slip-On Oxford**  
**TM87528** (Black) M 5.5-10,11; W 6-10,11

Premium full-grain leather. Alloy safety toe on women's last. Cement construction. Padded Collar. Mesh lining with Agion antimicrobial treatment. Fiberglass shank. Dynamic Anti-Fatigue polyurethane footbed with breathable comfort and static dissipative performance. Oil and abrasion resistant PU low profile outsole. 30 day comfort guarantee.

**ASTM F2413-18 F/ I/ C SD 35 compliant**



**ARIAT®**  
**Expert Black Clog**  
**AR1976** (Black) B 6-10,11

Full grain leather upper. Leather wrapped footbed. ATS comfort technology. PU midsole. Slip and oil resistant Duratread outsole. 100% nonmetallic. Comp Toe. SD 35.

**ASTM F2413-18 F/ I/ C SD 35 compliant**



**CAROLINA®**  
**S-117 Casual Oxford**  
**CA5674** (Brown) M 6-10; W 7-10

Neutral Mahogany leather upper. Removable EVA footbed. Oil and slip resistant rubber outsole. Aluminum toe. SD.

**ASTM F2413-18 F/ I/ C SD compliant**



**ROCKPORT WORKS®**  
**Parrissa Classic Work Slip-On**  
**WGRK643** (Black) M 5-10,11; W 5-10,11

Suede leather upper with twin elastic side gores. Suedetec lining. truFLEX foam removable footbed. truFLEX midsole. truFLEX spine provides impact absorption. Oil and slip-resistant rubber outsole. Comp toe. SD. Security friendly.

**ASTM F2413-18 F/ I/ C SD 35 compliant**



**ROCKPORT WORKS®**  
**Parrissa Classic Work Slip-On**  
**WGRK644** (Gold) M 6-10,11

Suede leather upper with twin elastic side gores. Suedetec lining. truFLEX foam removable footbed. truFLEX midsole. truFLEX spine provides impact absorption. Oil and slip-resistant rubber outsole. Comp toe. EH. Security friendly.

**ASTM F2413-18 F/ I/ C EH compliant**



**ROCKPORT WORKS**



**ROCKPORT WORKS®**  
**Sailing Club Boat Shoe**  
**WGRK670** (Navy/Tan) M 5-11; W 6-11

Leather upper. Moisture wicking nylon mesh lining. Removable EVA cushion insert insole with heel stabilizer cup. Rubber boat shoe outsole with cushioned EVA midsole. Steel toe. SD.

**ASTM F2413-18 F/ I/ C SD 10 compliant**



**ROCKPORT WORKS**



**ROCKPORT WORKS®**  
**Sailing Club 3 Eye Tie Boat Shoe**  
**WGRK676** (Brown) M 6-11; W 6-11

Crazy horse leather upper. Moisture wicking nylon mesh lining. Removable EVA cushion insert insole with heel stabilizer cup. Rubber boat shoe outsole with cushioned EVA midsole. Steel toe. EH.

**ASTM F2413-18 F/ I/ C EH compliant**



**mellow walk**



**MELLOW WALK®**  
**Jessica Skater Slip-On Oxford**  
**MW482072** (Black/White) M 6-10

Leather upper. Twin side gores. Synthetic lining. Memory foam footbed with Dreamfit Comfort insoles. Dual density rubber outsole. Cement with sidewall stitch construction. Steel Toe. SD 35.

**ASTM F2413-18 F/ I/ C SD 35 compliant. CSA grade 1 toe, SD compliant.**



NEW STYLE

**VOLCOM**



**VOLCOM®**  
**Chill Slip-On Casual Oxford**  
**SVM30806F** (Black) W 6-10,11

Canvas upper. Mesh lining. Soft Landing comfort footbed. Oil resistant rubber outsole with patented SR Max MaxTRAX® slip resistant tread. Comp Toe. EH. 100% nonmetallic.

**ASTM F2413-18 F/ I/ C EH compliant**



EXCLUSIVE STYLE

**TWISTED X**



**TWISTED X®**  
**Chukka Driving Moc**  
**TWWD MST01** (Brown) M 6-10,11

Full grain leather upper. Composite XD insole for support and stability. Removable, moisture wicking, antibacterial, machine washable footbed. Oil and slip-resistant rubber outsole. Steel toe. EH.

**ASTM F2413-18 F/ I/ C EH compliant**



**ROCKPORT WORKS**



**ROCKPORT WORKS®**  
**Carly Work Side-Zip Bootie**  
**WGRK751** (Black) M 6-10; W 6-10

Leather upper. Dual side zippers. Moisture wicking, microsuede antimicrobial lining for odor absorption. tru365 lightweight and breathable foam comfort footbed. Rubber outsole with slip-resistant pads. Alloy toe. EH.

**ASTM F2413-18 F/ I/ C EH compliant**



**ROCKPORT WORKS**



**ROCKPORT WORKS®**  
**Junction View Twin Gore Slip-On Boot**  
**WGRK800** (Brown) W 6.5-10,11

Kid suede upper. Elastic side gore panels. Imitation leather lining with anti-slip heel counter. Removable wrapped memory foam cushioned insert. TPR outsole with 90 degree heel breast. Steel toe.

**ASTM F2413-18 F/ I/ C compliant.**



**Xena WORK WEAR**



**XENA WORKWEAR®**  
**Gravity Vegan Safety Shoe**  
**XEGRBT1** (Blackout) M 6-10,11

Waterproof vegan leather upper. YKK inside quarter zipper. Air-Flow Tech breathable mesh lining. Impact absorbing antimicrobial footbed. Oil and slip resistant outsole. Steel toe. Handcrafted in North America. 6 month Xena warranty.

**ASTM F2413-18 F/ I/ C compliant**



**Xena WORK WEAR**



**XENA WORKWEAR®**  
**Gravity Safety Shoe**  
**XEGRCG3** (Cognac) M 5-10,11

Full grain leather upper. YKK inside quarter zipper. Air-Flow Tech breathable mesh lining. Impact absorbing antimicrobial footbed. Oil and slip resistant outsole. Steel toe. Handcrafted in North America. 6 month Xena warranty.

**ASTM F2413-18 F/ I/ C compliant**



**Xena WORK WEAR**



**XENA WORKWEAR®**  
**Omega EH Safety Boot**  
**XEOMBO1** (Bourbon Brown) M 5-10,11; W 7-10  
**XEOMBL1** (Stylish Black) M 5-10,11; W 7-10

Full grain leather upper. Outside quarter zipper. Inside quarter gore panel. Back nylon pull loop. Air-Flow Tech breathable mesh lining. Impact absorbing antimicrobial footbed. Oil and slip resistant dual density outsole. Steel toe. EH. Hand crafted in North America. 6 month Xena warranty.

**ASTM F2413-18 F/ I/ C EH compliant**



**XENA WORKWEAR®**

# **OMEGA EH SAFETY BOOT**

**XEOMBL1**

See item on page 108



NEW STYLE



**FRYE®**  
**Chelsea Work Boot**  
**WGFR40502F** (Dark Brown) M 6-10,11

Oiled suede leather upper. Moisture wicking lining for comfort and odor absorption. Crafted for Comfort footbed with Poron XRD heel shock absorption and CoolMax cooling and drying top cover. Oil and slip resistant rubber outsole with defined heel breast. Steel toe. EH.

**ASTM F2413-18 F/ I/ C EH compliant**



**CAROLINA®**  
**S-117 Romeo Boot**  
**CA5671** (Brown) M 6-10; W 7-10,11

Neutral Mahogany leather upper. Twin side gore panels. Leather pull loop at back of heel. Removable EVA cushion footbed. Oil and slip resistant rubber outsole. Aluminum toe. SD.

**ASTM F2413-18 F/ I/ C SD compliant**



**HYTEST®**  
**Myra Athletic**  
**17320** (Black) W 6-10,11

Leather and PU upper. Breathable mesh lining. Removable EVA footbed. Molded EVA midsole. Oil and slip-resistant rubber outsole. Strobel/cement construction. Comp toe. SD. Metal free.

**ASTM F2413-18 F/ I/ C SD 10 compliant**



**HYTEST®**  
**Alpha XERGY® Athletic**  
**17402** (Teal Fade) M 6-10,11  
**17400** (Black) M 6-10,11; W 7-10

Mesh upper. Moisture wicking mesh lining. Comfossage massaging foam footbed. XERGY anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano toe. SD. 30 day comfort guarantee.

**ASTM F2413-18 F/ I/ C SD 10 compliant**



**HYTEST®**  
**Dash Athletic**  
**17433** (Teal/Black) W 6-10

Mesh upper. Moisture wicking mesh lining. Removable EVA cushioned footbed. EVA cushioned midsole. Oil and slip-resistant rubber outsole. Comp toe. EH.

**ASTM F2413-18 F/ I/ C EH compliant**



NEW STYLE



**CATERPILLAR®**  
**Streamline 2.0 Athletic**  
**CT91357** (Black/Teal) M 6-10; W 7-10

Nubuck leather and nylon mesh upper. Breathable lining. CLEANSPORT NXT treated footbed. Oil and slip resistant SRX rubber outsole. Comp toe. EH.  
**ASTM F2413-18 F/ I/ C EH compliant**



**SR MAX®**  
**Fairfax II Athletic**  
**SRM188** (Black) M 6-10,11; EW 6-10,11

Action leather with PU upper. Nylon mesh linings. Molded removable PU cup cushion footbed. Dual density, rubber outsole with patented SR Max MaxTRAX® oil and slip-resistant tread. Comp toe. EH.  
**ASTM F2413-18 F/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**TIMBERLAND PRO®**  
**Radius Athletic**  
**STMA44B9** (Black/Rose Pop) M 5.5-10,11; W 6-10,11

Breathable mesh upper with abrasion resistant reinforcement. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Anti-fatigue PU footbed. HoverSpring foam midsole. TPU outsole with anatomically positioned flex grooves and oil and slip-resistant SR Max MaxTRAX® patented tread design. Comp toe. EH. Metal free.  
**ASTM F2413-18 F/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**TIMBERLAND PRO®**  
**Radius Ripstop Nylon Athletic**  
**STMA4279** (Grey Ripstop) M 5.5-10,11; W 6-10,11

Breathable mesh upper with abrasion resistant reinforcement. Breathable and moisture wicking lining with anti-microbial treatment for odor control. ReBOTL recycled materials used. Anti-Fatigue Technology PU footbed. HoverSpring foam midsole. TPU outsole with anatomically positioned flex grooves and oil and slip resistant SR Max MaxTRAX® patented tread design. Comp toe. EH. Metal free.  
**ASTM F2413-18 F/ I/ C EH compliant**



**EXCLUSIVE STYLE**

NEW STYLE



**TIMBERLAND PRO®**  
**Radius Ripstop Nylon Athletic**  
**STMA5MPT** (Glacier Gray/Almond Blossom) M 6-10,11; W 6-10,11

Mutilation free, breathable mesh upper with abrasion resistant reinforcement. Breathable and moisture wicking lining with antimicrobial treatment for odor control. Hover Spring foam midsole. Oil and slip resistant Timberland PRO Flex Technology TPU outsole with SR Max MaxTRAX® patented slip resistant tread design. Comp toe. EH. Metal free.  
**ASTM F2413-18 F/ I/ C EH compliant**



**EXCLUSIVE STYLE**

NEW STYLE



**TIMBERLAND PRO®**  
**Radius Ripstop Nylon Athletic**  
**STMA5NCP** (Steel Gray/Royal Purple) M 6-10,11; W 6-10,11

Mutilation free, breathable mesh upper with abrasion resistant reinforcement. Breathable and moisture wicking lining with antimicrobial treatment for odor control. Hover Spring foam midsole. Oil and slip resistant Timberland PRO Flex Technology TPU outsole with SR Max MaxTRAX® patented slip resistant tread design. Comp toe. EH. Metal free.  
**ASTM F2413-18 F/ I/ C EH compliant**



EXCLUSIVE STYLE




**TIMBERLAND PRO®**  
**Powertrain Athletic**  
**TMA1B7F** (Black) M 5.5-10,11; W 5.5-10,11

Ripstop nylon upper with TPU toe overlay for durability. Mesh lining with anti-bacterial treatment. Single density open cell PU footbed. Oil, slip and abrasion resistant PU outsole with Anti-Fatigue Technology. Alloy toe. SD. 30 day comfort guarantee.  
**ASTM F2413-18 F/ I/ C SD compliant. CSA grade 1 toe and SD compliant.**



**TIMBERLAND PRO®**  
**Radius Athletic**  
**TMA283H** (Black) M 5.5-10,11; W 6-10,11

Breathable mesh upper. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Anti-fatigue technology PU footbed with dynamic arch. HoverSpring foam midsole. Flex Tech oil, slip and abrasion resistant rubber outsole. Metal free. Comp toe. EH. 30 day comfort guarantee.  
**ASTM F2413-18 F/ I/ C EH compliant**



NEW STYLE



**REEBOK WORK®**  
**Daystart Athletic**  
**SRB061** (Black) M 5-10,11

Knit and breathable mesh upper with abrasion resistant toe bumper and Sock-Like fit. Nylon pull loops top of tongue and back of heel. Moisture wicking nylon mesh lining. Memory Tech removable cushion footbed. Fuel Foam midsole. Oil and abrasion resistant rubber outsole with patented SR Max MaxTRAX® slip resistant tread. XTR steel toe. EH. No exposed metal on upper.

**ASTM F2413-18 F/ I/ C EH compliant**



EXCLUSIVE STYLE

NEW STYLE



**REEBOK WORK®**  
**Daystart Athletic**  
**SRB063** (Blue/White) M 5-10,11  
**SRB062** (Black/White) M 5-10,11

Knit and breathable mesh upper with abrasion resistant toe bumper and Sock-Like fit. Nylon pull loops top of tongue and back of heel. Moisture wicking nylon mesh lining. Memory Tech removable cushion footbed. Fuel Foam midsole. Oil and abrasion resistant rubber outsole with patented SR Max MaxTRAX® slip resistant tread. XTR steel toe. EH. No exposed metal on upper.

**ASTM F2413-18 F/ I/ C EH compliant**



EXCLUSIVE STYLE





**REEBOK WORK®**  
**Sublite Work Slip-On Athletic**  
**WGRB036** (Black) W 6-10,11

Leather upper. Twin elastic side gores. Moisture wicking mesh lining. Memory Tech Massage removable cushion footbed. Sublite EVA cushion midsole with slip-resistant rubber heel and forepart pads. Comp toe. SD with dual resistor technology. Metal free.

**ASTM F2413-18 F/ I/ C SD 10 compliant**



**REEBOK WORK®**  
**Sublite Cushion Work Athletic**  
**WGRB039** (Black) W 6-10,11

Microfiber and mesh upper. Moisture wicking nylon mesh lining. Memory Tech Massage removable cushion footbed. Sublite EVA cushion midsole with slip-resistant heel and forepart pads. Comp toe. SD with dual resistor technology. 100% nonmetallic.

**ASTM F2413-18 F/ I/ C SD 10 compliant**



**REEBOK WORK®**  
**Sublite Cushion Work Athletic**  
**WGRB045** (Grey/Aqua) W 6-10,11

Mesh with webbing upper. Moisture wicking nylon mesh lining. Memory Tech Massage removable cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber heel and forepart flex pads. No exposed metal on upper. XTR alloy toe. Dual resistor SD technology.

**ASTM F2413-18 F/ I/ C SD 10 compliant**



**REEBOK WORK®**  
**Sublite Cushion Work Athletic**  
**WGRB046** (Navy/Pink) W 6-10,11  
**WGRB041** (Black/Gray) W 6-10,11

Mesh with webbing upper. No exposed metal on upper. Moisture wicking nylon mesh lining. Memory Tech Massage removable cushion footbed. SubLite EVA cushion midsole with rubber forepart and heel pads. Full foot flex grooves for improved mobility and flex. Alloy toe. EH.

**ASTM F2413-18 F/ I/ C EH compliant**



**REEBOK WORK®**  
**Sublite Cushion Work Athletic**  
**WGRB055** (Black/Plum) W 6-10,11

EXOFUSE water resistant microfiber upper. Moisture wicking nylon mesh lining. Memory Tech Massage 2.0 memory foam, removable, cushion footbed. Sublite EVA cushion midsole. Oil and slip-resistant rubber forepart and heel pads. XTR comp toe. SD 10 dual resistor technology.

**ASTM F2413-18 F/ I/ C SD 10 compliant**





REEBOK WORK®

# SUBLITE CUSHION WORK

WGRB055

See item on page 113

NEW STYLE



**REEBOK WORK®**  
**Nanoflex TR Work Athletic**  
**WGRB365** (Black/Seafoam Green/White) M 6-10.5; W 7-10,11,12

Mesh, microfiber and TPU exoskeleton upper. Moisture wicking nylon mesh lining. Memory Tech Massage 2.0 removable cushion footbed. EVA midsole. Oil and slip resistant rubber outsole with Flex Grooves. XTR comp toe. EH. 100% metal free.

**ASTM F2413-18 F/ I/ C EH compliant**



**REEBOK WORK®**  
**Nano X1 Adventure Work Athletic**  
**WGRB383** (Silver/Army Green/Pink) M 6-10,11

Stretched ripstop mesh upper. TPU stabilizer. Moisture wicking nylon mesh lining. Memory Tech Massage 2.0 removable cushion footbed. Floatride Energy Foam midsole. Oil and slip resistant rubber outsole. XTR comp toe. EH. 100% nonmetallic.

**ASTM F2413-18 F/ I/ C EH compliant**



**REEBOK WORK®**  
**Flexagon 3.0 Work Athletic**  
**WGRB429** (Burgundy) W 6-11  
**WGRB464** (Black/Gray) M 6-10,11

Breathable nylon and mesh upper. Moisture wicking nylon mesh lining. MemoryTech foam removable footbed. Origami inspired Flexagon foam midsole with oil and slip-resistant rubber heel and forepart pads. Flex grooves on outsole for added flex. XTR comp toe. SD with dual resistor technology. 100% metal free.

**ASTM F2413-18 F/ I/ C SD 10 compliant**



**REEBOK WORK®**  
**Sublite Work Athletic**  
**WGRB434** (White/Grey) M 6-11; W 6-11

Leather with MicroWeb upper. Moisture wicking nylon mesh lining. FootFuel injected EVA removable cushion footbed. Sublite EVA cushion midsole with oil and slip-resistant rubber outsole. Steel toe. SD with dual resistor technology. No exposed metal on upper.

**ASTM F2413-18 F/ I/ C SD 10 compliant**



NEW STYLE



**REEBOK WORK®**  
**Sublite Cushion Work Athletic**  
**WGRB492** (Black/Plum) M 5-10,11; W 5,7-10

EXOFUSE water resistant microfiber upper. Moisture wicking nylon mesh lining. Memory Tech Massage 2.0 memory foam, removable, cushion footbed. Sublite EVA cushion midsole with slip resistant rubber forepart and heel pads. XTR comp toe. SD 10 with dual resistor technology. 100% metal free.

**ASTM F2413-18 F/ I/ C SD 10 compliant**





**KEEN UTILITY®**  
**Vista Energy Athletic**  
**KN1025241** (Hydrangea/Black) M 6-10,11; W 6-10,11

Breathable 2 layer engineered mesh upper. ConnectFit heel capture system. KEEN. ReGEN cushion midsole. Oil and slip-resistant outsole. Carbon fiber toe. SD. Nonmetallic.

**ASTM F2413-18 F/ I/ C SD 35 compliant**



NEW STYLE



**KEEN UTILITY®**  
**Sparta 2 Athletic**  
**KN1025638** (Steel Grey/Black) M 6-10; W 5.5-10

PFC free water repellent, non-mutilating upper. Removable metatomical PU footbed. KEEN.ReGEN compression resisting midsole. Oil and slip resistant, nonmarking rubber outsole. Aluminum toe. SD 35. 30 day wear trial.

**ASTM F2413-18 F/ I/ C SD 35 compliant**



NEW STYLE



**SKECHERS WORK®**  
**Sadie Athletic**  
**SSK108097LBPk** (Light Blue/Pink) M 5-10,11  
**SSK108097GYAQ** (Gray/Aqua) M 5-10,11

Water and stain resistant nylon upper with TPU toe and heel overlays. Mesh lining. Padded knit tongue and heel wrap collar. Arch Fit Comfort technology footbed. EVA Arch Fit cushion midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Alloy toe. EH.

**ASTM F2413-18 F/ I/ C EH compliant**



EXCLUSIVE STYLE



**SKECHERS WORK®**  
**Sadie Athletic**  
**SSK108097NVAQ** (Navy/Aqua) M 6-10,11

Water and stain resistant nylon upper with TPU toe and heel overlays. Padded knit tongue and heel wrap collar Arch Fit Comfort technology footbed. EVA Arch Fit cushion midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Alloy Toe. EH.

**ASTM F2413-18 F/ I/ C EH compliant**



EXCLUSIVE STYLE



**SKECHERS WORK®**  
**Reagan Athletic**  
**SSK108098BKPK** (Black/Pink) M 6-10,11

Leather upper. Mesh lining. Arch Fit Comfort technology footbed. EVA Arch Fit cushion midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Alloy Toe. EH.

**ASTM F2413-18 F/ I/ C EH compliant**



EXCLUSIVE STYLE



**SKECHERS WORK®**  
**Reagan Athletic**  
**SSK108098GYPR** (Gray/Purple) M 6-10,11

Leather upper. Mesh lining. Arch Fit Comfort technology footbed. EVA Arch Fit cushion midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Alloy Toe. EH.

ASTM F2413-18 F/ I/ C EH compliant



**EXCLUSIVE STYLE**



**SKECHERS WORK®**  
**Jackie Athletic**  
**SSK406NVAQ** (Navy/Aqua) M 6-10,11

Nubuck leather upper. Soft fabric lining. Synthetic overlays and stitching accents. Memory foam topped, cushioned, removable footbed. FlexSole shock absorbing lightweight flexible midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Aluminum alloy toe. EH.

ASTM F2413-18 F/ I/ C EH compliant



**EXCLUSIVE STYLE**



**SKECHERS WORK®**  
**Leslie Athletic**  
**SSK8436BLK** (Black) M 5-10,11  
**SSK8436NVY** (Navy) M 5-10,11

Fabric upper with RepelWell liquid and stain repellent treatment. Slip-on style with a stretch-laced front. Arch Fit cushioned footbed. EVA cushion midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Alloy toe.

ASTM F2413-18 F/ I/ C compliant



**EXCLUSIVE STYLE**



**VOLCOM®**  
**True Athletic**  
**WGVM30110F** (Black) M 6-10,11

Suede leather upper. Mesh lining. Soft Landing comfort footbed. Grip Styk stone-themed oil and slip resistant rubber outsole. Comp toe. EH. 100% nonmetallic.

ASTM F2413-18 F/ I/ C EH compliant



NEW STYLE



**VOLCOM®**  
**Vitals Skate Athletic**  
**WGVM30617F** (Black/Clay Orange) M 5.5-10; W 7-10

Action and PU nubuck upper. Mesh lining. Soft Landing comfort footbed with memory foam. Grip Styk Stone-Themed slip resistant rubber outsole with 360 sidewall stitch. Comp toe. SD 10 with dual resistor technology.

ASTM F2413-18 F/ I/ C SD 10 compliant





**PUMA SAFETY®**  
**Velocity Athletic**  
**PU642855** (Black) M 6-10

Tumbled full grain leather upper. BreathActive lining. Evercushion MISS run footbed. MISS SAFETY MOTION rubber outsole with Torsion Control System. Steel toe. SD 35 with cushioning IQ.Cell integrated in the heel.

**ASTM F2413-18 F/ I/ C SD 35 compliant**



**PUMA SAFETY®**  
**Celerity Knit Athletic**  
**PU642925** (Black) M 5,6-10

Safety Knit non metallic upper. Added TPU material at toe and heel. BreatheActive lining. Removable Evercushion Miss footbed. Cushioning IQ Cell integrated in heel. Slip-resistant rubber outsole. Steel toe. SD 35. Vegan.

**ASTM F2413-18 F/ I/ C SD 35 compliant**



NEW STYLE



**NEW BALANCE®**  
**Logic Athletic**  
**NBWIDLOGIBLE** (Black) B 5.5-10,11; D 5.5-10,11

Lightweight nylon/polyester upper with synthetic overlays. Polyester lining. NB PU Comfort footbed. ACTEVA performance midsole technology. Slip resistant rubber outsole. Comp toe. EH. Puncture resistant plate. Metal free.

**ASTM F2413-18 F/ I/ C EH PR compliant**



**NEW BALANCE®**  
**412 Black/Purple Athletic**  
**NBWID412P1** (Black/Purple) B 5-10,11; D 5-10,11

Leather and mesh upper. EVA cushion footbed. Slip-resistant rubber outsole. Alloy toe. ASTM F2413-18 F/ I/ C compliant.

**ASTM F2413-18 F/ I/ C compliant**



**REEBOK WORK®**  
**Sublite Cushion Work Mid Athletic**  
**WGRB406** (Black) M 6-10

EXOFUSE water resistant microfiber upper. Moisture wicking nylon mesh lining. Memory Tech Massage 2.0 memory foam, removable, cushion footbed. Sublite EVA cushion midsole. Slip-resistant rubber forepart and heel pads. XTR comp toe. SD 10 with dual resistor technology. Metal free.

**ASTM F2413-18 F/ I/ C SD 10 compliant**





**KEEN UTILITY®**  
**Atlanta Cool II Low Hiker**  
**KN1023220** (Gargoyle/Blue Fog) W 6-10,11

Leather and mesh upper with reflective webbing. Moisture wicking textile lining. Removable metatomical, dual density, EVA footbed. KEEN.ReGEN compression resisting, cushion midsole. External Stability Shank for midfoot support. Oil and slip-resistant rubber outsole. Steel toe. SD.

**ASTM F2413-18 F/ I/ C SD 35 compliant**



**KEEN UTILITY®**  
**Flint II Low Hiker**  
**KN1023232** (Magnet/Rose) M 5-10; W 6-10

Water resistant leather non-mutilating upper with reflective webbing and shellback heel support. Removable metatomical PU footbed. KEEN.ReGEN compression resisting midsole. Oil and slip resistant rubber outsole. Steel toe. EH. 30 day wear trial.

**ASTM F2413-18 F/ I/ C EH compliant**



NEW STYLE



**SR MAX®**  
**Sitka Waterproof Hiker**  
**SRM285** (Black) M 5-10,11; EW 5-10,11

Waterproof full grain leather upper. Mesh lining with waterproof bootie. Molded, removable PU cup footbed. Single density, patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH. Metal free.

**ASTM F2413-18 F/ I/ C EH compliant**



EXCLUSIVE STYLE



**SR MAX®**  
**Boone Hi Hiker**  
**SRM479** (Black) M 6-10; EW 6-10

Action leather, PU and rubber upper. Merry mesh lining. Molded, removable, PU cup footbed. Phylon molded midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH. Metal free.

**ASTM F2413-18 F/ I/ C EH compliant**



EXCLUSIVE STYLE



**TIMBERLAND PRO®**  
**Switchback Waterproof Hiker**  
**STMA44N9** (Brown/Blue Pop) M 5.5-10,11; W 6-10  
**STMA44N1** (Black/Grey Pop) M 5.5-10,11; W 6-10

Waterproof leather upper. Abrasion resistant toe overlay. Breathable and moisture wicking lining with anti-microbial treatment for odor control. Waterproof and blood borne pathogen membrane. ReBOTL recycled materials used. Anti-Fatigue Technology PU footbed. EVA cushion midsole. Timberland PRO TPU oil, slip and abrasion resistant outsole with SR Max MaxTRAX® patented slip resistant tread design. Comp toe. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 F/ I/ C EH compliant**



EXCLUSIVE STYLE

NEW STYLE

NEW STYLE



**KEEN UTILITY®**  
**Reno Waterproof 6" Mid Hiker**  
**KN1027104** (Magnet/Ipanema) M 6-10; W 6-10

Leather upper. KEEN.DRY waterproof membrane construction. KEEN.BELLOWS FLEX allows foot to bend and flex with ease. KEEN.ReGEN provides added energy return. Oil and slip-resistant outsole. Carbon fiber toe. EH. WP.

**ASTM F2413-18 F/ I/ C EH compliant**



**ROCKPORT WORKS®**  
**Pulse Tech Waterproof Hiker Bootie**  
**WGRK777** (Gray) M 6-10,11

Nubuck leather upper. Fabric lining with waterproof membrane. Removable Comfortech cushion footbed. EVA midsole. Oil and slip-resistant rubber outsole. Comp toe. EH.

**ASTM F2413-18 F/ I/ C EH compliant**



**AVENGER®**  
**Framers Waterproof Hiker**  
**N7123** (Brown) M 5.5-9,10; W 6-10,11

Waterproof full grain leather. Nonmetal hardware. Waterproof membrane. Removable, dual density footbed. Direct attached, slip-resistant, PU outsole. Lenzi puncture plate. Comp toe. EH. PR. WP. Security friendly.

**ASTM F2413-18 F/ I/ C EH PR compliant**



**AVENGER®**  
**Framers Waterproof Insulated Hiker**  
**N7130** (Brown) M 6-10; W 7-10

Waterproof full grain leather. Nonmetal hardware. 400 grams Thinsulate insulation. Waterproof membrane. Removable, dual density footbed. Direct attached, slip-resistant, PU outsole. Lenzi puncture plate. Comp toe. EH. PR. WP/Insulated. Security friendly.

**ASTM F2413-18 F/ I/ C EH PR compliant**



**AVENGER®**  
**Waterproof Hiker**  
**N7286** (Tan) M 6-9,10; W 7-9,10

Waterproof full grain leather upper. Waterproof construction. Removable dual density footbed. Slip-resistant PU outsole. Comp Toe. EH. WP. Flexible puncture resistant plate. Metal free.

**ASTM F2413-18 F/ I/ C EH PR compliant**







**AVENGER®**  
**Foreman Waterproof Romeo Pull-On Boot**  
**N7120** (Brown) M 6-10

Full grain leather upper. Twin elastic side gores. Front and back nylon pull loops. Removable dual density cushion footbed. Slip-resistant PU outsole. Direct attached construction. Comp toe. EH. Flexible puncture resistant plate. Waterproof construction. Metal free.

**ASTM F2413-18 F/ I/ C EH PR compliant**



**AVENGER®**  
**Flight Waterproof Hiker**  
**N7471** (Brown) M 6-10,11

Waterproof leather upper. Waterproof membrane construction. SD10 comfort footbed. EVA midsole with slip-resistant rubber forepart and heel pads. No exposed metal on upper. Alloy toe. SD 10. WP.

**ASTM F2413-18 F/ I/ C SD 10 compliant**



NEW STYLE



**HOSS BOOT COMPANY®**  
**Lily Waterproof Hiker**  
**HS70165** (Black) B 6-10; D 6.5-10,11  
**HS70423** (Brown) B 5.5-10; D 6.5-10

Full grain tumbled leather upper. HyDry waterproof membrane. PU/memory foam footbed. Direct attached dual density oil and slip resistant outsole. Steel toe. EH. WP.

**ASTM F2413-18 F/ I/ C EH compliant**



**HYTEST®**  
**Lithium Amber 6" Waterproof Work Boot**  
**17751** (Brown) W 6-10,11

Waterproof leather upper. Seam sealed waterproof construction. Abrasion resistant, moisture wicking lining. PU cushion footbed. PU cushion midsole with abrasion resistant TPU outsole. Direct attached construction. Steel toe. EH. WP.

**ASTM F2413-18 F/ I/ C EH compliant**



**WOLVERINE®**  
**Piper Peak® AG Waterproof Hiker**  
**WW10181** (Black) M 5-10,11; W 6-10  
**WW10180** (Brown) M 5-10,11; W 5-10

Waterproof roughneck leather. Non metallic hardware. Wave mesh lining with waterproof membrane. Removable air cell PU cushion insole. Compression molded EVA midsole. Oil and slip-resistant rubber outsole. Comp Toe. EH. WP.

**ASTM F2413-18 F/ I/ C EH compliant**



NEW STYLE



WOLVERINE 

**WOLVERINE®**  
**Floorhand 6" Waterproof Insulated Boot**  
**WW221025** (Brown) M 6-10; W 7-10

Waterproof full grain leather upper. Moisture wicking mesh lining. Waterproof construction. 200 grams insulation. Removable full cushion footbed. Rubber outsole. Steel toe. EH. WP/Insulated.

**ASTM F2413-18 F/ I/ C EH compliant**



WOLVERINE 

**WOLVERINE®**  
**Piper Waterproof 6" Boot**  
**WW221032** (Cashew) M 6-10,11; W 6-10

Waterproof, full grain leather upper. Moisture wicking mesh lining with breathable, waterproof membrane. Removable open cell PU cushion footbed. Ultra-Light EVA midsole. Slip-resistant rubber outsole. Comp toe. EH. WP.

**ASTM F2413-18 F/ I/ C EH compliant**



 SR MAX®

**SR MAX®**  
**Denali 6" Waterproof Hiker**  
**SRM265** (Black) M 5-10,11; EW 5-10,11

Waterproof, oiled, tumbled leather upper. Waterproof membrane bootie. PU cup insole. Molded pylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Comp toe. EH. Security friendly.

**ASTM F2413-18 F/ I/ C EH compliant**



**EXCLUSIVE STYLE**





**TIMBERLAND PRO®**  
**6" Direct Attach Waterproof Insulated Boot**  
**STMA2R3Q** (Wheat) M 5.5-10,11; W 5.5-10,11

Waterproof nubuck leather upper. Breathable and moisture wicking lining with antimicrobial treatment. 200 grams ThermoLite insulation. Timberland PRO 24/7 comfort system to reduce foot fatigue. Seam-sealed waterproof construction. PU midsole. Nonmarking, oil, and abrasion resistant Thermoplastic Urethane (TPU) outsole with MaxTRAX® patented tread for superior slip resistance. Direct attached construction. Steel toe. EH. Waterproof.

**ASTM F2413-18 F/ I/ C EH compliant**



**EXCLUSIVE STYLE**





**TIMBERLAND PRO®**  
**6" Direct Attach Waterproof Insulated Boot**  
**STMA2R52** (Black) M 5.5-10,11; W 5.5-10,11

Waterproof upper leather. Breathable and moisture wicking lining with antimicrobial treatment for odor control. Seam sealed waterproof construction. 200 grams insulation. Breathable, single density, open cell PU footbed. PU midsole. Oil, slip and abrasion resistant TPU outsole with SR Max MaxTRAX® patented slip resistant tread design. Direct attached construction. Steel toe. EH. WP/Insulated. Timberland PRO 24/7 Comfort System.

**ASTM F2413-18 F/ I/ C EH compliant**



**EXCLUSIVE STYLE**

NEW STYLE



**TIMBERLAND PRO®**  
**Hightower 6" Waterproof Work Boot**  
**TMA1KIT** (Turkish Coffee) M 5.5-10,11

Waterproof full grain leather upper. Breathable and moisture wicking lining with antimicrobial treatment for odor control. Waterproof membrane. REBOTL materials used. Ant-Fatigue Technology PU footbed. PU midsole. Oil and slip resistant TPU outsole. Aluminum toe. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 F/ I/ C EH compliant**



**TIMBERLAND PRO®**  
**TITAN 6" Boot**  
**TM26388** (Brown) M 5.5-10,11; W 6-10,11  
**TM72399** (Black) M 5.5-10,11; W 5.5-10,11

Soft upper leather to minimize break-in time. Anti-microbial, spacer mesh linings. Ortholite footbed with Dryz Intellitemp X-Static moisture, temperature, and anti-microbial management. PU cushioned midsole. Timberland PRO oil, slip and abrasion resistant rubber outsole. TITAN alloy safety toe. EH. 30 day comfort guarantee.

**ASTM F2413-18 F/ I/ C EH compliant**




NEW STYLE



**TIMBERLAND PRO®**  
**Hypercharge 6" Waterproof Boot**  
**TMA4115** (Brown/Purple) M 5.5-10; W 6-10,11

Waterproof leather upper. Breathable and moisture wicking lining with antimicrobial treatment for odor control. Waterproof membrane with blood borne pathogen feature. ReBOTL materials used. Anti-Fatigue PU footbed. Independent Suspension Network for control, support and agility. Stable Stride technology stability platform. EVA midsole. Oil, slip and abrasion resistant Timberland PRO rubber outsole. Heat resistant up to 572 degrees F. Comp toe powered by CarbonShield technology. EH. WP. 30 day comfort guarantee.

**ASTM F2413-18 F/ I/ C EH compliant**



**XENA WORKWEAR®**  
**Valence SD Safety Boot**  
**XEVABL1** (Vegan Onyx) M 6-10,11

High performance vegan leather upper. Twin side panel gores. Back nylon pull loop. Air-Flow Tech breathable mesh lining. Impact absorbing antimicrobial footbed. Oil and slip resistant, dual density outsole. Steel toe. SD-35. No exposed metal on upper. Hand crafted in North America. 6 month Xena warranty.

**ASTM F2413-18 F/ I/ C SD 35 compliant**



**XENA WORKWEAR®**  
**Valence SD Safety Boot**  
**XEVACB1** (Leather Chestnut) M 6-10

LWG-Certified full grain leather upper. Twin side panel gores. Back nylon pull loop. Air-Flow Tech breathable mesh lining. Impact absorbing antimicrobial footbed. Oil and slip resistant, dual density outsole. Steel toe. SD-35. No exposed metal on upper. Hand crafted in North America. 6 month Xena warranty.

**ASTM F2413-18 F/ I/ C SD 35 compliant**





carhartt

**CARHARTT®**  
**6" Wedge Waterproof Boot**  
**CFW6225-W** (Light Brown) M 6-10

Oil tanned upper leather. FastDry technology lining with Storm Defender breathable, waterproof membrane. Insite Technology footbed. Dual density rubber wedge outsole. Goodyear welt construction. Steel toe. EH. WP.

**ASTM F2413-18 F/ I/ C EH compliant**



AVENGER  
SAFETY FOOTWEAR

**AVENGER®**  
**Builder 6" Waterproof Boot**  
**N8124** (Black) W 6-10  
**N8125** (Brown) M 6-10,11

Leather upper with scuff resistant heel overlay. Waterproof construction. Moisture wicking textile lining. Molded EVA footbed with arch support. PU midsole. Oil and slip-resistant PU outsole. Steel toe. EH. WP.

**ASTM F2413-18 F/ I/ C EH compliant**



HOSS

**HOSS BOOT COMPANY®**  
**Lacy Waterproof 6" Boot**  
**HS70120** (Black/Purple) D 6-10,11

Full grain tumbled leather upper. Hydry waterproof membrane construction. Dual density rebound foam footbed. Slip-resistant, direct attached midsole/outsole. Comp toe. EH. Lenzi nonmetallic puncture resistant plate. WP. Security friendly.

**ASTM F2413-18 F/ I/ C EH PR compliant**



Xena WORK WEAR

**XENA WORKWEAR®**  
**Spice Safety Boot**  
**XESPBL1** (Jet Black) M 6-10,11

Full grain leather upper. Adjustable lace front with inside quarter zipper. Back nylon pull loop. Air-Flow Tech breathable mesh lining. Impact absorbing antimicrobial footbed. Oil and slip resistant dual density outsole. Steel toe. Hand crafted in North America. 6 month Xena warranty.

**ASTM F2413-18 F/ I/ C compliant**




SR MAX

**SR MAX®**  
**Bear 8" Waterproof Insulated Boot**  
**SRM295** (Black) M 6-10

Waterproof, oiled, full grain leather upper. Mesh lining with waterproof bootie. 400 grams Thinsulate insulation. PU cup removable insole. Molded phylon midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole with cold storage compound. Metal free. Comp toe. EH. WP/Insulated.

**ASTM F2413-18 F/ I/ C EH compliant**



EXCLUSIVE STYLE

NEW STYLE



**CAROLINA**  
Built For Work.

**CAROLINA®**  
**Elm 8" Logger Boot**  
**CA1421** (Dark Brown) W 6-10,11

Leather upper. Taibrelle lined. Goodyear welt construction. Oil resistant, one piece, rubber lug outsole. Steel toe. EH.  
**ASTM F2413-18 F/ I/ C EH compliant**



**CAROLINA**  
Built For Work.

**CAROLINA®**  
**Elm Waterproof Logger**  
**CA1435** (Dark Brown) M 6-10

Crazy Horse leather upper. Waterproof SCUBALINER membrane. Removable dual density PU and memory foam footbed. One piece rubber lug outsole. Goodyear welt construction. Comp toe. EH. WP.  
**ASTM F2413-18 F/ I/ C EH compliant**



**HYTEST**  
SAFETY FOOTWEAR

**HYTEST®**  
**Montana Pull-On Wellington**  
**17122** (Brown/Red) M 6-10; W 6-10

Full grain leather upper. Moisture wicking mesh lining. Removable cushion footbed. Ultralight EVA midsole. Oil and slip-resistant rubber outsole. Steel toe. EH.  
**ASTM F2413-18 F/ I/ C EH compliant**



**ARIAT**  
WORK

**ARIAT®**  
**Tracey Waterproof Wellington**  
**AR10015405** (Oily Distressed Brown) B 6-10,11

Waterproof, full grain upper leather. Mesh lining. Patented U-turn flexible panel allows for easy entry and exit. 4LR support and cushioning feature. Oil and slip resistant Duratread outsole with shock absorbing EVA core. 90 degree heel breast. Waterproof Pro construction. Comp toe. WP.  
**ASTM F2413-18 F/ I/ C compliant**



NEW STYLE



**ARIAT**  
WORK

**ARIAT®**  
**Riveter Waterproof Wellington**  
**AR10035774** (Dark Brown) B 5.5-10,11

Leather upper with U-Turn Entry System. DRYShield waterproof construction. Removable All Day Cushioning footbed. Dual density FLXFoam midsole. Oil and slip resistant Duratread outsole with 90 degree heel breast. ATS Technology provides ergonomic support on uneven terrain. Comp toe. EH. Metal free SWEN-FLEX puncture resistant plate. WP.  
**ASTM F2413-18 F/ I/ C EH PR compliant. CSA grade 1 toe. Omega. Green triangle compliant.**





**JUSTIN BOOTS®**  
**Wanette Wellington**  
**JUGY9980** (Brown) B 6-10,11

Leather upper. J-Flex Flexible Comfort System footbed. Non leather outsole. Steel toe. EH.

**ASTM F2413-18 F/ I/ C EH compliant**



NEW STYLE



**FRYE®**  
**Harness Work Boot**  
**WGFR40601F** (Black) M 6-10,11

Full grain leather upper. Moisture wicking lining for comfort and odor absorption. Crafted for Comfort footbed with Poron XRD heel shock absorption and CoolMax cooling and drying top cover. Oil and slip resistant rubber outsole with defined heel breast. Steel toe. EH.

**ASTM F2413-18 F/ I/ C EH compliant**



**TWISTED X®**  
**11" Western Work Boot**  
**TWWLCS003** (Distressed Latigo/Red) B 6-10; C 6-10

Full grain leather upper. Air mesh lining. Molded, removable footbed is moisture wicking, anti-bacterial, and machine washable. Compression molded EVA midsole. Oil and slip-resistant rubber outsole. Double stitched storm welt construction. Steel toe. EH.

**ASTM F2413-18 F/ I/ C EH compliant**



**TWISTED X®**  
**11" Western Work Boot**  
**TWWXBN001** (Brown/Blue) B 6-10

Full grain leather upper with reinforced pull tabs. Air mesh lining. Twisted X patented CellStretch comfort technology. Molded, removable footbed is moisture wicking, anti-bacterial, and machine washable. EVA midsole. Oil and slip-resistant rubber outsole. Double stitched storm welt construction. Nano toe. EH.

**ASTM F2413-18 F/ I/ C EH compliant**



**AVENGER®**  
**Waterproof Wellington**  
**N7146** (Brown) M 6-10,11

Full grain leather upper. Removable dual density EVA footbed. Direct attached dual density, slip-resistant PU outsole. Waterproof construction. 100% metal free. Comp toe. EH. WP.

**ASTM F2413-18 F/ I/ C EH compliant**



SCAN TO VIEW ALL  
CURRENT STYLES:



# METATARSAL GUARD



**TWISTED X®**  
**Internal Met-Guard Driving Moc**  
**TWVDMCTM1** (Saddle) M 6-10,11

Full grain leather upper. Composite XD insole for support and stability. Removable, moisture wicking, antibacterial, machine washable footbed. Oil and slip-resistant rubber outsole. Comp toe. EH. Mt.

**ASTM F2413-18 F/ I/ C EH Mt compliant**



**REEBOK WORK®**  
**Centose Street Sport Internal Met-Guard Athletic**  
**WGRB156** (Black) M 6-10,11; W 6-10

Leather upper. Nylon mesh lining. Removable EVA cushion footbed with sponge rubber heel wedge. EVA cushion midsole. SureGrip Plus rubber outsole. Comp toe. EH. Flex-Met internal met guard. 100% nonmetallic.

**ASTM F2413-18 F/ I/ C EH PR compliant**



**ROCKPORT WORKS®**  
**Sailing Club 3 Eye Tie Internal Met-Guard Boat Shoe**  
**WGRK634** (Brown) M 6-10,11; W 6-10,11

Crazy Horse leather upper. Brushed microfiber lining. Removable EVA cushion footbed with heel stabilizer cup. Cushion EVA midsole with slip-resistant rubber boat shoe outsole. Steel toe. EH. Poron XRD internal met guard.

**ASTM F2413-18 F/ I/ C EH Mt compliant**



**REEBOK WORK®**  
**Sublite Work Athletic**  
**WGRB460** (Black) M 6-10; W 6-10

Leather upper. Moisture wicking nylon mesh lining. MemoryTech Massage removable, cushion footbed. CushGuard internal metatarsal guard. Sublite EVA cushion midsole with slip-resistant rubber heel and forepart pads. No exposed metal on upper. Alloy toe. EH. Internal met guard.

**ASTM F2413-18 F/ I/ C EH Mt compliant**





**REEBOK WORK®**  
**Sublite Cushion Work Mid Athletic**  
**WGRB143** (Black) M 6-10,11; W 6-10,11

Leather upper. Moisture wicking nylon mesh lining. MemoryTech Massage removable, cushion footbed. CushGuard internal metatarsal guard. Sublite EVA cushion midsole with slip-resistant rubber heel and forepart pads. No exposed metal on upper. Alloy toe. EH. Internal met guard.

**ASTM F2413-18 F/ I/ C EH Mt compliant**



**HYTEST®**  
**Annex Mid Internal Met-Guard Hi-Top Athletic**  
**12220** (Black) Men's M 4-12,13,14; W 7-12,13,14

*\*Women please refer to size conversion chart on page 143.*

Leather upper. Moisture wicking mesh lining. Comfossage massaging foam footbed. Xergy anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano comp toe. EH. Terrapin internal met guard. Nonmetallic. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**HYTEST®**  
**Apex Internal Met-Guard Waterproof 6" Hiker**  
**12451** (Brown) Men's M 4-12,13,14,15; W 7-12,13,14,15

*\*Women please refer to size conversion chart on page 143.*

Nomad waterproof leather upper. Mesh lining with waterproof bootie. Pesu III EVA footbed. EVA molded midsole. Apex oil and slip-resistant rubber outsole is heat resistant to 752 degrees F. Steel toe. EH. Poron XRD internal met guard.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**TIMBERLAND PRO®**  
**Powertrain Internal Met-Guard Sport Boot**  
**TMA1GHM** (Black) Men's M 4-12,13,14,15; W 4-12,13,14,15

*\*Women please refer to size conversion chart on page 143.*

Ripstop nylon upper. Mesh lining with antimicrobial treatment for odor control. Anti-fatigue cushioning technology. Anatomically shaped open cell PU met guard. Oil, slip and abrasion resistant PU outsole. Alloy toe. EH. Mt. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**HYTEST FOOTRESTS 2.0®**  
**Maya Internal Met-Guard Waterproof 6" Hiker**  
**27111** (Brown/Black) B 5-10,11; D 6-10,11

Full grain waterproof leather upper with TecTuff abrasion resistant collar strap. Moisture wicking mesh lining with waterproof membrane and CoreTemp temperature control technology. Removable FootRests tri-layer anti-fatigue footbed. Xergy anti-fatigue foam midsole. FootHolds oil and slip-resistant rubber outsole. Nano toe. EH. XRD internal met guard. WP. Metal free. 30 day comfort guarantee.

**ASTM F2413-18 F/ I/ C EH Mt compliant**





**HYTEST**  
FOOTRESTS 2.0  
XPERIENCE TECHNOLOGY



**HYTEST FOOTRESTS 2.0®**  
**Rebound 6" Internal Met-Guard Waterproof Hiker**

**23130** (Black) Men's D 4-12,13,14; EEE 7-12,13,14

*\*Women please refer to size conversion chart on page 143.*

Waterproof full grain leather with Tec-Tuff abrasion resistant toe. Moisture wicking lining with waterproof membrane. Removable FootRests tri-layer, anti-fatigue footbed. XERGY anti-fatigue foam midsole. Oil and slip-resistant rubber outsole. Nano toe. EH. Poron XRD internal met guard. WP. 30 day comfort guarantee.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**HYTEST**  
SAFETY FOOTWEAR



**HYTEST®**  
**Apex 6" Internal Met-Guard Waterproof Boot**

**12251** (Brown) Men's M 4-12,13,14,15,16,17; W 7-12,13,14,15,16,17

*\*Women please refer to size conversion chart on page 143.*

Waterproof tumbled full grain leather upper. High abrasion performance mesh lining with waterproof membrane. Removable Pesu III EVA footbed. EVA cushioned midsole. Apex oil and slip-resistant rubber outsole. Poron XRD internal met-guard. Cement construction. Comp toe. EH. Metal free. Mt. WP.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**Reebok**



**REEBOK WORK®**  
**Trainex 6" Internal Met-Guard Sport Boot**

**WGRB655** (Black) M 6-10

Leather upper with abrasion resistant toe bumper and heel counter. Nylon mesh linings. Removable EVA cushion footbed with sponge rubber heel wedge. PU cushion midsole with heel airbag. Direct attached construction. Athlite rubber outsole with 90 degree heel breast. 100% nonmetallic. Comp toe. EH. Flex-Met internal met guard.

**ASTM F2413-18 F/ I/ C EH Mt compliant**



**CAROLINA**  
Built For Work.



**CAROLINA®**  
**INT Lo 6" Met-Guard Boot**

**CA508USA** (Dark Brown) Men's D 4-12,13,14,15,16; EE 8-12,13,14,15,16;

EEE 6.5-12,13,14,15,16

*\*Women please refer to size conversion chart on page 143.*

Briar Pitstop upper leather. Vibram Alpha one piece outsole. External covered metatarsal guard. Goodyear welt construction with Kevlar stitching. Dri-Lex lining. Radiantex insole board. Pillow cushion insole. Broad toe last. Outsole is heat resistant to 572 degrees F. Union made in USA.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



**Florsheim**  
WORK



**FLORSHEIM WORK®**  
**Hercules Internal Met-Guard Quick Release Boot**

**WGFE690** (Black) Men's D 5-12,13,14,15; EEE 5.5-12,13,14

*\*Women please refer to size conversion chart on page 143.*

Full grain leather upper. Moisture wicking nylon mesh lining. Removable F2A dual density polyurethane cushion insert insole. PU midsole. Slip, oil, chemical and abrasion resistant direct injected rubber outsole. No exposed metal. Steel toe. EH. Flex-Met internal met guard technology.

**ASTM F2413-18 M/ I/ C EH Mt compliant**



# RADIUS SERIES



POWERED BY  
  
MAX  
TRAX

Exciting new colorways now available

SCAN TO VIEW FULL SELECTION





# SOFT TOE

**X SR MAX®**



**SR MAX®**  
**Geneva Dress Clog**  
**SRM132** (Black) M 5.5-10,11

Full grain leather upper. Tricot lining with suede counter pocket. Cushioned EVA footbed with padded arch and fabric cover. Shock absorbing PU midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

**Soft toe. No safety toe cap.**



**EXCLUSIVE STYLE**

**X SR MAX®**



**SR MAX®**  
**Reno Side-Zip Demi Boot**  
**SRM560** (Black) M 6-10,11

Full grain leather upper. Inside quarter zipper. Micro fiber lining. EVA/Poron cushion footbed with fabric cover. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

**Soft toe. No safety toe cap.**



**EXCLUSIVE STYLE**

**X SR MAX®**



**SR MAX®**  
**Manteo EVA Clog**  
**SRM770** (Black) EW 5-11 (no half sizes)

Injection molded EVA upper and midsole. Unlined. Removable cushion EVA footbed. Patented SR Max MaxTRAX® Anti-Clogging oil and slip-resistant rubber outsole featuring a wider gap between the treads to help reduce clogging from food and debris. Waterproof. 100% nonmetallic.

**Soft toe. No safety toe cap.**



**EXCLUSIVE STYLE**

**X SR MAX®**



**SR MAX®**  
**Ventura Canvas Skate Athletic**  
**SRM167** (Black) M 5-10,11

100Z canvas textile upper treated with DuPont™ Teflon® fabric protector. Canvas lining. PU with memory foam footbed. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Vulcanized construction.

**Soft toe. No safety toe cap.**



**EXCLUSIVE STYLE**

NEW STYLE

**X SR MAX®**



**SR MAX®**  
**Lexington Athletic**  
**SRM615** (Black) M 5-10,11; EW 5-10,11

PU upper. Merry mesh lining. PU cup removable cushion footbed. Phylon midsole. SR Max MaxTRAX® patented oil and slip resistant rubber outsole. Strobel/cement construction.

**Soft toe. No safety toe cap.**



**EXCLUSIVE STYLE**

**Reebok**



**REEBOK WORK®**  
**Sublite Max Athletic**  
**SRB033** (Black/Gray) M 6-10,11; W 6-10,11

Microfiber and mesh upper. DryKick™ splash-resistant membrane in toe area protects against food and liquid spills in the workplace. BK mesh lining. Memory Tech Massage removable cushioned footbed. Sublite EVA cushion midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Metal free.

**Soft toe. No safety toe cap.**



**EXCLUSIVE STYLE**

NEW STYLE

**Timberland PRO**



**TIMBERLAND PRO®**  
**Radius Ripstop Nylon Athletic**  
**STMA5YU3** (Steel Gray/Aruba Blue) M 5.5-10,11; W 5.5-10,11

Mutilation free, breathable mesh upper with abrasion resistant reinforcement. Breathable and moisture wicking lining with antimicrobial treatment for odor control. Hover Spring foam midsole. Oil and slip resistant Timberland PRO Flex Technology TPU outsole with SR Max MaxTRAX® patented slip resistant tread design.

**Soft toe. No safety toe cap. ASTM EH compliant.**



**EXCLUSIVE STYLE**

NEW STYLE

**Reebok**



**REEBOK WORK®**  
**Daystart Athletic**  
**SRB064** (Black) M 5-10,11

Knit and breathable mesh upper with abrasion resistant toe bumper and Sock-Like fit. Nylon pull loops top of tongue and back of heel. Moisture wicking nylon mesh lining. Memory Tech removable cushion footbed. Fuel Foam midsole. Oil and abrasion resistant rubber outsole with patented SR Max MaxTRAX® slip resistant tread. 100% metal free.

**Soft toe. No safety toe cap. ASTM EH compliant.**



**EXCLUSIVE STYLE**

**SKECHERS**  
**WORK**  
**FOOTWEAR**



**SKECHERS WORK®**  
**Sara Athletic**  
**SSK403BLK** (Black) M 5-10,11

Leather upper. Fabric linings. Removable EVA footbed with full length memory foam. Injection molded EVA midsole. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole.

**Soft toe. No safety toe cap.**



**EXCLUSIVE STYLE**



# RUBBER BOOTS & OVERSHOES



**X SR MAX®**

**SR MAX®**  
**Seward 16" PVC Boot**  
**SRM8200** (Black) Men's W 3-15 (no half sizes)

*\*Women please refer to size conversion chart on page 143.*

PVC injected upper with fabric lining. PU cup cushion footbed. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Waterproof. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**X SR MAX®**

**SR MAX®**  
**Summit 10" EVA Waterproof Boot**  
**SRM8400** (Black) Men's W 4-14 (no half sizes)

*\*Women please refer to size conversion chart on page 143.*

Injected EVA upper. EVA cushion footbed. EVA midsole. Patented SR Max MaxTRAX® Anti-Clogging oil and slip-resistant rubber outsole featuring a wider gap between the treads to help reduce clogging from food and debris. Comp toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**EXCLUSIVE STYLE**



**MUCK®**  
**Chore Tall Waterproof Boot**  
**MCHS000A** (Black) Men's MW 6-14 (no half sizes)

*\*Women please refer to size conversion chart on page 143.*

Spandura covered neoprene upper with 5 mm CR flex-foam bootie with 4 way stretch nylon. Removable EVA footbed. EVA cushioned midsole. Rubber foot is triple reinforced in the toe area and quadruple reinforced in the heel area. Extra wide kick off lugs for hands free removal. Rubber outsole with self cleaning channels for optimal slip resistance. 100% waterproof. Comfort range from sub freezing to 85 degrees Fahrenheit. Steel toe. EH. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**TINGLEY**  
 A TRADITION SINCE 1898

**TINGLEY®**  
**Flite 15" Safety Toe Boot**  
**T126256** (Dark Blue) Men's MW 4-15 (no half sizes)

*\*Women please refer to size conversion chart on page 143.*

Aerex 1.5.5 chemical resistant, thermally-insulative, microcellular polymer. Calf-Relief Topline for easier on and off, and roomier calf space. Chevron-Plus slip-resistant, nitrile rubber outsole. Comp toe. EH. WP/Insulated. 100% nonmetallic.

**ASTM F2413-18 M/ I/ C EH compliant**





**TINGLEY**  
A TRADITION SINCE 1896

**TINGLEY®**  
**Flite 15" Waterproof Aerex 1.5.5 Boot**  
**T128259** (Gray) Men's M 8-13 (no half sizes)

Aerex 1.5.5 chemical resistant, thermally-insulative, microcellular polymer. Molded, waterproof, seamless construction. Calf-Relief Topline for easier on and off, and roomier calf space. Safety-Loc slip-resistant, nitrile rubber outsole. Comp toe. EH. WP/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



**TINGLEY**  
A TRADITION SINCE 1896

**TINGLEY®**  
**Steplite X Waterproof Pull On Boot**  
**T177253** (Yellow/Navy) Men's MW 4-14 (no half sizes)

*\*Women please refer to size conversion chart on page 143.*

Chemical resistant PU boot with seamless construction. Fully lined interior. Self insulating. Removable, contoured PU footbed. Self cleaning, slip-resistant, cleated outsole. 100% waterproof. Oil, fat, abrasion and chemical resistant. Steel toe. EH.

**ASTM F2413-18 M/ I/ C EH compliant**



**DUNLOP**  
PROTECTIVE FOOTWEAR

**DUNLOP®**  
**6" Polyblend Waterproof Boot**  
**ON86104** (Black) Men's 6-13 (no half sizes)

*\*Women please refer to size conversion chart on page 143.*

6 inch Polyblend PVC/PU lace up boot. Waterproof. Injection molded seamless construction. Ladder shank. Nonslip self cleaning outsoles. Steel toe. EH. Made in USA.

**ASTM F2413-18 M/ I/ C EH compliant**



**DUNLOP**  
PROTECTIVE FOOTWEAR

**DUNLOP®**  
**Economy 16" PVC Waterproof Boot**  
**ON86622** (Black) Men's M 6-13 (no half sizes)

*\*Women please refer to size conversion chart on page 143.*

PVC injected, molded construction. Purofort thermal insulation. Cleated outsole for excellent traction in wet and muddy conditions. Outsole is fuel oil, slip and chemical resistant. WP/Insulated. Steel Toe. EH. PR.

**ASTM F2413-18 M/ I/ C EH PR compliant**



**DUNLOP**  
PROTECTIVE FOOTWEAR

**DUNLOP®**  
**Chesapeake 16" PVC Waterproof Boot**  
**ON86779** (Black) Men's M 5-14 (no half sizes)

*\*Women please refer to size conversion chart on page 143.*

PVC upper with lightweight design to make the boot 25% lighter than classic PVC. Energy absorbing BAY-LOC outsole with channels to repel water. Steel toe. Waterproof.

**ASTM F2413-18 M/ I/ C PR compliant**



NEW STYLE



**DUNLOP®**  
**16" PVC Waterproof Boot**

**ON87982** (Grey/Orange) Men's 5-15 (no half sizes)

*\*Women please refer to size conversion chart on page 143.*

16 inch PVC upper with PVC/nitrile rubber outsole. Waterproof. Removable cushion insole. Resists animal fats, petroleum, oils, grease and chemicals. Safety-Loc outsole. Kick-off lugs for easy removable. Made in USA. Steel toe.

**ASTM F2413-18 M/ I/ C compliant**



**DUNLOP®**  
**Goliath 16" Black Polyblend Boot**

**ON89682** (Black) Men's M 5-15 (no half sizes)

*\*Women please refer to size conversion chart on page 143.*

Polyblend compound molded upper. Removable footbed. Power-Lug outsole. Superior resistance to animal fats, acids, oils, grease and chemicals. Steel toe. WP.

**ASTM F2413-18 M/ I/ C EH compliant**



**DUNLOP®**  
**Polyflex 3 16" Polyblend Waterproof Boot**

**ON89908** (Black) Men's MW 5-15 (no half sizes)

*\*Women please refer to size conversion chart on page 143.*

Polyblend/PVC compound. Waterproof. Superior resistance to fats, oils and chemicals. Removable air cushion insole. Steel shank. Kick-off lugs for easy on/off. Made in USA. Steel toe.

**ASTM F2413-18 M/ I/ C compliant**



**BAFFIN®**  
**IceBear Waterproof Insulated Boot**

**BAF5157** (Green) Men's MW 5-15 (no half sizes)

*\*Women please refer to size conversion chart on page 143.*

PU molded knee high upper. Thermal PU compound, cold resistant to -58 degrees Fahrenheit. GelFlex PU midsole. Acid, oil, and slip-resistant rubber outsole. Comp toe. EH. PR. WP/Insulated.

**ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe. CSA puncture resistant plate, CSA ESR. CE approved.**



**BAFFIN®**  
**Refinery Waterproof Insulated Boot**

**BAF8574** (Black) Men's MW 6-14 (no half sizes)

*\*Women please refer to size conversion chart on page 143.*

Darprene compound upper. One inch snow cuff at top of shaft. -40 degree F inner felt insulating liner. Self cleaning outsole. Steel Toe. EH. PR. WP/Insulated.

**ASTM F2413-18 M/ I/ C EH PR compliant. CSA grade 1 toe, Omega, green triangle compliant.**





**LACROSSE®**  
**Meta Pack 12" Internal Met-Guard Waterproof Boot**  
**LC228040** (Black/Yellow) Men's 6-14 (no half sizes)  
 \*Women please refer to size conversion chart on page 143.

Ozone and abrasion resistant rubber. 100% waterproof. LaCrosse Ankle Fit design for better fit in the heel. Trac-Lite outsole for excellent traction. Steel toe. EH. Steel puncture resistant plate. Floating internal met guard.

**ASTM F2413-18 M/ I/ C EH Mt PR compliant**



NEW STYLE



**LACROSSE®**  
**Alpha Thermal 16" Waterproof Insulated Work Boot**  
**LC644103** (Black) Men's 8-14 (no half sizes)

Natural rubber upper. Neoprene gusset accommodates different calf sizes. Fleece and 7mm insulating neoprene insulation. PU cushion footbed. Antarctic rubber outsole. Comp toe. EH. WWP/Insulated.

**ASTM F2413-18 M/ I/ C EH compliant**



**REED FOOTWEAR®**  
**Force II 14" Neoprene Waterproof Boot**  
**RE3732** (Black/Yellow) Men's M 6-14 (no half sizes)  
 \*Women please refer to size conversion chart on page 143.

7 mm neoprene with 2mm of air mesh lining. Top back of shaft pull up loop. Removable comfort cushion footbed. Oil and slip-resistant rubber outsole. Steel toe. 100% waterproof. Comfort rated from -40 degrees F to 70 degrees F.

**ASTM F2413-18 M/ I/ C compliant**



**SR MAX®**  
**Montauk 16" PVC Waterproof Boot**  
**SRM8300** (Black) Men's W 3-15 (no half sizes)  
 \*Women please refer to size conversion chart on page 143.

PVC injected upper without lining. PU cup cushion footbed. Patented SR Max MaxTRAX® oil and slip-resistant rubber outsole. Waterproof.

**Soft toe. No safety toe cap.**



**EXCLUSIVE STYLE**



**SR MAX®**  
**Everett 10" EVA Waterproof Boot**  
**SRM8450** (Black) Men's W 4-14 (no half sizes)  
 \*Women please refer to size conversion chart on page 143.

Injected EVA upper. EVA cushion footbed. EVA midsole. Patented SR Max MaxTRAX® Anti-Clogging oil and slip-resistant rubber outsole featuring a wider gap between the treads to help reduce clogging from food and debris.

**Soft toe. No safety toe cap.**



**EXCLUSIVE STYLE**





**DUNLOP®**  
**16" Pull On Waterproof Boot**  
**ON81011** (White) Men's M 4-13 (no half sizes)

\*Women please refer to size conversion chart on page 143.

Injected, molded, seamless construction. Removable cushion footbed. Slip and chemical resistant safety-loc outsole. WP.

**Soft toe. No safety toe cap.**



**DUNLOP®**  
**16" Polyblend PVC Waterproof Boot**  
**ON89904** (Black) Men's M 6-15 (no half sizes)

\*Women please refer to size conversion chart on page 143.

Polyblend/PVC compound. Waterproof. Superior resistance to fats, oils and chemicals. Removable air cushion insole. Steel shank. Kick-off lugs for easy on/off. WP. Made in USA.

**Soft toe. No safety toe cap.**



NEW STYLE

**LACROSSE®**  
**Alpha Agility 17" Waterproof Snake Boot**  
**LC302422** (Camo) Men's M 8-12 (no half sizes)

Natural rubber over neoprene foot with NWT Mossy Oak Obsession camo shaft upper. Active Foot construction. Moisture wicking jersey lining. EVA cushion footbed. LXA compound midsole. Alpha Agility rubber outsole with Kick-Off heel plate. WP.

**Soft toe. No safety toe cap.**



**WILKURO®**  
**Steel Toe Overshoe**

- WIL001** (Black/Gray) XS Men's size 4-5 / Women's 6-7
- WIL002** (Black/White) S (Men's size 6-7 / Women's 8-9)
- WIL003** (Black/Yellow) M (Men's size 8-9 / Women's 10-11)
- WIL004** (Black/Red) L (Men's size 10-11 / Women's 12-13)
- WIL005** (Black/Blue) XL (Men's size 12-13)
- WIL006** (Black/Green) XXL (Men's size 13-14)
- WIL007** (Black/Black) XXXL (Men's size 15-16)

PVC overshoe with steel toe cap. **Accepted by OSHA.**



**SERVUS®**  
**PVC Overshoe**  
**A11003** (Black)

- |                |                  |
|----------------|------------------|
| XS (Men's 4-5) | L (Men's 11-13)  |
| S (Men's 6-8)  | XL (Men's 14-15) |
| M (Men's 9-10) |                  |

Seamless construction. Supersized to fit over bulky footwear. Elastic loop button closures. SF wide grip outsole with textured treads. 100% waterproof. Made in USA.

**Soft toe. No safety toe cap.**





# INSOLES & MISC.



**MEGACOMFORT®**  
**Personal Anti-Fatigue Mat Insole**  
**PAM** (Black/Yellow) Men's 3-14 (no half sizes)

*\*Women please refer to size conversion chart on page 143.*

The MEGACOMFORT Personal Anti-Fatigue Mat (PAM) Insole is ergonomically designed by a Doctor, using a patented combination of high density dual layer 100% memory foam. MEGACOMFORT insoles have been clinically proven and field tested to reduce pain and fatigue while increasing balance and comfort. The PAM Insole provides maximum shock absorption and comfort in industrial footwear, making them far more effective than the standard anti-fatigue floor mats at reducing muscle strain and improving balance reactions. The heavy duty top cloth offers anti-fungal, anti-bacterial, and anti-perspiration capabilities. Aeration holes help to regulate foot temperature. Machine washable. For Arch Type: Medium, High



**MEGACOMFORT®**  
**MEGASole Insole**  
**MEGASOLE** (Black/Yellow) Men's 5,6,8,10,12,14

*\*Women please refer to size conversion chart on page 143.*

The MEGACOMFORT MegaSole Insole is ergonomically designed by a Podiatrist, using a patented combination of high-density dual layer 100% memory foam. MEGACOMFORT insoles have been clinically proven and field tested to reduce pain and fatigue while increasing balance and comfort. The gel enhanced MegaSole Insole provides vibration reduction, heel and arch cushioning, massaging, and aeration holes help to regulate foot temperature in footwear for all-day comfort and improve balance reactions. Ideal for stationary, mobile and those who work outdoors. For use with Casual and Work Footwear. For Arch Type: Medium, High.



**MEGACOMFORT®**  
**MULTIthotic Insole**  
**THOTIC** (Black/Yellow) Men's 4,6,8,10,12,14

*\*Women please refer to size conversion chart on page 143.*

The MEGACOMFORT MultiThotic 3-in-1 Orthotic Insole is ergonomically designed by a Podiatrist, using a patented combination of high-density dual layer 100% memory foam plus two re-attachable orthotic arch supports (medical grade materials). The light green flexible arch support is recommended for medium/regular arch type and the dark green rigid arch support is recommended for low arch/pronation support. Made with medical grade Polyplastic, the MultiThotic is a cost-effective initial replacement to custom made orthotics. Other features include heavy duty top cloth which offers anti-fungal, anti-bacterial, and anti-perspiration capabilities. Aeration holes help to regulate foot temperature. Machine washable.



**SR MAX / BLUMAKA®**  
**Comfort Insoles**  
**BLUMAX** (Blue/Green) Men's 4-15 (no half sizes)

*\*Women please refer to size conversion chart on page 143.*

Made using cutting-edge sustainable practices, SR Max® and Blumaka are redefining what it means to feel good in your shoes and care for our planet at the same time. Constructed from up to 85% recycled high-performance athletic foam using 99% less water, our BluMax insoles retain most of their original energy return, even after 1,000 miles of walking. Cradles your foot. Reduces pressure. 17% more cushioning than your average insole.

**Not a safety device.**

NEW STYLE



**AETREX®**  
**Memory Foam Orthotic**  
**ATL2200F** (Brown/Blue) Women's 6-11 (no half sizes)

Slow recovery IQ150 memory foam orthotic. CopperGuard top cover helps prevent bacteria, fungi and odor. Lynco arch support.

**Not a safety device.**



NEW STYLE



**AETREX®**  
**Memory Foam Orthotic**  
**ATL2205F** (Brown/Blue) Women's 6-11 (no half sizes)

Slow recovery IQ150 memory foam orthotic. CopperGuard top cover helps prevent bacteria, fungi and odor. Lynco arch support with metatarsal support.

**Not a safety device.**



NEW STYLE



**AETREX®**  
**Memory Foam Orthotic**  
**ATL2200M** (Brown/Black) Men's 7-15 (no half sizes)

Slow recovery IQ150 memory foam orthotic. CopperGuard top cover helps prevent bacteria, fungi and odor. Lynco arch support.

**Not a safety device.**



NEW STYLE



**AETREX®**  
**Memory Foam Orthotic**  
**ATL2205M** (Brown/Black) Men's 7-14 (no half sizes)

Slow recovery IQ150 memory foam orthotic. CopperGuard top cover helps prevent bacteria, fungi and odor. Lynco arch support with metatarsal support.

**Not a safety device.**



NEW STYLE



**AETREX®**  
**Thinsoles Orthotic For Shoes Without Removable Insoles**  
**ATL1300M** (Light Blue) Men's 5-13 (no half sizes)

AeroCell PU for high energy return. Cupped heel cushions and stabilizes back of foot. Aetrex Arch Support helps relieve plantar faciitis and common heel/arch pain. Microfiber top cover. Antimicrobial treated to fight odor. APMA approved. 30 Day satisfaction guarantee.

**Not a safety device.**



NEW STYLE



**AETREX®**  
**Thinsoles Orthotic For Shoes Without Removable Insoles**  
**ATL1320M** (Light Blue) Men's 7-13 (no half sizes)



AeroCell PU for high energy return. Cupped heel cushions and stabilizes back of foot. Aetrex Arch Support helps relieve plantar faciitis, arch pain and metatarsalgia. Posted heel with medial rearfoot post helps keep your foot aligned and controls over-pronation. Microfiber top cover. Antimicrobial treated to fight odor. APMA approved. 30 day satisfaction guarantee.

**Not a safety device.**

NEW STYLE



**AETREX®**  
**Premium Memory Foam Orthotic**  
**ATL2300M** (Turquoise) Men's 7-15 (no half sizes)



AeroCell PU for high energy return. Cupped heel cushions and stabilizes back of foot. 43% more IQ150 memory foam in forepart. Aetrex Arch Support helps relieve plantar faciitis, arch pain and metatarsalgia. Microfiber top cover. CopperGuard antimicrobial treated to fight odor. APMA approved. 30 day satisfaction guarantee.

**Not a safety device.**

NEW STYLE



**AETREX®**  
**Premium Memory Foam Orthotic**  
**ATL2300W** (Pink) Women's 6-11 (no half sizes)



AeroCell PU for high energy return. Cupped heel cushions and stabilizes back of foot. 43% more IQ150 memory foam in forepart. Aetrex Arch Support helps relieve plantar faciitis, arch pain and metatarsalgia. Microfiber top cover. CopperGuard antimicrobial treated to fight odor. APMA approved. 30 day satisfaction guarantee.

**Not a safety device.**

NEW STYLE



**AETREX®**  
**Memory Foam Orthotic With Metatarsal Support**  
**ATL2305M** (Turquoise) Men's 8-14 (no half sizes)



AeroCell PU for high energy return. 43% more IQ150 memory foam in forepart. Aetrex Arch Support relieves plantar faciitis and heel/arch pain. Microfiber top cover. CopperGuard antimicrobial treated to fight odor. Metatarsal pad helps unload pressure at the metatarsal area. Cupped heel helps cushion and stabilize back of foot. Recommended for medium to high arches with forefoot pain. APMA approved. 30 day satisfaction guarantee.

**Not a safety device.**

NEW STYLE



**AETREX®**  
**Memory Foam Orthotic With Metatarsal Support**  
**ATL2305W** (Pink) Women's 7-10 (no half sizes)



AeroCell PU for high energy return. Cupped heel cushions and stabilizes back of foot. 43% more IQ150 memory foam in forepart. Aetrex Arch Support helps relieve plantar faciitis, arch pain and metatarsalgia. Metatarsal pad provides built in forepart support that helps unload pressure at the metatarsal area. Microfiber top cover. CopperGuard antimicrobial treated for odor control. APMA approved. 30 day satisfaction guarantee.

**Not a safety device.**

NEW STYLE



**AETREX®**  
**Memory Foam Posted Heel Orthotic**  
**ATL2320M** (Turquoise) Men's 8-15 (no half sizes)

AeroCell PU for high energy return. 43% more IQ150 memory foam in forepart. Aetrex Arch Support relieves plantar faciitis and arch pain. Microfiber top cover. CopperGuard antimicrobial treated to fight odor. Recommended for low arches to flat feet with no pain, featuring a posted heel to control over-pronation and control balance. APMA approved. 30 day satisfaction guarantee.

**Not a safety device.**



NEW STYLE



**AETREX®**  
**Memory Foam Posted Heel Orthotic**  
**ATL2320W** (Pink) Women's 7-11 (no half sizes)

AeroCell PU for high energy return. 43% more IQ150 memory foam in forepart. Aetrex Arch Support relieves plantar faciitis and arch pain. Microfiber top cover. CopperGuard antimicrobial treated to fight odor. Recommended for low arches to flat feet with no pain, featuring a posted heel to control over-pronation and control balance. APMA approved. 30 day satisfaction guarantee.

**Not a safety device.**



NEW STYLE



**AETREX®**  
**Customizable Orthotic For Personal Comfort**  
**ATL2400M** (Brown) Men's 6-16 (no half sizes)

TPU performance base for shape retention. Pro-Shox center cushion to absorb shock. CopperGuard antimicrobial top cover. Cupped heel to stabilize back of foot. Patented Mosaic technology and Aetrex Arch Support to help biomechanically align the body and help prevent common foot pain such as plantar faciitis, arch pain and metatarsalgia. 30 day comfort wear test guarantee. APMA approved.

**Not a safety device.**



NEW STYLE



**AETREX®**  
**Customizable Orthotic With Metatarsal Support**  
**ATL2405M** (Brown) Men's 6-16 (no half sizes)

TPU performance base for shape retention. Pro-Shox center cushion to absorb shock. CopperGuard antimicrobial top cover. Cupped heel to stabilize back of foot. Patented Mosaic technology and Aetrex Arch Support to help biomechanically align the body and help prevent common foot pain such as plantar faciitis, arch pain and metatarsalgia. For medium to high arches with forefoot pain, featuring a cupped heel to cushion and stabilize the back of foot and a metatarsal pad to redistribute weight to the ball-of-foot. 30 day comfort wear test guarantee. APMA approved.

**Not a safety device.**



NEW STYLE



**AETREX®**  
**Complete Orthotic For Active Lifestyles**  
**ATL400M** (Brown/Black) Men's 7-16 (no half sizes)

AeroCell PU for high energy return with Pro-Shox PU center cushion to absorb shock and reduce impact. Aetrex Arch Support helps relieve plantar faciitis and heel/arch pain. Cupped heel helps cushion and stabilize back of foot. CopperGuard antimicrobial treated to fight odor. APMA approved. 30 day satisfaction guarantee.

**Not a safety device.**



NEW STYLE



**AETREX®**  
**Complete Orthotic For Active Lifestyles**  
**ATL400W** (Brown/Black) Women's 5-11 (no half sizes)

AeroCell PU for high energy return with Pro-Shox PU center cushion to absorb shock and reduce impact. Aetrex Arch Support helps relieve plantar faciitis and heel/arch pain. Cupped heel helps cushion and stabilize back of foot. CopperGuard antimicrobial treated to fight odor. APMA approved. 30 day satisfaction guarantee.

**Not a safety device.**



NEW STYLE



**AETREX®**  
**Complete Orthotic With Metatarsal Support**  
**ATL405M** (Brown/Black) Men's 6-16 (no half sizes)

Aerocell PU performance base for high energy return with Pro-Shox PU center cushion. Built in forefoot metatarsal pad provides cushioning to help relieve discomfort. CopperGuard antimicrobial top cover. Cupped heel to stabilize back of heel. Helps relieve plantar faciitis and common heel/arch pain. 30 day comfort wear test guarantee. APMA approved.

**Not a safety device.**



NEW STYLE



**AETREX®**  
**Complete Orthotic With Metatarsal Support**  
**ATL405W** (Brown/Black) Women's 5-13 (no half sizes)

Aerocell PU performance base for high energy return with Pro-Shox PU center cushion. Built in forefoot metatarsal pad provides cushioning to help relieve discomfort. CopperGuard antimicrobial top cover. Cupped heel to stabilize back of heel. Helps relieve plantar faciitis and common heel/arch pain. 30 day comfort wear test guarantee. APMA approved.

**Not a safety device.**



NEW STYLE



**AETREX®**  
**Complete Posted Orthotic**  
**ATL420W** (Brown/Black) Women's 5-11 (no half sizes)

AeroCell PU for high energy return with Pro-Shox PU center cushion to absorb shock and reduce impact. Aetrex Arch Support helps relieve plantar faciitis and heel/arch pain. Posted heel keeps feet aligned and controls over pronation. CopperGuard antimicrobial treated to fight odor. For low arches to flat feet with no forefoot pain. APMA approved. 30 day satisfaction guarantee.

**Not a safety device.**



NEW STYLE



**AETREX®**  
**Work Boot Orthotic For All Day Comfort**  
**ATL4600M** (Brown) Men's 7-15 (no half sizes)

Aerocell PU for high energy return with Pro-Shox PU center cushion to absorb shock and reduce impact. Aetrex Arch Support helps relieve plantar faciitis and heel/arch pain. Cupped heel cushions and stabilizes back of foot. CopperGuard antimicrobial treated to fight odor. APMA approved. 30 day satisfaction guarantee.

**Not a safety device.**





NEW STYLE



**AETREX®**  
**Work Boot Orthotic With Metatarsal Support**  
**ATL4605M** (Brown) Men's 8-15 (no half sizes)

AeroCell PU for high energy return with Pro-Shox PU center cushion to absorb shock and reduce impact. Aetrex Arch Support helps relieve plantar faciitis, arch pain and metatarsalgia. Metatarsal pad helps unload pressure at the metatarsal area. Cupped heel helps cushion and stabilize back of foot. CopperGuard antimicrobial treated to fight odor. APMA approved. 30 day satisfaction guarantee.

**Not a safety device.**

NEW STYLE



**AETREX®**  
**Work Boot Posted Orthotic**  
**ATL4620M** (Brown) Men's 8-15 (no half sizes)

AeroCell PU for high energy return with Pro-Shox PU center cushion to absorb shock and reduce impact. Aetrex Arch Support helps relieve plantar faciitis and heel/arch pain. Posted heel keeps feet aligned and controls over pronation. CopperGuard antimicrobial treated to fight odor. APMA approved. 30 day satisfaction guarantee.

**Not a safety device.**



NEW STYLE



**GLOBAL GLOVE & SAFETY®**  
**Samurai Tuffalene Cut & Puncture Resistant**  
**Work Gloves**  
**CR998MF** (Yellow/Green Hi Vis) One Size

High visibility cut, abrasion, and puncture resistant mach finish nitrile, double dipped gloves. Cut resistant level 5. ANSI/ISEA 105-2016 standard compliant. ANSI level 4 puncture resistant.

**Not a safety device.**

# SIZE CONVERSION CHARTS

WARNING: This product is only part of an overall safety program. No shoe can protect you from injury in all situations. All safety shoes are used in environments where hazards exist beyond the scope of protection a safety shoe can offer. Slip-resistant SHOES ARE NOT "Slip Proof". Environmental factors including but not limited to oils, water, dust, flour, ice, objects on the floor, or other hazards can reduce the effectiveness of slip-resistant footwear. Also, cold environments including freezers and coolers will significantly limit the effectiveness of slip-resistant footwear. It is possible for you to slip, fall, and/or be injured while wearing/using personal protective equipment including slip-resistant shoes or ASTM rated safety shoes. You should always take precaution and consider the environmental hazards around you when wearing your protective footwear. All products are sold subject only to the warranties given by the manufacturer. If the product is marked as meeting an ANSI or ASTM standard, then the product carries a manufacturer's warranty. Saf-Gard Safety Shoe Company provides no express warranty and expressly disclaims all implied warranties including any implied warranty of merchantability or fitness for any particular purpose. PLEASE NOTE: Great care should always be taken to review the environment you walk in. Freezers and icy surfaces remain among the most dangerous to walk on. SR Max cold storage outsoles offer improved slip resistance, but no shoe is slip proof... especially on ice and in freezers.

## STANDARD SIZE CONVERSIONS

<b>Need Women's Size:</b>	6	6.5	7	7.5	8	8.5	9	9.5	10	11
<b>Order Men's Size:</b>	4	4.5	5	5.5	6	6.5	7	7.5	8	9

## DR. MARTENS® SIZE CONVERSIONS

<b>Need Women's Size:</b>	5	6	7	8	9	10	11
<b>Order Men's Size:</b>	4	5	6	7	8	9	10

## BLUMAKA® INSOLE SIZE CONVERSIONS

<b>Need Women's Size:</b>	5	6	7	8	9	10	11	12	13	14
<b>Order Men's Size:</b>	4	5	6	7	8	9	10	11	12	13

## MEGACOMFORT® INSOLE SIZE CONVERSIONS

<b>Need Women's Size:</b>	5	6	7	8	9	10	11	12	13	14
<b>Order Men's Size:</b>	3	4	5	6	7	8	9	10	11	12

**5.11 TACTICAL®**

FEL12416 ..... 72  
 FEL12421 ..... 57

**AETREX®**

ATL1300M ..... 139  
 ATL1320M ..... 140  
 ATL2200F ..... 139  
 ATL2200M ..... 139  
 ATL2205F ..... 139  
 ATL2205M ..... 139  
 ATL2300M ..... 140  
 ATL2300W ..... 140  
 ATL2305M ..... 140  
 ATL2305W ..... 140  
 ATL2320M ..... 141  
 ATL2320W ..... 141  
 ATL2400M ..... 141  
 ATL2405M ..... 141  
 ATL400M ..... 141  
 ATL400W ..... 142  
 ATL405M ..... 142  
 ATL405W ..... 142  
 ATL420W ..... 142  
 ATL4600M ..... 142  
 ATL4605M ..... 143  
 ATL4620M ..... 143

**ARIAT®**

AR10012948 ..... 81  
 AR10015196 ..... 81  
 AR10015405 ..... 125  
 AR10017420 ..... 83  
 AR10020094 ..... 83  
 AR10022968 ..... 83  
 AR10023042 ..... 83  
 AR10024966 ..... 83  
 AR10029530 ..... 12  
 AR10034149 ..... 86  
 AR10034673 ..... 53  
 AR10035774 ..... 125  
 AR10036002 ..... 84  
 AR10036738 ..... 53  
 AR10036739 ..... 54  
 AR10038398 ..... 15  
 AR10040282 ..... 25  
 AR1943 ..... 71  
 AR1976 ..... 106

**AVENGER®**

N7118 ..... 15

**(AVENGER CONTINUED)**

N7120 ..... 121  
 N7123 ..... 120  
 N7130 ..... 120  
 N7146 ..... 126  
 N7223 ..... 60  
 N7245 ..... 60  
 N7264 ..... 60  
 N7286 ..... 120  
 N7402 ..... 88  
 N7421 ..... 38  
 N7471 ..... 121  
 N7508 ..... 38  
 N7573 ..... 73  
 N8124 ..... 124  
 N8125 ..... 124  
 N8224 ..... 61  
 N8225 ..... 60

**BAFFIN®**

BAF5157 ..... 135  
 BAF8574 ..... 135

**BATES®**

BA2276 ..... 64  
 BA3164 ..... 47  
 BA3184 ..... 65

**BELLEVILLE BOOT®**

BV918ZWPCT ..... 74

**BLUNDSTONE®**

BL140 ..... 59  
 BL143 ..... 59  
 BL172 ..... 59  
 BL179 ..... 59  
 BL990 ..... 59  
 BL994 ..... 96  
 BL997 ..... 60

**BRUNT®**

BRF10001-001 ..... 62  
 BRF10001-002 ..... 62  
 BRF10006-001 ..... 74  
 BRF20002-001 ..... 85

**CARHARTT®**

CFW6225-W ..... 124  
 CMC1259 ..... 75  
 CME1355 ..... 85  
 CME6355 ..... 58

**(CARHARTT CONTINUED)**

CME8355 ..... 73  
 CMF6356 ..... 58  
 CMFA5415M ..... 40  
 CMFF6213M ..... 58  
 CML8360 ..... 78  
 CML8369 ..... 78  
 CMW6095 ..... 101  
 CMW6274 ..... 58  
 CMW6295 ..... 58

**CAROLINA®**

CA1309 ..... 54  
 CA1421 ..... 125  
 CA1435 ..... 125  
 CA1520 ..... 12  
 CA1809 ..... 68  
 CA1821 ..... 76  
 CA1825 ..... 76  
 CA1900 ..... 26  
 CA3534 ..... 68  
 CA3538 ..... 68  
 CA3558 ..... 54  
 CA4515 ..... 69  
 CA4582 ..... 99  
 CA505USA ..... 96  
 CA508USA ..... 93  
 CA508USA ..... 129  
 CA5520 ..... 54  
 CA5547 ..... 69  
 CA5570 ..... 37  
 CA5574 ..... 15  
 CA5582 ..... 93  
 CA5671 ..... 110  
 CA5674 ..... 106  
 CA5821 ..... 76  
 CA6921 ..... 76  
 CA7516 ..... 69  
 CA7522 ..... 76  
 CA7545 ..... 69  
 CA7811 ..... 54  
 CA7821 ..... 96  
 CA7829 ..... 55  
 CA8556 ..... 69  
 CA9824 ..... 76  
 CA9852 ..... 77

**CATERPILLAR®**

CT90936 ..... 46  
 CT90977 ..... 33  
 CT91345 ..... 18  
 CT91350 ..... 18

**(CATERPILLAR CONTINUED)**

CT91351 ..... 18  
 CT91357 ..... 111  
 CT91402 ..... 46

**CHIPPEWA®**

CH59417 ..... 77  
 CH73050 ..... 78  
 CH73060 ..... 78

**DANNER®**

DA12534 ..... 72  
 DA13860 ..... 37  
 DA15161 ..... 57  
 DA15340 ..... 38  
 DA15569 ..... 57  
 DA17311 ..... 73  
 DA17321 ..... 73

**DR. MARTENS®**

DMR24381001 ..... 100  
 DMR24382001 ..... 102

**DUNHAM®**

DUC12187 ..... 62

**DUNLOP®**

ON81011 ..... 137  
 ON86104 ..... 134  
 ON86622 ..... 134  
 ON86779 ..... 134  
 ON87982 ..... 135  
 ON89682 ..... 135  
 ON89904 ..... 137  
 ON89908 ..... 135

**FLORSHEIM WORK®**

SFE2307 ..... 8  
 SFE2308 ..... 8  
 SFE2642 ..... 8  
 SFE2643 ..... 8  
 SFE2644 ..... 8  
 SFE2645 ..... 8  
 WGFE690 ..... 93  
 WGFE690 ..... 129  
 WGFS2000 ..... 9  
 WGFS2005 ..... 9  
 WGFS2023 ..... 9  
 WGFS2031 ..... 9  
 WGFS2326 ..... 14  
 WGFS2400 ..... 14  
 WGFS2623 ..... 9



**FRYE®**

WGFR40502F.....	110
WGFR40601F.....	126

**GEORGIA BOOT®**

GA4374.....	84
GA4603.....	84
GA6374.....	55
GA7313.....	77
GAGB00097.....	77
GAGB00337.....	55

**GLOBAL GLOVE & SAFETY®**

CR998MF.....	143
--------------	-----

**HAIX®**

HX603102.....	75
HX603110.....	74
HX603111.....	74
HX604103.....	61

**HARLEY-DAVIDSON®**

HD93329.....	33
HD93496.....	62
HD93563.....	80
HD93579.....	46

**HOSS BOOT COMPANY®**

HS60160.....	61
HS60242.....	38
HS60466.....	38
HS60542.....	61
HS70120.....	124
HS70165.....	121
HS70423.....	121

**HUSH-PUPPIES PROFESSIONALS®**

5040.....	8
-----------	---

**HYTEST®**

04052.....	97
04055.....	97
04321.....	95
10043.....	10
10113.....	10
10119.....	10
10781.....	10

**(HYTEST CONTINUED)**

10800.....	10
11280.....	16
11430.....	16
11500.....	16
11509.....	16
11729.....	87
12011.....	103
12220.....	87
12220.....	128
12251.....	90
12251.....	129
12254.....	41
12320.....	30
12329.....	30
12451.....	88
12451.....	128
12481.....	41
12571.....	103
13180.....	41
13200.....	90
13261.....	90
13500.....	42
13562.....	89
13571.....	42
13610.....	42
13620.....	42
13621.....	42
13750.....	32
13751.....	32
13781.....	44
13860.....	44
13890.....	44
13990.....	44
13991.....	44
14562.....	94
14781.....	62
15021.....	98
15041.....	98
15202.....	98
15221.....	98
15261.....	98
15581.....	78
17033.....	105
17122.....	125
17300.....	105
17302.....	105
17320.....	110
17400.....	110
17402.....	110
17433.....	110

**(HYTEST CONTINUED)**

17751.....	121
20250.....	86
21103.....	29
21109.....	30
21400.....	86
21724.....	16
22470.....	40
22471.....	40
22477.....	40
22731.....	32
23130.....	88
23130.....	129
23131.....	88
23181.....	41
23231.....	89
23250.....	89
23251.....	89
23300.....	89
23332.....	40
23470.....	40
23471.....	41
24041.....	95
24231.....	95
24251.....	94
25251.....	78
27111.....	128
27123.....	16

**IRON AGE®**

WGIA0163.....	93
WGIA0195.....	99
WGIA5016.....	93
WGIA5018.....	94
WGIA9650.....	55

**JUSTIN BOOTS®**

JUGY9980.....	126
JUSE4570.....	99

**KEEN UTILITY®**

KN1007024.....	35
KN1007969.....	91
KN1011244.....	39
KN1011357.....	52
KN1015401.....	52
KN1017833.....	68
KN1018079.....	35
KN1020086.....	37
KN1021315.....	87
KN1021467.....	52

**(KEEN UTILITY CONTINUED)**

KN1023205.....	39
KN1023217.....	39
KN1023220.....	119
KN1023222.....	52
KN1023232.....	119
KN1024182.....	53
KN1024184.....	53
KN1024222.....	68
KN1024588.....	37
KN1024592.....	37
KN1024604.....	24
KN1025241.....	116
KN1025637.....	24
KN1025638.....	116
KN1025697.....	53
KN1026357.....	35
KN1026486.....	53
KN1026704.....	12
KN1026705.....	24
KN1026707.....	12
KN1026708.....	12
KN1027102.....	37
KN1027104.....	120

**LACROSSE®**

LC228040.....	136
LC302422.....	137
LC644103.....	136

**LEGG SYSTEMS®**

LS1031.....	104
-------------	-----

**MEGACOMFORT®**

MEGASOLE.....	138
PAM.....	138
THOTIC.....	138

**MELLOW WALK®**

MW482072.....	107
---------------	-----

**MERRELL WORK®**

MLJ099304.....	105
MLJ099319.....	10
MLJ11617.....	33

**MICHELIN®**

MIXPX761.....	94
MIXPX781.....	96

**MUCK®**

MCHS000A..... 133

**NEW BALANCE®**

NBMID412G1..... 29  
 NBMIDLOGIBL..... 29  
 NBMIDLOGINA..... 29  
 NBMIDSPWRBL..... 29  
 NBMIDSPWROL..... 29  
 NBWID412P1..... 118  
 NBWIDLOGIBLE..... 118

**ORIGINAL SWAT®**

SW1160..... 75

**PUMA SAFETY®**

PU640015..... 28  
 PU640035..... 28  
 PU642855..... 118  
 PU642925..... 118  
 PU643835..... 28  
 PU643845..... 28  
 PU644655..... 29

**REDBACK BOOTS®**

REDUSNPU9..... 61

**REEBOK WORK®**

SRB033..... 132  
 SRB061..... 112  
 SRB062..... 112  
 SRB063..... 112  
 SRB064..... 132  
 SRB3201..... 101  
 SRB3206..... 21  
 SRB3211..... 21  
 SRB3213..... 30  
 WGIB3501..... 21  
 WGIB4039..... 21  
 WGIB4041..... 21  
 WGRB036..... 113  
 WGRB039..... 113  
 WGRB041..... 113  
 WGRB045..... 113  
 WGRB046..... 113  
 WGRB049..... 104  
 WGRB055..... 113  
 WGRB143..... 128  
 WGRB156..... 127  
 WGRB3214..... 67  
 WGRB3400..... 87

**(REEBOK WORK CONTINUED)**

WGRB3401..... 31  
 WGRB3461..... 67  
 WGRB3481..... 22  
 WGRB365..... 115  
 WGRB383..... 115  
 WGRB4036..... 22  
 WGRB4039..... 22  
 WGRB4040..... 22  
 WGRB4041..... 23  
 WGRB4043..... 22  
 WGRB4049..... 103  
 WGRB4050..... 23  
 WGRB406..... 118  
 WGRB4132..... 31  
 WGRB4133..... 31  
 WGRB4141..... 31  
 WGRB4144..... 31  
 WGRB4162..... 23  
 WGRB417..... 104  
 WGRB4177..... 103  
 WGRB429..... 115  
 WGRB4310..... 22  
 WGRB4311..... 23  
 WGRB4327..... 104  
 WGRB434..... 115  
 WGRB4360..... 67  
 WGRB437..... 104  
 WGRB4443..... 23  
 WGRB4453..... 24  
 WGRB460..... 127  
 WGRB464..... 115  
 WGRB492..... 115  
 WGRB655..... 129  
 WGRB6765..... 51  
 WGRB7755..... 51  
 WGRB8674..... 52  
 WGRB8694..... 52  
 WGRB8807..... 67

**REED FOOTWEAR®**

RE3732..... 136

**ROCKPORT WORKS®**

SRK4573..... 26  
 SRK4574..... 12  
 SRK4575..... 13  
 WGRK2151..... 13  
 WGRK4691..... 13  
 WGRK5710..... 13

**(ROCKPORT WORKS CONTINUED)**

WGRK5715..... 13  
 WGRK634..... 127  
 WGRK643..... 106  
 WGRK644..... 106  
 WGRK6635..... 55  
 WGRK670..... 107  
 WGRK6736..... 13  
 WGRK676..... 107  
 WGRK6761..... 14  
 WGRK751..... 108  
 WGRK777..... 120  
 WGRK800..... 108

**ROCKY®**

RY6114..... 56  
 RO12002XP..... 96  
 RO12161XP..... 97  
 RO12311XPJ..... 97  
 RO5628AG..... 61  
 RO5725AG..... 73

**SERVUS®**

A11003..... 137

**SKECHERS WORK®**

SK200206BKRD..... 24  
 SK200211NVGY..... 25  
 SSK108097GYAQ..... 116  
 SSK108097LBPK..... 116  
 SSK108097NVAQ..... 116  
 SSK108098BKPK..... 116  
 SSK108098GYPR..... 117  
 SSK200148NVBL..... 25  
 SSK403BLK..... 132  
 SSK406NVAQ..... 117  
 SSK606NVBL..... 25  
 SSK8037BLK..... 25  
 SSK8436BLK..... 117  
 SSK8436NVY..... 117

**SR MAX®**

SRM132..... 131  
 SRM167..... 131  
 SRM1670..... 101  
 SRM188..... 111  
 SRM1880..... 18  
 SRM2050..... 11  
 SRM2060..... 11  
 SRM2090..... 11  
 SRM2160..... 80

**(SR MAX CONTINUED)**

SRM2170..... 80  
 SRM2600..... 102  
 SRM2610..... 102  
 SRM265..... 122  
 SRM2650..... 47  
 SRM2660..... 47  
 SRM2670..... 47  
 SRM2680..... 47  
 SRM285..... 119  
 SRM2850..... 33  
 SRM295..... 124  
 SRM2950..... 65  
 SRM415..... 105  
 SRM4400..... 19  
 SRM4660..... 39  
 SRM4760..... 33  
 SRM479..... 119  
 SRM4790..... 34  
 SRM5000..... 47  
 SRM560..... 131  
 SRM615..... 132  
 SRM6150..... 101  
 SRM770..... 131  
 SRM7700..... 100  
 SRM8200..... 133  
 SRM8300..... 136  
 SRM8400..... 133  
 SRM8450..... 136  
 SRM9150..... 48  
 SRM9160..... 48  
 SRM9170..... 48  
 SRM9960..... 65  
 SRM9990..... 65

**SR MAX® / BLUMAKA®**

BLUMAX..... 138

**TERRA®**

TR608285BLK..... 32

**THOROGOOD®**

TG804-3320..... 84  
 TG804-3554..... 77  
 TG804-3600..... 56  
 TG804-3696..... 56  
 TG804-3800..... 71  
 TG804-4200..... 56  
 TG804-4208..... 71  
 TG804-4291..... 39

**(THOROGOOD CONTINUED)**

TG804-4296	56
TG804-4364	71
TG804-4375	57
TG804-4378	71
TG804-4478	72
TG804-6190	57
TG804-6191	72
TG804-6449	14

**TIMBERLAND PRO®**

STMA1V48	102
STMA1W52	48
STMA1W6B	48
STMA1W6M	102
STMA1WDJ	65
STMA1WDU	66
STMA1XPD	19
STMA21AV	19
STMA2BX1	34
STMA2R3Q	122
STMA2R52	122
STMA41PY	48
STMA41QN	48
STMA4259	19
STMA4279	111
STMA44A9	19
STMA44B9	111
STMA44EN	34
STMA44FE	34
STMA44N1	119
STMA44N9	119
STMA5MEP	102
STMA5MPT	111
STMA5NCP	112
STMA5NKJ	19
STMA5TDH	48
SSTMA5YU3	132
STMA5YVB	101
TM26038	49
TM26064	49
TM26078	49
TM26388	123
TM33032	49
TM33034	49
TM40000	91
TM40044	11
TM47001	49
TM47019	66
TM47028	11
TM52561	66

**(TIMBERLAND PRO CONTINUED)**

TM52562	50
TM53531	97
TM53534	11
TM63189	105
TM72399	123
TM86515	34
TM87528	106
TM89604	81
TM89628	66
TM89697	91
TM90646	50
TM91694	11
TM92615	50
TM92649	20
TM92671	66
TM95567	67
TMA11QF	34
TMA176A	20
TMA1B6U	20
TMA1B7F	112
TMA1GHM	88
TMA1GHM	128
TMA1GT9	20
TMA1HQL	50
TMA1KIT	123
TMA1Q2W	50
TMA1Q54	51
TMA1RVS	51
TMA1XJP	51
TMA1XK1	51
TMA2297	81
TMA24BH	81
TMA25F5	99
TMA283H	112
TMA28QQ	75
TMA29G9	75
TMA4115	123
TMA5NST	20
TMA5PKE	20
TMA5QZE	35
TMA5RMX	20
TMA5YFU	35
TMA6763EDV	35
TMA6763EDX	35

**TINGLEY®**

Ti26256	133
Ti28259	134
Ti77253	134

**TWISTED X®**

TWMCAN003	14
TWMDMSM01	86
TWMDMST01	15
TWMHKBCW1	84
TWMLCSM01	99
TWMXBA006	85
TWMXBN001	85
TWMXBN004	85
TWMXCNM01	100
TWWDCTM1	127
TWWDMSM01	107
TWWLCS003	126
TWWXBN001	126

**UNDER ARMOUR®**

UA3024947	72
-----------	----

**VOLCOM®**

SVM30804	15
SVM30805	15
SVM30806F	107
SVM30807	100
WGVM30110	26
WGVM30110F	117
WGVM30117	26
WGVM30239	87
WGVM30468	26
WGVM30471	28
WGVM30617F	117

**WILKURO®**

WIL001	137
WIL002	137
WIL003	137
WIL004	137
WIL005	137
WIL006	137
WIL007	137

**WOLVERINE®**

SWW080126	18
SWW081004	30
SWW081005	18
WW10180	121
WW10181	121
WW10314	45
WW10316	64
WW10318	79
WW10653	45
WW10680	79

**(WOLVERINE CONTINUED)**

WW10702	79
WW10706	90
WW10791	45
WW10942	91
WW10945	95
WW191044	64
WW201175	45
WW201178	80
WW201218	80
WW211022	44
WW211043	32
WW211129	79
WW211139	64
WW211165	90
WW211176	18
WW221025	121
WW221032	122
WW221041	64
WW231013	79
WW231018	45
WW5679	91
WW5680	95
WW5698	46
WW8399	46
WW880351	32

**WORK ZONE®**

WZM612-BL	94
WZS852-BR	74

**XENA WORKWEAR®**

XEGRBT1	108
XEGRCG3	108
XEOMBL1	108
XEOMBO1	108
XESPBL1	124
XEVABL1	123
XEVACB1	123

# Saf-Gard

SAFETY SHOE COMPANY™

## VULCAN SAFETY SHOES

DIVISION OF SAF-GARD SAFETY SHOE CO.

## MICHIGAN INDUSTRIAL SHOE

DIVISION OF SAF-GARD SAFETY SHOE CO.


## INDUSTRIAL PROTECTION PRODUCTS, INC.

DIVISION OF SAF-GARD SAFETY SHOE CO.

### RETAIL LOCATIONS

**GREENSBORO, NC**  
CORPORATE HEADQUARTERS  
Saf-Gard Safety Shoe Co.  
2701 Patterson St.  
Greensboro, NC 27407  
(800) 221-8843

### VISIT US ONLINE



**MILFORD, CT**  
Saf-Gard Safety Shoe Co.  
573 Boston Post Rd.  
Milford, CT 06460  
(203) 783-1270

**NEWINGTON, CT**  
Industrial Protection Products  
3310 Berlin Turnpike  
Newington, CT 06111  
(860) 791-7200

**WINDSOR, CT**  
Saf-Gard Safety Shoe Co.  
625 Day Hill Rd.  
Windsor, CT 06095  
(860) 683-4140

**NEW CASTLE, DE**  
Saf-Gard Safety Shoe Co.  
2222 Hessler Blvd.  
New Castle, DE 19720  
(302) 654-1090

**AUGUSTA, GA**  
Vulcan Boot Camp  
3206 Peach Orchard Rd.  
Augusta, GA 30906  
(706) 496-8642

**COLUMBUS, GA**  
Vulcan Boot Camp  
4015 Veterans Ct, Ste. E  
Columbus, GA 31909  
(706) 617-6628

**SAVANNAH, GA**  
Vulcan Boot Camp  
2 Park of Commerce Blvd.  
Savannah, GA 31405  
(912) 236-4940

**SUWANEE, GA**  
Vulcan Boot Camp  
50 Old Peachtree Rd. NE,  
Ste. 102  
Suwanee, GA 30024  
(770) 904-6401

**TUCKER, GA**  
Vulcan Boot Camp  
4745 Hugh Howell Rd.  
Tucker, GA 30084  
(770) 934-5540

**HONOLULU, HI**  
Saf-Gard Safety Shoe Co.  
205 Sand Island Access Rd. #2  
Honolulu, HI 96819  
(808) 746-5556

**ELKHART, IN**  
Saf-Gard Safety Shoe Co.  
4542 Elkhart Rd, Ste. 700  
Elkhart, IN 46517  
(574) 500-2912

**BRAINTREE, MA**  
Saf-Gard Safety Shoe Co.  
719 Granite Street  
Granite Plaza  
Braintree, MA 02184

**WILMINGTON, MA**  
Industrial Protection Products  
50-B Concord St.  
Wilmington, MA 01887  
(978) 447-1534

**BALTIMORE, MD**  
Saf-Gard Safety Shoe Co.  
1140 North Rolling Rd.  
Catonsville, MD 21228  
(410) 574-5170

**BATTLE CREEK, MI**  
Michigan Industrial Shoe  
4900 West Dickman Rd.  
Battle Creek, MI 49037  
(269) 962-0960

**REDFORD, MI**  
Michigan Industrial Shoe  
25477 West Eight Mile Rd.  
Redford Charter Township,  
MI 48240  
(313) 385-3350

**WHITEHALL, MI**  
Michigan Industrial Shoe  
525 Lake St.  
Whitehall, MI 49461  
(231) 557-6876

**CHARLOTTE, NC**  
Saf-Gard Safety Shoe Co.  
4418 E. Independence Blvd.  
Charlotte, NC 28205  
(704) 568-8180

**CHARLOTTE, NC**  
Saf-Gard Safety Shoe Co.  
2900 Westinghouse Blvd,  
Ste. 111  
Charlotte, NC 28273  
(704) 587-2427

**DURHAM, NC**  
Saf-Gard Safety Shoe Co.  
5010 South Miami Blvd.  
Durham, NC 27703  
(919) 941-5555

**GREENSBORO, NC**  
Saf-Gard Safety Shoe Co.  
2701 Patterson Street  
Greensboro, NC 27407  
(336) 482-3050 (Retail store)

**HICKORY, NC**  
Saf-Gard Safety Shoe Co.  
2571 US Hwy 70 SE  
Hickory, NC 28602  
(828) 979-0171

**WINSTON-SALEM, NC**  
Saf-Gard Safety Shoe Co.  
908 Peters Creek Pkwy.  
Winston-Salem, NC 27103  
(336) 723-8110

**EDISON, NJ**  
Saf-Gard Safety Shoe Co.  
Nixon Plaza 2058, NJ-27  
Edison, NJ 08817  
(732) 287-2010

**CHEEKTOWAGA, NY**  
Saf-Gard Safety Shoe Co.  
1625 Walden Ave.  
Cheektowaga, NY 14225  
(716) 895-3646

**AKRON, OH**  
Saf-Gard Safety Shoe Co.  
830 Moe Dr.  
Akron, OH 44310  
(330) 633-3033

**PARMA, OH**  
Saf-Gard Safety Shoe Co.  
5367 Ridge Rd.  
Parma, OH 44129  
(440) 481-2002

**TOLEDO, OH**  
Michigan Industrial Shoe  
4558 Monroe St, Ste. D  
Toledo, OH 43613  
(616) 333-9280

**ALLENTOWN, PA**  
Saf-Gard Safety Shoe Co.  
1105 E. Susquehanna St.  
Allentown, PA 18103  
(610) 791-1577

**LANCASTER, PA**  
Saf-Gard Safety Shoe Co.  
1285 Manheim Pike  
Lancaster, PA 17601  
(717) 481-7401

**YORK, PA**  
Saf-Gard Safety Shoe Co.  
351 Loucks Rd, Ste. G2  
York, PA 17404  
(717) 472-4228

**CHARLESTON, SC**  
Vulcan Boot Camp  
7565 Rivers Ave.  
Charleston, SC 29406  
(843) 576-0748

**FLORENCE, SC**  
Saf-Gard Safety Shoe Co.  
787 North Cashua Dr.  
Florence, SC 29501  
(843) 679-5991

**GREENVILLE, SC**  
Vulcan Boot Camp  
1451 Woodruff Rd, Ste. M  
Greenville, SC 29607  
(864) 297-9660

**SENECA, SC**  
Vulcan Boot Camp  
1971 Sandifer Blvd.  
Seneca, SC 29678  
(864) 882-2920

**LYNCHBURG, VA**  
Saf-Gard Safety Shoe Co.  
2264 Lakeside Dr.  
Lynchburg, VA 24501  
(434) 385-0100

**NEWPORT NEWS, VA**  
Saf-Gard Safety Shoe Co.  
3608 Washington Ave.  
Newport News, VA 23607  
(757) 244-3911

**RICHMOND, VA**  
Saf-Gard Safety Shoe Co.  
1422 Commerce Rd.  
Richmond, VA 23224  
(804) 231-9060

**WAYNESBORO, VA**  
Saf-Gard Safety Shoe Co.  
9 Hannah Circle, Ste. 101  
Waynesboro, VA 22980  
(540) 470-3308